

53460-2-V

MAINE VITAL STATISTICS 1992



STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES

John R. McKernan, Jr.
Governor



Jane Sheehan
Commissioner

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES

OFFICE OF DATA, RESEARCH, AND VITAL STATISTICS

ANNUAL STATISTICAL REPORT

FOR THE CALENDAR YEAR

1992

John R. McKernan, Jr.
Governor

Jane Sheehan
Commissioner

Ellen M. Naor
State Registrar of Vital Statistics

Published in June, 1994
As Required by Statute 22 MRSA §2701
Under Appropriation # 010-10A-1110-01

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1992. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Office of Data, Research, and Vital Statistics. Staff most significantly involved in the production of the 1991 annual report include:

Donald Lemieux, Director, Statistical Services - supervision and general direction, preparation of population statistics.

William Turner - Vital statistics systems maintenance and programming of vital statistics series reports.

Sue Whitley, Word Processing Supervisor - Manuscript preparation.

The joint efforts of all the staff of the Office's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Lorraine Clarkson, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

Carol Crane, Field Agent - Coordination with cities and towns to produce the data in a timely fashion.

TABLE OF CONTENTS

	<u>Page No.</u>
Acknowledgements.....	11
List of Tables.....	v
List of Supplemental Tables Available on Request.....	x
Introduction.....	i
Definitions of Terms.....	3
Definitions of Rates.....	7
Technical Notes.....	9
General Considerations.....	9
Live Births.....	12
Pregnancy Outcome.....	12
Infant and Fetal Mortality.....	12
General Mortality.....	13
Induced Abortions.....	15
Marriages and Divorces.....	15
Tables (See List of Tables for detailed titles)	
Live Births.....	17
Pregnancy Outcome.....	67
Infant and Fetal Mortality.....	89
General Mortality.....	103
Induced Abortions.....	147
Marriages.....	159
Appendices.....	165
Maine Vital Records Certificates and Reports	
Certificate of Live Birth.....	167
Certificate of Fetal Death.....	169
Certificate of Death.....	171
License and Certificate of Marriage.....	173
Record of Divorce or Annulment.....	175
Report of Induced Abortions.....	177

TABLE OF CONTENTS (Continued)

Page No.

Population Estimates

U.S. Dep. of Comm, Bureau of the Census, December 1992: Maine Counties and State Total.....	179
U.S. Dep. of Comm, Bureau of the Census, April 1992, by Age Group and Sex: Maine State Totals.....	180

Historical Vital Statistics Data

Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, from 1900	181
Induced Abortions, Number and Rate: Maine State Totals, from 1978.....	182

LIST OF TABLES

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
	LIVE BIRTHS	
TABLE B-1	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race: Maine State Totals, 1991 (Resident Data).....	19
TABLE B-2	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1991 (Resident Data).....	20
TABLE B-3	Live Births by Selected Medical History Characteristics Maine State Totals, 1991 (Resident data) [Selected Characteristics: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies].....	21
TABLE B-4	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1991 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks].....	22
TABLE B-5	All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1991 (Resident Data).....	23
TABLE B-6	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1991 (Resident Data).....	40
TABLE B-7	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1991 (Resident Data).....	49
TABLE B-8	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1991 (Resident Data).....	58
TABLE B-9	Live Births by Selected Risk Characteristics--Number of Births: Maine Hospitals, Other Birth Sites, and State Total, 1991 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	64
TABLE B-10	Live Births by Selected Risk Characteristics-- Percentage of Total Births: Maine Hospital, Other Birth Sites, and State Total, 1991 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	65

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
TABLE B-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1991 (Occurrence Data).....	66
	PREGNANCY OUTCOME	
TABLE P-1	All Live Births, Induced Abortions, and Fetal Deaths by Outcome, Marital Status, and Age of Mother: Maine Counties and Maine State Totals, 1991 (Resident Data).....	69
TABLE P-2	Fetal Deaths, 1991 and Induced Abortions by Weeks of Gestation: Maine State Totals, 1991 (Resident Data).....	87
	INFANT AND FETAL MORTALITY	
TABLE F-1	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1991 (Resident Data).....	91
TABLE F-2	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1991 (Resident Data).....	95
TABLE F-3	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1991 (Resident Data).....	97
TABLE F-4	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1991 (Resident Data) [Selected Complications: Medical Risk Factors, Complications of Labor or Delivery, Tobacco/Alcohol Use, Congenital Anomalies..	98
TABLE F-5	Deaths and Death Rates--Total, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1991 (Resident Data).....	99
TABLE F-6	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1991 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient].....	100
TABLE F-7	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1991 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks].....	101
TABLE F-8	Fetal Deaths by Selected Medical History Characteristics: Maine State Totals, 1991 (Resident Data) [Selected Medical History: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies].....	102

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
	GENERAL MORTALITY	
TABLE D-1	Deaths, Rank by Number of Deaths, and Death Rate-- Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1991 (Resident Data).....	105
TABLE D-2	Years of Life Lost--Number, Percent, Rank, and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1991 (Resident Data).....	110
TABLE D-3	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1991 (Resident Data).....	111
TABLE D-4	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1991 (Resident Data).....	132
TABLE D-5	Deaths--Total, and Percent by Site of Death: Maine Counties and State Totals, 1991 (Resident Data).....	134
TABLE D-6	Deaths in Hospitals--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1991 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	135
TABLE D-7	Deaths in Intermediate Care Facilities--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1991 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	136
TABLE D-8	Deaths at Home--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1991 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	137
TABLE D-9	Deaths by Sex, Age, and Occupation: Maine State Totals, 1991 (Resident Data).....	138
TABLE D-10	Acquired Immune Deficiency Syndrome--Related Deaths by Status of Mention: Maine State Totals, 1991 (Resident Data).....	141
TABLE D-11	Deaths by Underlying Cause Mention and All Mentions for Selected 72 Cause of Death Groups: Maine State Totals, 1991 (Resident Data).....	142

INDUCED ABORTIONS

TABLE A-2	Induced Abortions by Gestation and Type of Termination Procedures: Maine State Totals, 1991 (Occurrence Data).....	149
TABLE A-3	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1991 (Resident Data).....	150
TABLE A-4	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1991 (Occurrence Data).....	151
TABLE A-5	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1991 (Resident Data).....	152
TABLE A-6	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1991 (Occurrence Data).....	153
TABLE A-7	Induced Abortions by Marital Status and Age of Patient: Maine State Totals, 1991 (Resident and Occurrence Data).....	154
TABLE A-8	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1991 (Resident Data).....	155
TABLE A-9	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1991 (Occurrence Data).....	156
TABLE A-10	Induced Abortions by State or Country of Residence: Maine State Totals, 1991 (Occurrence Data).....	157

MARRIAGES

TABLE M-1	Marriages by Age of Bride and of Groom: Maine State Totals, 1991 (Resident Data).....	161
TABLE M-2	Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1991 (Resident Data).....	162
TABLE M-3	Marriages by Age and Previous Marital Status, for Brides and for Grooms: Maine State Totals, 1991 (Resident Data).....	163
TABLE M-4	Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1991 (Resident Data).....	164

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
APPENDICES		
TABLE C-1	Copy of Maine Birth Certificate.....	167
TABLE C-2	Copy of Maine Fetal Death Certificate.....	169
TABLE C-3	Copy of Maine Death Certificate.....	171
TABLE C-4	Copy of Maine Marriage Certificate.....	173
TABLE C-5	Copy of Maine Record of Divorce.....	175
TABLE C-6	Copy of Maine Report of Induced Abortion.....	177
TABLE E-1	Estimated Maine Population: Maine Counties and State Total, July 1, 1991.....	179
TABLE E-2	Estimated Maine Population by Age Group and Sex: Maine State Totals, July 1, 1991.....	180
TABLE H-1	Historical Vital Statistics Data, Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1960 (every fifth year) and 1961-1991 (yearly).....	181
TABLE H-2	Historical Vital Statistics Data, Induced Abortions, Number and Rate: Maine State Totals, 1978-1991.....	182

LIST OF SUPPLEMENTAL TABLES AVAILABLE ON REQUEST*

Table No.

- S-A-2 Induced Abortions--Total, and by Selected Characteristics: Maine Towns over 3,500 Population, Counties and State Totals, 1991 (Resident Data) [Selected Characteristics: Out of Wedlock, Patient's Age, No Previous Pregnancies, No Previous Abortions, Education, Abortions in Hospital]
- S-A-3 Induced Abortions to Canadian Residents by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Canada Totals, 1991 (Occurrence Data)
- S-A-4 Induced Abortions to Canadian Residents by Gestation, Age of Patient, and Race: Canada Totals, 1991 (Occurrence Data)
- S-A-5 Induced Abortions to Canadian Residents by Gestation and Type of Termination Procedures: Canada Totals, 1991 (Occurrence Data)
- S-B-1 All Live Births and Out of Wedlock Live Births by Adequacy of Prenatal Care, Mother's Age, Child's Birthweight, and Apgar Score: Maine State Totals, 1991 (Resident Data)
- S-B-2 Live Births -- Total, and by Selected Risk Characteristics: Maine Towns, Counties and State Totals, 1991 (Resident Data) [Selected Characteristics: Out of Wedlock, Under 2,500 Grams, Congenital Anomalies, Mother Under Age 20 Years, No Prenatal Care]
- S-BD-1 Births and Deaths by Month, Maine Towns, Counties and State Totals, 1991 (Resident Data)
- S-D-1 Deaths, Rank by Number of Deaths, and Death Rate - Highlighting Motor Vehicle Traffic Deaths -- Total, Male, and Female for Ten Leading Causes of Death (Selected from 32 Cause-of-Death Classifications) by Age Group Maine State Totals, 1991 (Resident Data)
- S-D-2 Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County Totals, and State Totals, 1991 (Resident Data)
- S-D-3 Deaths by Age and Sex for 72 Cause of Death Groups Maine State Totals, 1991 (Resident Data)
- S-D-4 Deaths by Age and Sex for 32 Cause of Death Groups Maine State Totals, 1991 (Resident Data)

*Supplemental tables are available at the cost of reproduction.

- S-D-5 Alcohol and Drug Related Deaths by Status of Mention:
Maine State Totals, 1991 (Resident Data)
- S-D-6 Deaths by Origin or Descent: Maine Counties and State Totals,
1991 (Resident Data)
- S-D-7 Deaths by Referral to Medical Examiner, Autopsy Status,
Certifier, Traumatic and Non-traumatic Deaths: Maine
State Totals, 1991 (Occurrence Data)
- S-D-8 Deaths by Method of Disposition and Age: Maine Counties and
State Totals, 1991 (Occurrence Data)
- S-D-9 Years of Life Lost Before Age 75 - Number, Percent, Rank,
and Average Per Death by 32 Cause of Death Groups and Sex:
Maine State Totals, 1991 (Resident Data)
- S-F-1 Neonatal Deaths and Estimated Neonatal Rates by Birthweight:
Maine Hospitals of Birth, Other Birth Sites, and State Total,
1991 (Occurrence Data)
- S-F-2 Infant, Neonatal, and Fetal Deaths by Sex, Non-white Race,
Low Birthweight, and Congenital Anomalies: Maine Towns,
Counties, and State Total, 1991 (Resident Data)
- S-M-1 Marriages by Selected Characteristics: Maine
Towns, Counties, and State Totals, 1991
(Occurrence and Residence Data) [Selected
Characteristics: Religious Ceremony, Bride and
Groom Residence, Under Age 20 Years, Education
Under 12 Years, First Marriage]

*Supplemental tables are available at the cost of reproduction.

INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report does not contain interpretive comments or charts. Information necessary to use the tables is included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page x. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Maine Department of Human Services
Office of Data, Research, and Vital Statistics
35 Anthony Avenue
State House Station #11
Augusta, Maine 04333-0011

Telephone: (207) 624-5445

DEFINITIONS OF TERMS

All Mentioned Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death."
Apgar Score	A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.
Associated Cause of Death	Condition other than the underlying cause of death which may have contributed to the death.
Birth Order	Number of live births to the mother of the newborn, including this birth.
Birthweight	Weight of fetus or infant at time of delivery (normally measured in grams).
Fetal Death	Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)."
Gestation	Clinical assessment of the number of weeks since conception.
Hospital	A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.
Induced Abortion	Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the length of gestation.

DEFINITIONS OF TERMS (Continued)

Infant Death	Death occurring to a live born infant less than one year of age.
Intermediate Care Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).
Live Birth	A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.
Maternal Deaths	Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.
Minor Civil Division	In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government.
Multiple Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes."
Neonatal Death	Death occurring to a live born infant before completing 27 days of life.
Occurrence	Refers to data tabulated by place the event occurred.
Out-of-Wedlock Birth	Births in which the mother was not married either at the time of conception or at the time of delivery.
Perinatal Death	Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

DEFINITIONS OF TERMS (Continued)

Postneonatal Death	Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.
Race	Race of mother, father, or decedent is as stated on certificate.
Residence	Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.
Site of Birth	Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.
Site of Death	Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.
Skilled Nursing Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.
Spontaneous Abortion	A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents.
Underlying Cause of Death	That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

DEFINITIONS OF RATES*

Age-Specific Death Rate	=	$\frac{\text{Resident Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}}$	X	100,000
Birth Rate	=	$\frac{\text{Resident Live Births}}{\text{Total Resident Population}}$	X	1,000
Cause-Specific Death Rate	=	$\frac{\text{Resident Deaths from Specific Cause}}{\text{Total Resident Population}}$	X	100,000
Death Rate	=	$\frac{\text{Resident Deaths}}{\text{Total Resident Population}}$	X	1,000
Divorce Rate	=	$\frac{\text{Divorces}}{\text{Total Resident Population}}$	X	1,000
Fetal Death Rate	=	$\frac{\text{Resident Fetal Deaths}}{\text{Total Resident Live Births and Resident Fetal Deaths}}$	X	1,000
Infant Death Rate	=	$\frac{\text{Resident Infant Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Marriage Rate	=	$\frac{\text{Marriages Performed}}{\text{Total Resident Population}}$	X	1,000
Maternal Death Rate	=	$\frac{\text{Resident Maternal Deaths}}{\text{Total Resident Live Births}}$	X	10,000
Neonatal Death Rate	=	$\frac{\text{Resident Neonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Perinatal Death Rate	=	$\frac{\text{Resident Fetal Deaths and Neonatal Deaths}}{\text{Total Resident Fetal Deaths and Live Births}}$	X	1,000
Postneonatal Death Rate	=	$\frac{\text{Resident Postneonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Sex-Specific Death Rate	=	$\frac{\text{Resident Deaths of Indicated Sex}}{\text{Total Resident Population of Indicated Sex}}$	X	100,000

*Event denominators for rates are registered totals for the calendar year.
Population denominators are mid-calendar year estimates.

TECHNICAL NOTES

General Considerations

Sources of Vital Records Data: Birth, death, fetal death, induced abortions, marriage, and divorce certificates are the source documents for data on vital events in Maine. A copy of each is included in Appendix Tables C-1 through C-6.

The cut off dates for the data in this report are: Divorces and Induced Abortions, March 15, 1993; Deaths, Fetal Deaths, and Marriages, April 1, 1993; and Births, April 15, 1993. Any data pertaining to 1992 events for which certificates were filed after the above cut off dates are not included in this report and will be filed in the vital records office as late certificates.

Birth certificates and induced abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Data, Research, and Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all induced abortions at any gestation has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for induced abortions was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

Data Quality: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be

introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Data, Research, and Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Data, Research, and Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983 and a new fetal death certificate on January 1, 1985. The new certificates use a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.
- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The population data used to calculate rates in this report are derived from the Estimated Maine United State Department of Commerce, Bureau of the Census. A display of these population data is included in Appendix Tables E-1 and E-2.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Data, Research, and Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

- "Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.

- "Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

Live Births

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution. In 1990, a revised method was used for the distribution of adequacy of prenatal care for Table S-B-1 and the results from this table is not compatible with earlier years.

Pregnancy Outcome

This section deals with the outcome of pregnancies to Maine Resident women including live births, fetal deaths, and induced abortions.

Table Pl is displayed by county and is the only table where it is possible to compare pregnancy rates by regions throughout the State of Maine.

Infant and Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine started to participate in such exchange for fetal deaths in 1985, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is now available for inclusion in tabulations of resident data.

A revised fetal death certificate was initiated on January 1, 1985, comparable to the 1983 revision of the birth certificate. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table F-3. Tables F-1, F-5, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table D-3). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table D-1 and D-2 is based on 32 cause groups. The data on fetal and infant deaths, in Tables F-1 and F-2, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.*

* Complete lists of causal groups are contained in the following reference manual and may be obtained upon request:

Office of Data, Research, and Vital Statistics, Maine Department of Human Services, Maine Vital Records Manual, 1993.

Years of Life Lost: In Table D-2, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1990 Maine Life Tables, with the sex-specific expectancy. The death of a male infant, for example, represents a total of 72.7 years of life lost. The death of a 50 year old woman represents 31.4 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table D-4.

In Table D-4, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

Table D-11 displays only those 72 cause groups for which the ratio of all mentions to underlying cause mentions on Table D-4 is generally 2,000 or higher and the number of underlying cause mentions is ten or more.

Induced Abortions

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 11% of the induced abortions in Maine were obtained by out-of-state residents. Maine does participate in the interstate program for exchange of induced abortions reports, so complementary data on Maine residents who received abortions in other states are available, but only one or two records are received each year from other states and are not included in this report, indicating that very few Maine residents receive induced abortions in neighboring states.

The numbers of induced abortions reported in 1982 was nearly a third lower than the numbers reported in preceding and subsequent years, due principally to incomplete reporting. In the spring of 1983, a vigorous effort was undertaken to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form.

Marriages

All marriages which occur in Maine are registered in the central Office of Data, Research, and Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

LIVE BIRTHS

TABLE B-1

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	RACE OF MOTHER					
			WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN
ALL BIRTHS								
LESS THAN 10	0	0.00	0	0	0	0	0	0
10-14	15	0.09	14	1	0	0	0	0
15	61	0.38	59	0	1	0	0	1
16	156	0.97	153	0	2	0	0	1
17	289	1.80	283	1	4	1	0	0
18	441	2.75	431	2	5	2	0	1
19	673	4.20	661	5	5	1	0	1
20-24	4,372	27.30	4,277	30	18	26	4	17
25-29	5,040	31.47	4,920	19	24	52	8	17
30-34	3,530	22.04	3,449	16	5	44	0	16
35-39	1,242	7.76	1,209	7	6	11	1	8
40-44	180	1.12	177	1	0	0	1	1
GREATER THAN 44	4	0.02	4	0	0	0	0	0
UNKNOWN	10	0.06	9	0	0	0	0	1
STATE TOTALS	16,013		15,646	82	70	137	14	64
PERCENT DISTRIBUTION		100.00	97.71	0.51	0.44	0.86	0.09	0.40

OUT OF WEDLOCK BIRTHS

LESS THAN 10	0	0.00	0	0	0	0	0	0
10-14	14	0.35	13	1	0	0	0	0
15	60	1.48	58	0	1	0	0	1
16	139	3.43	138	0	1	0	0	0
17	254	6.27	249	1	4	0	0	0
18	341	8.42	334	2	2	2	0	1
19	435	10.74	427	5	3	0	0	0
20-24	1,595	39.38	1,555	15	9	8	2	6
25-29	736	18.17	712	2	11	4	2	5
30-34	321	7.93	309	4	2	2	0	4
35-39	133	3.28	128	0	1	2	0	2
40-44	19	0.47	19	0	0	0	0	0
GREATER THAN 44	1	0.02	1	0	0	0	0	0
UNKNOWN	2	0.05	2	0	0	0	0	0
STATE TOTALS	4,050		3,945	30	34	18	4	19
PERCENT DISTRIBUTION		100.00	97.41	0.74	0.84	0.44	0.10	0.47

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGRACE

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-2

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DIST.	MOTHER'S AGE (YRS.)														GREATER THAN 44	UNKNOWN
			LESS THAN 10	10-14	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44				
ALL BIRTHS																		
LESS THAN 500	15	0.09	0	0	0	0	1	0	1	2	8	1	2	0	0	0		
500-999	48	0.30	0	0	1	0	1	1	4	9	15	10	5	2	0	0		
1000-1499	74	0.46	0	1	0	2	2	4	3	18	23	16	4	0	0	1		
1500-1999	146	0.91	0	0	2	4	3	6	7	41	41	26	14	2	0	0		
2000-2499	520	3.25	0	2	2	5	10	17	35	142	148	96	50	13	0	0		
2500-2999	2,114	13.20	0	1	11	30	43	73	116	617	653	392	148	27	1	2		
3000-3499	5,512	34.42	0	7	25	54	116	175	245	1,582	1,717	1,154	383	50	0	4		
3500-3999	5,300	33.10	0	3	12	41	85	116	195	1,400	1,709	1,254	428	54	0	3		
4000-4499	1,827	11.41	0	1	8	16	22	42	54	462	575	456	161	27	3	0		
4500-4999	374	2.34	0	0	0	4	6	6	12	86	119	98	39	4	0	0		
GREATER THAN 4999	39	0.24	0	0	0	0	0	0	0	5	15	14	5	0	0	0		
UNKNOWN	44	0.27	0	0	0	0	0	1	1	8	17	13	3	1	0	0		
STATE TOTALS	16,013		0	15	61	156	289	441	673	4,372	5,040	3,530	1,242	180	4	10		
PERCENT DIST.		100.00	0.00	0.09	0.38	0.97	1.80	2.75	4.20	27.30	31.47	22.04	7.76	1.12	0.02	0.06		
OUT OF WEDLOCK BIRTHS																		
LESS THAN 500	4	0.10	0	0	0	0	1	0	1	0	2	0	0	0	0	0		
500-999	16	0.39	0	0	1	0	1	1	1	4	5	3	0	0	0	0		
1000-1499	31	0.76	0	1	0	2	2	2	0	10	11	2	0	0	0	1		
1500-1999	65	1.59	0	0	2	3	3	5	5	23	14	6	4	0	0	0		
2000-2499	179	4.37	0	2	2	5	10	13	23	66	30	14	12	2	0	0		
2500-2999	697	17.03	0	1	11	26	37	61	85	270	116	57	26	5	1	1		
3000-3499	1,487	36.33	0	6	25	49	102	138	162	576	281	99	41	6	0	2		
3500-3999	1,166	28.49	0	3	11	37	74	89	118	486	198	105	39	5	0	1		
4000-4499	363	8.87	0	1	8	14	19	32	38	143	67	30	10	1	0	0		
4500-4999	65	1.59	0	0	0	4	5	3	8	20	16	5	4	0	0	0		
GREATER THAN 4999	7	0.17	0	0	0	0	0	0	0	3	3	1	0	0	0	0		
UNKNOWN	13	0.32	0	0	0	0	0	0	0	6	4	3	0	0	0	0		
STATE TOTALS	4,093		0	14	60	140	254	344	441	1,607	747	325	136	19	1	5		
PERCENT DIST.		100.00	0.00	0.34	1.47	3.42	6.21	8.40	10.77	39.26	18.25	7.94	3.32	0.46	0.02	0.12		
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:																		
		25.56	0.00	93.33	98.36	89.74	87.89	78.00	65.53	36.76	14.82	9.21	10.95	10.56	25.00	50.00		

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHAGE

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-3

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

COMPLICATIONS OF LABOR			MEDICAL RISK FACTORS			OTHER RISK FACTORS			METHOD OF DELIVERY			CONGENITAL ANOMALIES		
CONDITION	NUMBER	%	CONDITION	NUMBER	%	CONDITION	NUMBER	%	METHOD	NUMBER	%	CONDITION	NUMBER	%
FEBRILE >100 F	109	0.7	ANEMIA	155	1.0	TOBACCO USE	3,302	20.6	VAGINAL	11,226	70.1	ANENCEPHALUS	0	0.0
MECONIUM	956	6.0	CARDIAC DISEASE	40	0.2	AVG CIGARETTES			VAGINAL AFTER			SPINA BIFIDA	3	0.0
PREMATURE RUPTURE			ACUTE OR CHRONIC			PER DAY	14		C-SECTION	416	2.6	HYDROCEPHALUS	2	0.0
MEMBRANE >12 HRS	657	4.1	LUNG DISEASE	61	0.4	ALCOHOL USE	283	1.8	PRIMARY			MICROCEPHALUS	1	0.0
ABRUPTIO			DIABETES/			AVG DRINKS			C-SECTION	2,138	13.4	OTHER		
PLACENTA	129	0.8	GESTATIONAL	441	2.8	PER WEEK	2		REPEAT			NERVOUS SYSTEM	4	0.0
PREVIA	43	0.3	DIABETES			AVG WEIGHT GAIN	31	LBS	C-SECTION	1,270	7.9	HEART	22	0.1
EXCESSIVE			PRE-EXISTING	53	0.3				FORCEPS	142	0.9	OTHER CIRCULATORY		
BLEEDING	116	0.7	GENITAL HERPES	161	1.0	ABNORMAL CONDITIONS			VACUUM	702	4.4	SYSTEM	6	0.0
SEIZURES DURING			HYDRAMNIOS/			OF THE NEWBORN			OTHER	35	0.2	RECTAL ATRESIA	2	0.0
LABOR	6	0.0	OLIGOHYDRAMNIOS	135	0.8	CONDITION	NUMBER	%	UNKNOWN	84	0.5	TRACHEO-ESOPHAGEAL		
PRECIPITOUS			HEMOGLOBINOPATHY	1	0.0							FISTULA	3	0.0
LABOR <3 HRS	528	3.3	HYPERTENSION			ANEMIA	31	0.2				OMPHALOCELE/		
PROLONGED			CHRONIC	164	1.0	BIRTH INJURY	26	0.2				GASTROSCHISIS	6	0.0
LABOR >20 HRS	295	1.8	HYPERTENSION			FETAL ALCOHOL	0	0.0				OTHER		
DYSFUNCTIONAL			PREGNANCY ASSOC.	664	4.1	HYALINE MEMBRANE						GASTROINTESTINAL	13	0.1
LABOR	857	5.4	ECLAMPSIA	46	0.3	DISEASE	45	0.3	OBSTETRIC PROCEDURES			MALFORMED		
BREECH	708	4.4	INCOMPETENT			MECONIUM			CONDITION	NUMBER	%	GENITALIA	15	0.1
CEPHALOPELVIC/			CERVIX	44	0.3	ASPIRATION	37	0.2				RENAL AGENESIS	5	0.0
DISPROPORTION	728	4.5	PREVIOUS INFANT			ASSISTED <30 MIN						OTHER UROGENITAL	40	0.2
CORD PROLAPSE	42	0.3	4000+ GRAMS	209	1.3	VENTILATION	166	1.0	AMNIOCENTESIS	829	5.2	CLEFT LIP/PALATE	10	0.1
ANESTHETIC			PREVIOUS PRETERM	252	1.6	ASSISTED >30 MIN			ELECTRIC FETAL			POLYDACTYLY	13	0.1
COMPLICATIONS	14	0.1	RENAL DISEASE	29	0.2	VENTILATION	115	0.7	MONITORING	13,193	82.4	CLUB FOOT	16	0.1
FETAL DISTRESS	666	4.2	RH SENSITIZATION	96	0.6	SEIZURES	9	0.1	INDUCED LABOR	2,391	14.9	DIAPHRAGMATIC		
OTHER	2,047	12.8	UTERINE			OTHER	435	2.7	STIMULATION			HERNIA	4	0.0
NONE	9,579	59.8	BLEEDING	128	0.8	NONE	15,131	94.5	OF LABOR	2,228	13.9	MUSCULOSKELETAL	43	0.3
UNKNOWN	120	0.7	OTHER	1,631	10.2	UNKNOWN	98	0.6	TOCOLYSIS	426	2.7	DOWN'S SYNDROME	6	0.0
			NONE	12,140	75.8				ULTRA SOUND	11,524	72.0	CHROMOSOMAL	5	0.0
			UNKNOWN	145	0.9				OTHER	354	2.2	OTHER	61	0.4
									NONE	853	5.3	NONE	15,669	97.9
									UNKNOWN	101	0.6	UNKNOWN	94	0.6

NOTES: PERCENTAGES ARE BASED ON THE 16,013 LIVE BIRTHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

BMEDHIS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-4

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	***** RISK CHARACTERISTICS *****								MALE/FEMALE RATIO
		5 MIN. APGAR LESS THAN 5		CONGENITAL ANOMALIES		BIRTHWEIGHT < 2500 GRAMS		LESS THAN 37 GESTATION WEEKS		
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	1,386	7	0.5	16	1.2	59	4.3	65	4.7	1.01
ARDOOSTOOK	1,150	3	0.3	23	2.0	62	5.4	92	8.0	1.01
CUMBERLAND	3,294	18	0.5	42	1.3	171	5.2	257	7.8	1.05
FRANKLIN	361	3	0.8	3	0.8	23	6.4	24	6.6	1.03
HANCOCK	550	2	0.4	8	1.5	19	3.5	31	5.6	0.97
KENNEBEC	1,463	10	0.7	25	1.7	70	4.8	89	6.1	1.10
KNOX	427	3	0.7	4	0.9	19	4.4	25	5.9	1.36
LINCOLN	373	1	0.3	12	3.2	18	4.8	29	7.8	1.29
OXFORD	674	2	0.3	13	1.9	38	5.6	41	6.1	0.97
PENOBSCOT	1,717	14	0.8	18	1.0	84	4.9	128	7.5	1.06
PISCATAQUIS	188	2	1.1	6	3.2	8	4.3	7	3.7	0.92
SAGADAHOC	487	1	0.2	8	1.6	16	3.3	26	5.3	0.91
SOMERSET	664	1	0.2	13	2.0	39	5.9	46	6.9	0.96
WALDO	453	2	0.4	8	1.8	23	5.1	23	5.1	1.11
WASHINGTON	427	6	1.4	10	2.3	31	7.3	30	7.0	1.08
YORK	2,399	11	0.5	41	1.7	123	5.1	177	7.4	1.00
STATE TOTALS	16,013	86	0.5	250	1.6	803	5.0	1,090	6.8	1.04

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ANDROSCOGGIN											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	3	0.22	3	0	0	3	0	0	0	0	0
15	10	0.72	5	5	0	10	0	0	0	0	0
16	19	1.37	9	10	0	18	1	0	0	0	0
17	27	1.95	12	15	0	23	4	0	0	0	0
18	47	3.39	21	26	0	32	13	2	0	0	0
19	72	5.19	36	36	0	45	21	5	1	0	0
20-24	393	28.35	226	167	0	189	136	57	8	3	0
25-29	481	34.70	213	268	0	155	216	83	19	8	0
30-34	257	18.54	129	128	0	42	107	74	24	10	0
35-39	67	4.83	33	34	0	10	25	20	6	6	0
40-44	10	0.72	8	2	0	4	3	2	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,386		695	691	0	531	526	243	58	28	0
PERCENT DISTRIBUTION		100.00	50.14	49.86	0.00	38.31	37.95	17.53	4.18	2.02	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	3	0.73	3	0	0	3	0	0	0	0	0
15	10	2.43	5	5	0	10	0	0	0	0	0
16	17	4.13	8	9	0	16	1	0	0	0	0
17	25	6.07	11	14	0	21	4	0	0	0	0
18	36	8.74	15	21	0	25	9	2	0	0	0
19	44	10.68	24	20	0	28	13	3	0	0	0
20-24	159	38.59	90	69	0	79	52	22	4	2	0
25-29	86	20.87	36	50	0	27	38	16	4	1	0
30-34	21	5.10	9	12	0	5	9	6	0	1	0
35-39	9	2.18	8	1	0	2	1	4	2	0	0
40-44	2	0.49	1	1	0	0	1	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	412		210	202	0	216	128	53	10	5	0
PERCENT DISTRIBUTION		100.00	50.97	49.03	0.00	52.43	31.07	12.86	2.43	1.21	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		29.73	30.22	29.23	0.00	40.68	24.33	21.81	17.24	17.86	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	UNKNOWN
ARROSTOOK											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.09	0	1	0	1	0	0	0	0	0
15	7	0.61	6	1	0	6	1	0	0	0	0
16	9	0.78	4	5	0	8	1	0	0	0	0
17	23	2.00	8	15	0	22	1	0	0	0	0
18	41	3.57	24	17	0	36	3	2	0	0	0
19	48	4.17	22	26	0	40	8	0	0	0	0
20-24	423	36.78	211	212	0	227	138	46	11	1	0
25-29	347	30.17	174	173	0	115	155	53	20	4	0
30-34	194	16.87	107	87	0	30	81	54	19	10	0
35-39	48	4.17	19	29	0	7	14	16	6	5	0
40-44	7	0.61	3	4	0	1	1	1	1	3	0
GREATER THAN 44	1	0.09	0	1	0	0	0	0	1	0	0
UNKNOWN	1	0.09	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	1,150		578	572	0	494	403	172	58	23	0
PERCENT DISTRIBUTION		100.00	50.26	49.74	0.00	42.96	35.04	14.96	5.04	2.00	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.38	0	1	0	1	0	0	0	0	0
15	7	2.68	6	1	0	6	1	0	0	0	0
16	8	3.07	4	4	0	7	1	0	0	0	0
17	19	7.28	6	13	0	19	0	0	0	0	0
18	27	10.34	16	11	0	26	1	0	0	0	0
19	29	11.11	10	19	0	28	1	0	0	0	0
20-24	109	41.76	66	43	0	65	26	12	6	0	0
25-29	37	14.18	17	20	0	11	11	13	2	0	0
30-34	18	6.90	10	8	0	3	5	5	2	3	0
35-39	4	1.53	1	3	0	0	1	2	1	0	0
40-44	1	0.38	1	0	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.38	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	261		137	124	0	167	47	32	11	4	0
PERCENT DISTRIBUTION		100.00	52.49	47.51	0.00	63.98	18.01	12.26	4.21	1.53	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		22.70	23.70	21.68	0.00	33.81	11.66	18.60	18.97	17.39	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN	
CUMBERLAND					
ALL BIRTHS					
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0	
10-14	2	0.06	0 2 0	2 0 0 0 0 0	
15	5	0.15	3 2 0	5 0 0 0 0 0	
16	23	0.70	10 13 0	22 1 0 0 0 0	
17	46	1.40	21 25 0	39 6 1 0 0 0	
18	70	2.13	40 30 0	54 14 1 1 0 0	
19	108	3.28	60 48 0	82 20 5 1 0 0	
20-24	665	20.19	333 332 0	346 201 95 19 4 0	
25-29	996	30.24	519 477 0	448 377 128 36 7 0	
30-34	942	28.60	481 460 1	316 374 170 67 15 0	
35-39	369	11.20	182 187 0	96 133 90 30 20 0	
40-44	65	1.97	34 31 0	17 23 15 5 5 0	
GREATER THAN 44	1	0.03	1 0 0	1 0 0 0 0 0	
UNKNOWN	2	0.06	1 1 0	1 0 1 0 0 0	
COUNTY TOTALS	3,294		1,685 1,608 1	1,429 1,149 506 159 51 0	
PERCENT DISTRIBUTION		100.00	51.15 48.82 0.03	43.38 34.88 15.36 4.83 1.55 0.00	
OUT OF WEDLOCK BIRTHS					
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0	
10-14	2	0.28	0 2 0	2 0 0 0 0 0	
15	5	0.71	3 2 0	5 0 0 0 0 0	
16	21	2.96	9 12 0	20 1 0 0 0 0	
17	42	5.92	20 22 0	35 6 1 0 0 0	
18	59	8.32	33 26 0	46 11 1 1 0 0	
19	79	11.14	45 34 0	62 12 4 1 0 0	
20-24	258	36.39	125 133 0	139 74 35 8 2 0	
25-29	131	18.48	64 67 0	48 45 27 10 1 0	
30-34	70	9.87	36 34 0	28 14 11 13 4 0	
35-39	36	5.08	19 17 0	17 7 4 3 5 0	
40-44	4	0.56	1 3 0	3 0 1 0 0 0	
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0 0 0	
UNKNOWN	2	0.28	1 1 0	1 0 1 0 0 0	
COUNTY TOTALS	709		356 353 0	406 170 85 36 12 0	
PERCENT DISTRIBUTION		100.00	50.21 49.79 0.00	57.26 23.98 11.99 5.08 1.69 0.00	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:					
		21.52	21.13 21.95 0.00	28.41 14.80 16.80 22.64 23.53 0.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE (YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
FRANKLIN				
ALL BIRTHS				
LESS THAN 10	0	0.00	0 0	0 0 0 0 0 0
10-14	0	0.00	0 0	0 0 0 0 0 0
15	1	0.28	0 1	0 0 0 0 0 0
16	4	1.11	2 2	4 0 0 0 0 0
17	4	1.11	3 1	3 1 0 0 0 0
18	15	4.16	10 5	14 0 1 0 0 0
19	14	3.88	7 7	8 5 1 0 0 0
20-24	109	30.19	56 53	53 40 11 5 0 0
25-29	120	33.24	57 63	32 54 19 12 3 0
30-34	68	18.84	36 32	17 19 18 6 8 0
35-39	21	5.82	9 12	4 5 6 2 4 0
40-44	5	1.39	3 2	0 1 2 1 1 0
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0
COUNTY TOTALS	361		183 178	0 136 125 58 26 16 0
PERCENT DISTRIBUTION		100.00	50.69 49.31	0.00 37.67 34.63 16.07 7.20 4.43 0.00

OUT OF WEDLOCK BIRTHS

LESS THAN 10	0	0.00	0 0	0 0 0 0 0 0
10-14	0	0.00	0 0	0 0 0 0 0 0
15	1	1.03	0 1	0 0 0 0 0 0
16	4	4.12	2 2	4 0 0 0 0 0
17	4	4.12	3 1	3 1 0 0 0 0
18	13	13.40	8 5	12 0 1 0 0 0
19	10	10.31	4 6	7 3 0 0 0 0
20-24	35	36.08	21 14	16 15 3 1 0 0
25-29	17	17.53	8 9	2 9 1 4 1 0
30-34	8	8.25	3 5	1 1 4 1 1 0
35-39	3	3.09	2 1	2 0 0 0 1 0
40-44	2	2.06	1 1	0 0 2 0 0 0
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0
COUNTY TOTALS	97		52 45	0 48 29 11 6 3 0
PERCENT DISTRIBUTION		100.00	53.61 46.39	0.00 49.48 29.90 11.34 6.19 3.09 0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		26.87	28.42 25.28	0.00 35.29 23.20 18.97 23.08 18.75 0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN	
HANCOCK					
ALL BIRTHS					
LESS THAN 10	0	0.00	0 0	0 0 0 0 0 0	
10-14	0	0.00	0 0	0 0 0 0 0 0	
15	0	0.00	0 0	0 0 0 0 0 0	
16	2	0.36	1 1	0 2 0 0 0 0	
17	10	1.82	2 8	0 10 0 0 0 0	
18	14	2.55	8 6	0 12 2 0 0 0	
19	24	4.36	12 12	0 19 5 0 0 0	
20-24	167	30.36	87 80	0 93 61 11 2 0	
25-29	162	29.45	76 86	0 55 73 24 5 5	
30-34	121	22.00	56 65	0 41 46 27 6 1	
35-39	41	7.45	25 16	0 10 15 7 2 7	
40-44	8	1.45	3 5	0 2 1 2 2 1	
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0	
UNKNOWN	1	0.18	1 0	0 0 1 0 0 0	
COUNTY TOTALS	550		271 279	0 244 204 71 17 14	
PERCENT DISTRIBUTION		100.00	49.27 50.73	0.00 44.36 37.09 12.91 3.09 2.55 0.00	
OUT OF WEDLOCK BIRTHS					
LESS THAN 10	0	0.00	0 0	0 0 0 0 0 0	
10-14	0	0.00	0 0	0 0 0 0 0 0	
15	0	0.00	0 0	0 0 0 0 0 0	
16	2	1.27	1 1	0 2 0 0 0 0	
17	9	5.73	2 7	0 9 0 0 0 0	
18	10	6.37	6 4	0 8 2 0 0 0	
19	19	12.10	10 9	0 14 5 0 0 0	
20-24	67	42.68	32 35	0 44 17 5 1 0	
25-29	30	19.11	15 15	0 10 13 5 0 2	
30-34	13	8.28	6 7	0 5 3 5 0 0	
35-39	5	3.18	1 4	0 1 1 3 0 0	
40-44	2	1.27	1 1	0 2 0 0 0 0	
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0	
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0	
COUNTY TOTALS	157		74 83	0 95 41 18 1 2	
PERCENT DISTRIBUTION		100.00	47.13 52.87	0.00 60.51 26.11 11.46 0.64 1.27 0.00	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:					
		28.55	27.31 29.75	0.00 38.93 20.10 25.35 5.88 14.29 0.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	***** UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
KENNEBEC											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	2	0.14	1	1	0	2	0	0	0	0	0
16	10	0.68	8	2	0	10	0	0	0	0	0
17	29	1.98	17	12	0	25	4	0	0	0	0
18	46	3.14	26	20	0	34	10	2	0	0	0
19	57	3.90	34	23	0	42	11	3	1	0	0
20-24	435	29.73	243	192	0	253	126	45	9	2	0
25-29	464	31.72	227	237	0	179	193	64	20	8	0
30-34	291	19.89	149	142	0	87	105	62	23	14	0
35-39	114	7.79	56	58	0	25	40	26	12	11	0
40-44	13	0.89	5	8	0	2	4	4	2	1	0
GREATER THAN 44	1	0.07	0	1	0	0	0	1	0	0	0
UNKNOWN	1	0.07	0	1	0	0	1	0	0	0	0
COUNTY TOTALS	1,463		766	697	0	659	494	207	67	36	0
PERCENT DISTRIBUTION		100.00	52.36	47.64	0.00	45.04	33.77	14.15	4.58	2.46	0.00

28 OUT OF WEDLOCK BIRTHS

LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	2	0.51	1	1	0	2	0	0	0	0	0
16	10	2.54	8	2	0	10	0	0	0	0	0
17	24	6.11	16	8	0	20	4	0	0	0	0
18	33	8.40	19	14	0	25	6	2	0	0	0
19	36	9.16	18	18	0	28	6	1	1	0	0
20-24	165	41.98	86	79	0	106	39	16	3	1	0
25-29	83	21.12	33	50	0	32	30	11	6	4	0
30-34	23	5.85	12	11	0	6	9	4	1	3	0
35-39	15	3.82	3	12	0	3	7	2	1	2	0
40-44	1	0.25	0	1	0	0	1	0	0	0	0
GREATER THAN 44	1	0.25	0	1	0	0	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	393		196	197	0	232	102	37	12	10	0
PERCENT DISTRIBUTION		100.00	49.87	50.13	0.00	59.03	25.95	9.41	3.05	2.54	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		26.86	25.59	28.26	0.00	35.20	20.65	17.87	17.91	27.78	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
KNOX				
ALL BIRTHS				
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0
10-14	1	0.23	1 0 0	1 0 0 0 0 0
15	2	0.47	0 2 0	2 0 0 0 0 0
16	2	0.47	0 2 0	2 0 0 0 0 0
17	5	1.17	3 2 0	4 0 1 0 0 0
18	8	1.87	3 5 0	7 1 0 0 0 0
19	24	5.62	15 9 0	14 8 2 0 0 0
20-24	114	26.70	67 47 0	48 49 14 3 0 0
25-29	125	29.27	76 49 0	49 49 15 9 3 0
30-34	95	22.25	56 39 0	37 28 17 10 3 0
35-39	44	10.30	21 23 0	9 14 9 6 6 0
40-44	7	1.64	4 3 0	1 2 3 1 0 0
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0 0	0 0 0 0 0 0
COUNTY TOTALS	427		246 181 0	174 151 61 29 12 0
PERCENT DISTRIBUTION		100.00	57.61 42.39 0.00	40.75 35.36 14.29 6.79 2.81 0.00
OUT OF WEDLOCK BIRTHS				
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0
10-14	1	0.93	1 0 0	1 0 0 0 0 0
15	2	1.85	0 2 0	2 0 0 0 0 0
16	2	1.85	0 2 0	2 0 0 0 0 0
17	4	3.70	2 2 0	4 0 0 0 0 0
18	5	4.63	2 3 0	5 0 0 0 0 0
19	18	16.67	11 7 0	10 7 1 0 0 0
20-24	34	31.48	17 17 0	11 18 5 0 0 0
25-29	23	21.30	13 10 0	11 8 2 1 1 0
30-34	13	12.04	10 3 0	4 2 5 2 0 0
35-39	5	4.63	2 3 0	1 2 0 1 1 0
40-44	1	0.93	0 1 0	0 0 1 0 0 0
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0 0	0 0 0 0 0 0
COUNTY TOTALS	108		58 50 0	51 37 14 4 2 0
PERCENT DISTRIBUTION		100.00	53.70 46.30 0.00	47.22 34.26 12.96 3.70 1.85 0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		25.29	23.58 27.62 0.00	29.31 24.50 22.95 13.79 16.67 0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE (YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN	
LINCOLN					
ALL BIRTHS					
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0	
10-14	0	0.00	0 0 0	0 0 0 0 0 0	
15	1	0.27	0 1 0	1 0 0 0 0 0	
16	7	1.88	3 4 0	7 0 0 0 0 0	
17	6	1.61	3 3 0	5 1 0 0 0 0	
18	5	1.34	3 2 0	4 1 0 0 0 0	
19	14	3.75	9 5 0	12 2 0 0 0 0	
20-24	89	23.86	53 36 0	51 22 14 2 0 0	
25-29	101	27.08	57 44 0	35 42 18 5 1 0	
30-34	106	28.42	60 46 0	36 35 22 6 7 0	
35-39	39	10.46	20 19 0	10 11 8 7 3 0	
40-44	4	1.07	1 3 0	0 0 1 2 1 0	
GREATER THAN 44	1	0.27	1 0 0	0 0 1 0 0 0	
UNKNOWN	0	0.00	0 0 0	0 0 0 0 0 0	
COUNTY TOTALS	373		210 163 0	161 114 64 22 12 0	
PERCENT DISTRIBUTION		100.00	56.30 43.70 0.00	43.16 30.56 17.16 5.90 3.22 0.00	
OUT OF WEDLOCK BIRTHS					
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0	
10-14	0	0.00	0 0 0	0 0 0 0 0 0	
15	1	1.27	0 1 0	1 0 0 0 0 0	
16	7	8.86	3 4 0	7 0 0 0 0 0	
17	5	6.33	2 3 0	4 1 0 0 0 0	
18	4	5.06	2 2 0	3 1 0 0 0 0	
19	10	12.66	6 4 0	9 1 0 0 0 0	
20-24	29	36.71	17 12 0	16 8 5 0 0 0	
25-29	9	11.39	5 4 0	4 3 1 1 0 0	
30-34	10	12.66	7 3 0	1 3 1 1 4 0	
35-39	4	5.06	3 1 0	1 0 0 2 1 0	
40-44	0	0.00	0 0 0	0 0 0 0 0 0	
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0 0 0	
UNKNOWN	0	0.00	0 0 0	0 0 0 0 0 0	
COUNTY TOTALS	79		45 34 0	46 17 7 4 5 0	
PERCENT DISTRIBUTION		100.00	56.96 43.04 0.00	58.23 21.52 8.86 5.06 6.33 0.00	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:					
		21.18	21.43 20.86 0.00	28.57 14.91 10.94 18.18 41.67 0.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****			***** BIRTH ORDER *****					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
OXFORD											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.15	0	1	0	1	0	0	0	0	0
15	2	0.30	0	2	0	2	0	0	0	0	0
16	10	1.48	5	5	0	10	0	0	0	0	0
17	17	2.52	10	7	0	16	1	0	0	0	0
18	28	4.15	9	19	0	20	8	0	0	0	0
19	29	4.30	16	13	0	21	7	1	0	0	0
20-24	217	32.20	101	116	0	102	78	29	6	2	0
25-29	193	28.64	98	95	0	67	83	36	7	0	0
30-34	131	19.44	75	56	0	32	51	29	11	8	0
35-39	39	5.79	14	25	0	7	13	14	3	2	0
40-44	6	0.89	3	3	0	2	2	0	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.15	1	0	0	1	0	0	0	0	0
COUNTY TOTALS	674		332	342	0	281	243	109	27	14	0
PERCENT DISTRIBUTION		100.00	49.26	50.74	0.00	41.69	36.05	16.17	4.01	2.08	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.49	0	1	0	1	0	0	0	0	0
15	2	0.98	0	2	0	2	0	0	0	0	0
16	9	4.41	5	4	0	9	0	0	0	0	0
17	13	6.37	7	6	0	12	1	0	0	0	0
18	23	11.27	9	14	0	18	5	0	0	0	0
19	19	9.31	9	10	0	17	2	0	0	0	0
20-24	78	38.24	43	35	0	48	21	7	2	0	0
25-29	34	16.67	15	19	0	12	18	4	0	0	0
30-34	17	8.33	7	10	0	5	5	3	1	3	0
35-39	7	3.43	3	4	0	1	3	3	0	0	0
40-44	1	0.49	1	0	0	0	1	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	204		99	105	0	125	56	17	3	3	0
PERCENT DISTRIBUTION		100.00	48.53	51.47	0.00	61.27	27.45	8.33	1.47	1.47	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		30.27	29.82	30.70	0.00	44.48	23.05	15.60	11.11	21.43	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE (YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****			***** BIRTH ORDER *****					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
PENOBSCOT											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	4	0.23	2	2	0	4	0	0	0	0	0
15	4	0.23	3	1	0	4	0	0	0	0	0
16	23	1.34	13	10	0	23	0	0	0	0	0
17	30	1.75	15	15	0	27	3	0	0	0	0
18	37	2.15	17	20	0	29	8	0	0	0	0
19	90	5.24	46	44	0	64	23	3	0	0	0
20-24	468	27.26	242	226	0	258	154	43	10	3	0
25-29	568	33.08	308	260	0	210	240	85	22	11	0
30-34	373	21.72	186	187	0	100	148	90	29	6	0
35-39	110	6.41	45	65	0	20	35	32	15	8	0
40-44	10	0.58	7	3	0	0	4	2	4	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,717		884	833	0	739	615	255	80	28	0
PERCENT DISTRIBUTION		100.00	51.49	48.51	0.00	43.04	35.82	14.85	4.66	1.63	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	3	0.64	1	2	0	3	0	0	0	0	0
15	4	0.86	3	1	0	4	0	0	0	0	0
16	21	4.50	11	10	0	21	0	0	0	0	0
17	25	5.35	12	13	0	23	2	0	0	0	0
18	31	6.64	14	17	0	26	5	0	0	0	0
19	54	11.56	28	26	0	45	9	0	0	0	0
20-24	189	40.47	95	94	0	106	60	16	6	1	0
25-29	89	19.06	47	42	0	31	29	18	9	2	0
30-34	39	8.35	17	22	0	10	16	8	3	2	0
35-39	12	2.57	4	8	0	3	3	2	3	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	467		232	235	0	272	124	44	21	6	0
PERCENT DISTRIBUTION		100.00	49.68	50.32	0.00	58.24	26.55	9.42	4.50	1.28	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		27.20	26.24	28.21	0.00	36.81	20.16	17.25	26.25	21.43	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****			***** BIRTH ORDER *****					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
PISCATAQUIS											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.53	1	0	0	1	0	0	0	0	0
16	2	1.06	0	2	0	2	0	0	0	0	0
17	4	2.13	3	1	0	4	0	0	0	0	0
18	8	4.26	3	5	0	6	2	0	0	0	0
19	13	6.91	9	4	0	10	3	0	0	0	0
20-24	76	40.43	33	43	0	40	26	5	4	1	0
25-29	42	22.34	18	24	0	16	16	3	4	3	0
30-34	31	16.49	18	13	0	4	10	9	6	2	0
35-39	10	5.32	5	5	0	1	5	3	1	0	0
40-44	1	0.53	0	1	0	0	1	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	188		90	98	0	84	63	20	15	6	0
PERCENT DISTRIBUTION		100.00	47.87	52.13	0.00	44.68	33.51	10.64	7.98	3.19	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	1.64	1	0	0	1	0	0	0	0	0
16	2	3.28	0	2	0	2	0	0	0	0	0
17	4	6.56	3	1	0	4	0	0	0	0	0
18	4	6.56	3	1	0	3	1	0	0	0	0
19	9	14.75	7	2	0	8	1	0	0	0	0
20-24	26	42.62	10	16	0	16	9	0	1	0	0
25-29	11	18.03	4	7	0	6	3	1	1	0	0
30-34	3	4.92	2	1	0	0	2	1	0	0	0
35-39	1	1.64	1	0	0	0	0	1	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	61		31	30	0	40	16	3	2	0	0
PERCENT DISTRIBUTION		100.00	50.82	49.18	0.00	65.57	26.23	4.92	3.28	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		32.45	34.44	30.61	0.00	47.62	25.40	15.00	13.33	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	MALE	SEX FEMALE	UNKNOWN	1	2	3	4	BIRTH ORDER GREATER THAN 4	UNKNOWN
SAGADAHOC											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.21	1	0	0	1	0	0	0	0	0
16	4	0.82	1	3	0	4	0	0	0	0	0
17	11	2.26	5	6	0	11	0	0	0	0	0
18	14	2.87	3	11	0	12	2	0	0	0	0
19	20	4.11	10	10	0	16	3	1	0	0	0
20-24	134	27.52	66	68	0	65	49	16	3	1	0
25-29	161	33.06	76	85	0	60	75	20	5	1	0
30-34	108	22.18	55	53	0	34	44	21	7	2	0
35-39	31	6.37	15	16	0	6	10	8	5	2	0
40-44	3	0.62	0	3	0	2	1	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	487		232	255	0	211	184	66	20	6	0
PERCENT DISTRIBUTION		100.00	47.64	52.36	0.00	43.33	37.78	13.55	4.11	1.23	0.00

OUT OF WEDLOCK BIRTHS

LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.98	1	0	0	1	0	0	0	0	0
16	4	3.92	1	3	0	4	0	0	0	0	0
17	11	10.78	5	6	0	11	0	0	0	0	0
18	13	12.75	3	10	0	11	2	0	0	0	0
19	10	9.80	5	5	0	9	1	0	0	0	0
20-24	42	41.18	23	19	0	30	10	2	0	0	0
25-29	11	10.78	4	7	0	5	5	1	0	0	0
30-34	7	6.86	4	3	0	3	3	0	1	0	0
35-39	3	2.94	0	3	0	0	1	0	1	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	102		46	56	0	74	22	3	2	1	0
PERCENT DISTRIBUTION		100.00	45.10	54.90	0.00	72.55	21.57	2.94	1.96	0.98	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		20.94	19.83	21.96	0.00	35.07	11.96	4.55	10.00	16.67	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****			***** BIRTH ORDER *****					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
SOMERSET											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.15	0	1	0	1	0	0	0	0	0
15	9	1.36	5	4	0	9	0	0	0	0	0
16	16	2.41	8	8	0	16	0	0	0	0	0
17	26	3.92	13	13	0	23	2	1	0	0	0
18	21	3.16	11	10	0	17	3	1	0	0	0
19	31	4.67	15	16	0	21	7	3	0	0	0
20-24	233	35.09	112	121	0	121	77	32	2	1	0
25-29	201	30.27	108	93	0	68	83	32	14	4	0
30-34	83	12.50	34	49	0	19	36	14	6	8	0
35-39	34	5.12	16	18	0	3	11	7	6	7	0
40-44	7	1.05	3	4	0	0	2	2	0	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	2	0.30	0	2	0	1	1	0	0	0	0
COUNTY TOTALS	664		325	339	0	299	222	92	28	23	0
PERCENT DISTRIBUTION		100.00	48.95	51.05	0.00	45.03	33.43	13.86	4.22	3.46	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.45	0	1	0	1	0	0	0	0	0
15	9	4.04	5	4	0	9	0	0	0	0	0
16	12	5.38	6	6	0	12	0	0	0	0	0
17	21	9.42	10	11	0	19	2	0	0	0	0
18	16	7.17	9	7	0	15	0	1	0	0	0
19	23	10.31	13	10	0	18	3	2	0	0	0
20-24	91	40.81	42	49	0	49	26	15	1	0	0
25-29	36	16.14	19	17	0	15	10	8	3	0	0
30-34	9	4.04	6	3	0	2	3	1	1	2	0
35-39	3	1.35	2	1	0	0	0	1	1	1	0
40-44	1	0.45	1	0	0	0	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.45	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	223		113	110	0	141	44	29	6	3	0
PERCENT DISTRIBUTION		100.00	50.67	49.33	0.00	63.23	19.73	13.00	2.69	1.35	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		33.58	34.77	32.45	0.00	47.16	19.82	31.52	21.43	13.04	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN	
WALDO					
ALL BIRTHS					
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0	
10-14	0	0.00	0 0 0	0 0 0 0 0 0	
15	5	1.10	3 2 0	4 1 0 0 0 0	
16	10	2.21	4 6 0	10 0 0 0 0 0	
17	4	0.88	1 3 0	3 1 0 0 0 0	
18	19	4.19	13 6 0	13 5 1 0 0 0	
19	15	3.31	5 10 0	9 5 1 0 0 0	
20-24	135	29.80	72 63 0	68 46 20 1 0 0	
25-29	130	28.70	71 59 0	45 59 15 8 3 0	
30-34	96	21.19	49 47 0	28 33 16 13 6 0	
35-39	31	6.84	16 15 0	7 8 11 3 2 0	
40-44	8	1.77	4 4 0	0 2 3 3 0 0	
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0 0 0	
UNKNOWN	0	0.00	0 0 0	0 0 0 0 0 0	
COUNTY TOTALS	453		238 215 0	187 160 67 28 11 0	
PERCENT DISTRIBUTION		100.00	52.54 47.46 0.00	41.28 35.32 14.79 6.18 2.43 0.00	
OUT OF WEDLOCK BIRTHS					
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0	
10-14	0	0.00	0 0 0	0 0 0 0 0 0	
15	4	2.94	3 1 0	3 1 0 0 0 0	
16	8	5.88	3 5 0	8 0 0 0 0 0	
17	3	2.21	1 2 0	3 0 0 0 0 0	
18	14	10.29	10 4 0	9 4 1 0 0 0	
19	11	8.09	5 6 0	7 4 0 0 0 0	
20-24	56	41.18	35 21 0	31 16 9 0 0 0	
25-29	29	21.32	17 12 0	9 8 7 4 1 0	
30-34	6	4.41	3 3 0	1 2 1 1 1 0	
35-39	4	2.94	2 2 0	1 1 2 0 0 0	
40-44	1	0.74	0 1 0	0 1 0 0 0 0	
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0 0 0	
UNKNOWN	0	0.00	0 0 0	0 0 0 0 0 0	
COUNTY TOTALS	136		79 57 0	72 37 20 5 2 0	
PERCENT DISTRIBUTION		100.00	58.09 41.91 0.00	52.94 27.21 14.71 3.68 1.47 0.00	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		30.02	33.19 26.51 0.00	38.50 23.13 29.85 17.86 18.18 0.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
WASHINGTON				
ALL BIRTHS				
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0
10-14	0	0.00	0 0 0	0 0 0 0 0 0
15	3	0.70	3 0 0	3 0 0 0 0 0
16	3	0.70	1 2 0	3 0 0 0 0 0
17	13	3.04	8 5 0	13 0 0 0 0 0
18	11	2.58	7 4 0	9 2 0 0 0 0
19	16	3.75	5 11 0	10 5 1 0 0 0
20-24	145	33.96	76 69 0	72 55 13 4 1 0
25-29	136	31.85	74 62 0	40 49 35 10 2 0
30-34	65	15.22	34 31 0	14 20 20 7 4 0
35-39	31	7.26	13 18 0	9 9 9 1 3 0
40-44	4	0.94	1 3 0	2 0 0 2 0 0
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0 0	0 0 0 0 0 0
COUNTY TOTALS	427		222 205 0	175 140 78 24 10 0
PERCENT DISTRIBUTION		100.00	51.99 48.01 0.00	40.98 32.79 18.27 5.62 2.34 0.00
OUT OF WEDLOCK BIRTHS				
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0
10-14	0	0.00	0 0 0	0 0 0 0 0 0
15	3	2.05	3 0 0	3 0 0 0 0 0
16	2	1.37	1 1 0	2 0 0 0 0 0
17	12	8.22	7 5 0	12 0 0 0 0 0
18	9	6.16	6 3 0	8 1 0 0 0 0
19	9	6.16	1 8 0	6 3 0 0 0 0
20-24	62	42.47	29 33 0	33 19 6 3 1 0
25-29	28	19.18	17 11 0	7 8 11 2 0 0
30-34	14	9.59	8 6 0	3 3 6 1 1 0
35-39	7	4.79	1 6 0	1 0 3 1 2 0
40-44	0	0.00	0 0 0	0 0 0 0 0 0
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0 0	0 0 0 0 0 0
COUNTY TOTALS	146		73 73 0	75 34 26 7 4 0
PERCENT DISTRIBUTION		100.00	50.00 50.00 0.00	51.37 23.29 17.81 4.79 2.74 0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:				
		34.19	32.88 35.61 0.00	42.86 24.29 33.33 29.17 40.00 0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE (YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****			***** BIRTH ORDER *****					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
YORK											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.08	1	1	0	2	0	0	0	0	0
15	8	0.33	4	4	0	8	0	0	0	0	0
16	12	0.50	4	8	0	11	1	0	0	0	0
17	34	1.42	20	14	0	27	7	0	0	0	0
18	57	2.38	32	25	0	48	8	1	0	0	0
19	98	4.09	45	53	0	73	23	2	0	0	0
20-24	569	23.72	284	285	0	316	182	61	10	0	0
25-29	813	33.89	393	420	0	317	334	114	36	12	0
30-34	569	23.72	295	274	0	160	230	115	44	20	0
35-39	213	8.88	112	101	0	48	74	56	22	13	0
40-44	22	0.92	10	12	0	6	4	2	4	6	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	2	0.08	1	1	0	1	1	0	0	0	0
COUNTY TOTALS	2,399		1,201	1,198	0	1,017	864	351	116	51	0
PERCENT DISTRIBUTION		100.00	50.06	49.94	0.00	42.39	36.02	14.63	4.84	2.13	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.37	1	1	0	2	0	0	0	0	0
15	8	1.49	4	4	0	8	0	0	0	0	0
16	11	2.04	4	7	0	10	1	0	0	0	0
17	33	6.13	20	13	0	27	6	0	0	0	0
18	47	8.74	28	19	0	39	8	0	0	0	0
19	61	11.34	26	35	0	47	12	2	0	0	0
20-24	207	38.48	107	100	0	138	47	19	3	0	0
25-29	93	17.29	49	44	0	31	32	19	5	6	0
30-34	54	10.04	31	23	0	15	20	12	4	3	0
35-39	18	3.35	11	7	0	4	4	4	3	3	0
40-44	3	0.56	1	2	0	0	1	1	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.19	1	0	0	0	1	0	0	0	0
COUNTY TOTALS	538		283	255	0	321	132	57	16	12	0
PERCENT DISTRIBUTION		100.00	52.60	47.40	0.00	59.67	24.54	10.59	2.97	2.23	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		22.43	23.56	21.29	0.00	31.56	15.28	16.24	13.79	23.53	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

STATE AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****			***** BIRTH ORDER *****					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
MAINE SUMMARY											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	15	0.09	7	8	0	15	0	0	0	0	0
15	61	0.38	35	26	0	59	2	0	0	0	0
16	156	0.97	73	83	0	152	4	0	0	0	0
17	289	1.80	144	145	0	255	31	3	0	0	0
18	441	2.75	230	211	0	347	82	11	1	0	0
19	673	4.20	346	327	0	486	156	28	3	0	0
20-24	4,372	27.30	2,262	2,110	0	2,302	1,440	512	99	19	0
25-29	5,040	31.47	2,545	2,495	0	1,891	2,098	744	232	75	0
30-34	3,530	22.04	1,820	1,709	1	997	1,367	758	284	124	0
35-39	1,242	7.76	601	641	0	272	422	322	127	99	0
40-44	180	1.12	89	91	0	39	51	39	27	24	0
GREATER THAN 44	4	0.02	2	2	0	1	0	2	1	0	0
UNKNOWN	10	0.06	4	6	0	5	4	1	0	0	0
STATE TOTALS	16,013		8,158	7,854	1	6,821	5,657	2,420	774	341	0
PERCENT DISTRIBUTION		100.00	50.95	49.05	0.01	42.60	35.33	15.11	4.83	2.13	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	14	0.34	6	8	0	14	0	0	0	0	0
15	60	1.47	35	25	0	58	2	0	0	0	0
16	140	3.42	66	74	0	136	4	0	0	0	0
17	254	6.21	127	127	0	226	27	1	0	0	0
18	344	8.40	183	161	0	279	56	8	1	0	0
19	441	10.77	222	219	0	343	83	13	2	0	0
20-24	1,607	39.26	838	769	0	927	457	177	39	7	0
25-29	747	18.25	363	384	0	261	270	145	52	19	0
30-34	325	7.94	171	154	0	92	100	73	32	28	0
35-39	136	3.32	63	73	0	37	31	31	19	18	0
40-44	19	0.46	8	11	0	5	5	6	1	2	0
GREATER THAN 44	1	0.02	0	1	0	0	0	1	0	0	0
UNKNOWN	5	0.12	2	3	0	3	1	1	0	0	0
STATE TOTALS	4,093		2,084	2,009	0	2,381	1,036	456	146	74	0
PERCENT DISTRIBUTION		100.00	50.92	49.08	0.00	58.17	25.31	11.14	3.57	1.81	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		25.56	25.55	25.58	0.00	34.91	18.31	18.84	18.86	21.70	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	UNKNOWN
ANDROSCOGGIN								
LESS THAN 1000	6	0.43	5	0	1	0	0	0
1000-1499	6	0.43	3	2	0	0	0	1
1500-1999	8	0.58	3	4	1	0	0	0
2000-2499	39	2.81	13	17	9	0	0	0
2500-2999	185	13.35	82	76	19	3	4	1
3000-3499	532	38.38	255	204	62	10	1	0
3500-3999	417	30.09	214	159	36	5	2	1
4000-4499	157	11.33	79	54	21	3	0	0
4500-4999	28	2.02	13	13	2	0	0	0
GREATER THAN 4999	5	0.36	3	2	0	0	0	0
UNKNOWN	3	0.22	1	1	1	0	0	0
COUNTY TOTALS	1,386		671	532	152	21	7	3
PERCENT DISTRIBUTION		100.00	48.41	38.38	10.97	1.52	0.51	0.22
ARROOSTOOK								
LESS THAN 1000	2	0.17	0	2	0	0	0	0
1000-1499	9	0.78	3	3	1	0	0	2
1500-1999	10	0.87	6	3	1	0	0	0
2000-2499	41	3.57	21	13	5	1	1	0
2500-2999	159	13.83	82	43	26	6	0	2
3000-3499	429	37.30	213	123	77	12	2	2
3500-3999	339	29.48	178	100	52	7	0	2
4000-4499	135	11.74	69	40	23	2	0	1
4500-4999	22	1.91	6	10	4	2	0	0
GREATER THAN 4999	2	0.17	2	0	0	0	0	0
UNKNOWN	2	0.17	1	0	0	0	0	1
COUNTY TOTALS	1,150		581	337	189	30	3	10
PERCENT DISTRIBUTION		100.00	50.52	29.30	16.43	2.61	0.26	0.87

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
CUMBERLAND								
LESS THAN 1000	18	0.55	13	2	3	0	0	0
1000-1499	15	0.46	8	4	2	0	0	1
1500-1999	33	1.00	18	8	6	1	0	0
2000-2499	105	3.19	61	29	10	4	0	1
2500-2999	448	13.60	222	164	42	8	3	9
3000-3499	1,118	33.94	530	436	116	15	1	20
3500-3999	1,093	33.18	552	423	84	15	0	19
4000-4499	395	11.99	189	156	34	6	0	10
4500-4999	57	1.73	33	18	5	0	0	1
GREATER THAN 4999	7	0.21	5	2	0	0	0	0
UNKNOWN	5	0.15	5	0	0	0	0	0
COUNTY TOTALS	3,294		1,636	1,242	302	49	4	61
PERCENT DISTRIBUTION		100.00	49.67	37.70	9.17	1.49	0.12	1.85
FRANKLIN								
LESS THAN 1000	2	0.55	0	0	0	0	0	2
1000-1499	4	1.11	1	2	1	0	0	0
1500-1999	5	1.39	2	2	0	0	0	1
2000-2499	12	3.32	8	3	1	0	0	0
2500-2999	52	14.40	31	14	6	0	1	0
3000-3499	126	34.90	70	44	10	1	0	1
3500-3999	115	31.86	59	43	13	1	1	0
4000-4499	38	10.53	19	15	3	1	0	0
4500-4999	6	1.66	4	2	0	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	1	0.28	0	0	0	0	0	1
COUNTY TOTALS	361		194	125	32	3	2	5
PERCENT DISTRIBUTION		100.00	53.74	34.63	8.86	0.83	0.55	1.39

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
HANCOCK								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	1	0.18	1	0	0	0	0	0
1500-1999	4	0.73	2	0	1	0	1	0
2000-2499	14	2.55	5	4	4	0	0	1
2500-2999	79	14.36	31	40	6	1	0	1
3000-3499	167	30.36	75	64	25	1	0	2
3500-3999	190	34.55	74	84	23	6	0	3
4000-4499	69	12.55	33	26	9	1	0	0
4500-4999	17	3.09	7	8	1	0	0	1
GREATER THAN 4999	3	0.55	2	1	0	0	0	0
UNKNOWN	6	1.09	0	1	0	0	0	5
COUNTY TOTALS	550		230	228	69	9	1	13
PERCENT DISTRIBUTION		100.00	41.82	41.45	12.55	1.64	0.18	2.36
KENNEBEC								
LESS THAN 1000	2	0.14	1	1	0	0	0	0
1000-1499	7	0.48	3	2	1	0	0	1
1500-1999	12	0.82	6	2	3	0	0	1
2000-2499	49	3.35	27	13	4	3	0	2
2500-2999	211	14.42	112	65	25	4	2	3
3000-3499	508	34.72	289	167	45	2	0	5
3500-3999	469	32.06	285	141	35	2	1	5
4000-4499	151	10.32	89	50	7	2	0	3
4500-4999	43	2.94	23	17	2	1	0	0
GREATER THAN 4999	2	0.14	2	0	0	0	0	0
UNKNOWN	9	0.62	2	6	1	0	0	0
COUNTY TOTALS	1,463		839	464	123	14	3	20
PERCENT DISTRIBUTION		100.00	57.35	31.72	8.41	0.96	0.21	1.37

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	UNKNOWN
KNOX								
LESS THAN 1000	3	0.70	2	1	0	0	0	0
1000-1499	1	0.23	1	0	0	0	0	0
1500-1999	3	0.70	1	2	0	0	0	0
2000-2499	12	2.81	7	2	0	0	0	0
2500-2999	53	12.41	33	8	8	1	0	1
3000-3499	119	27.87	83	24	10	2	0	3
3500-3999	161	37.70	106	34	20	1	0	0
4000-4499	54	12.65	43	8	3	0	0	0
4500-4999	15	3.51	11	4	0	0	0	0
GREATER THAN 4999	3	0.70	3	0	0	0	0	0
UNKNOWN	3	0.70	2	0	1	0	0	0
COUNTY TOTALS	427		292	83	44	4	0	4
PERCENT DISTRIBUTION		100.00	68.38	19.44	10.30	0.94	0.00	0.94
LINCOLN								
LESS THAN 1000	3	0.80	1	0	1	0	1	0
1000-1499	2	0.54	1	0	1	0	0	0
1500-1999	3	0.80	2	0	0	1	0	0
2000-2499	10	2.68	7	2	0	1	0	0
2500-2999	46	12.33	28	11	6	0	0	1
3000-3499	123	32.98	81	31	10	1	0	0
3500-3999	130	34.85	78	42	8	2	0	0
4000-4499	35	9.38	22	10	2	0	0	1
4500-4999	17	4.56	13	3	1	0	0	0
GREATER THAN 4999	3	0.80	2	0	1	0	0	0
UNKNOWN	1	0.27	0	1	0	0	0	0
COUNTY TOTALS	373		235	100	30	5	1	2
PERCENT DISTRIBUTION		100.00	63.00	26.81	8.04	1.34	0.27	0.54

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
OXFORD								
LESS THAN 1000	1	0.15	0	0	0	0	0	1
1000-1499	4	0.59	3	0	1	0	0	0
1500-1999	7	1.04	4	2	1	0	0	0
2000-2499	26	3.86	15	9	2	0	0	0
2500-2999	90	13.35	30	42	14	3	0	0
3000-3499	238	35.31	119	71	37	7	2	1
3500-3999	209	31.01	90	84	28	4	1	2
4000-4499	70	10.39	29	26	12	1	1	2
4500-4999	23	3.41	9	12	2	0	0	1
GREATER THAN 4999	3	0.45	0	1	1	0	0	0
UNKNOWN	3	0.45	2	0	0	0	0	1
COUNTY TOTALS	674		301	247	98	15	4	1
PERCENT DISTRIBUTION		100.00	44.66	36.65	14.54	2.23	0.59	1.34
PENOBSCOT								
LESS THAN 1000	7	0.41	2	4	0	0	0	1
1000-1499	2	0.12	0	2	0	0	0	0
1500-1999	17	0.99	10	4	1	0	0	2
2000-2499	58	3.38	45	9	3	1	0	0
2500-2999	202	11.76	139	37	20	1	5	0
3000-3499	612	35.64	429	123	50	7	1	2
3500-3999	588	34.25	424	107	44	10	0	3
4000-4499	186	10.83	130	40	15	1	0	0
4500-4999	42	2.45	26	7	6	2	0	1
GREATER THAN 4999	2	0.12	2	0	0	0	0	0
UNKNOWN	1	0.06	0	0	0	0	1	0
COUNTY TOTALS	1,717		1,207	333	139	22	7	9
PERCENT DISTRIBUTION		100.00	70.30	19.39	8.10	1.28	0.41	0.52

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
PISCATAQUIS								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	2	1.06	0	2	0	0	0	0
1500-1999	1	0.53	1	0	0	0	0	0
2000-2499	5	2.66	2	3	0	0	0	0
2500-2999	24	12.77	13	8	1	1	0	1
3000-3499	68	36.17	41	17	9	1	0	0
3500-3999	57	30.32	35	14	8	0	0	0
4000-4499	25	13.30	12	6	7	0	0	0
4500-4999	6	3.19	3	2	1	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	188		107	52	26	2	0	1
PERCENT DISTRIBUTION		100.00	56.91	27.66	13.83	1.06	0.00	0.53
SAGadahoc								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	3	0.62	3	0	0	0	0	0
1500-1999	4	0.82	1	3	0	0	0	0
2000-2499	9	1.85	3	4	1	0	1	0
2500-2999	54	11.09	36	14	4	0	0	0
3000-3499	169	34.70	109	42	17	1	0	0
3500-3999	187	38.40	128	46	13	0	0	0
4000-4499	46	9.45	30	11	5	0	0	0
4500-4999	15	3.08	7	7	1	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	487		317	127	41	1	1	0
PERCENT DISTRIBUTION		100.00	65.09	26.08	8.42	0.21	0.21	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MONTH PRENATAL CARE BEGAN *****					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
SOMERSET								
LESS THAN 1000	4	0.60	1	2	1	0	0	0
1000-1499	3	0.45	0	1	1	0	1	0
1500-1999	10	1.51	6	0	2	0	0	2
2000-2499	22	3.31	10	8	4	0	0	0
2500-2999	102	15.36	39	47	15	1	0	0
3000-3499	221	33.28	103	83	31	2	1	1
3500-3999	214	32.23	99	79	33	1	0	2
4000-4499	69	10.39	31	26	9	0	0	3
4500-4999	13	1.96	4	8	1	0	0	0
GREATER THAN 4999	1	0.15	1	0	0	0	0	0
UNKNOWN	5	0.75	0	4	0	0	0	1
COUNTY TOTALS	664		294	258	97	4	2	9
PERCENT DISTRIBUTION		100.00	44.28	38.86	14.61	0.60	0.30	1.36
WALDO								
LESS THAN 1000	1	0.22	1	0	0	0	0	0
1000-1499	3	0.66	3	0	0	0	0	0
1500-1999	2	0.44	1	1	0	0	0	0
2000-2499	17	3.75	9	3	5	0	0	0
2500-2999	55	12.14	31	17	7	0	0	0
3000-3499	145	32.01	89	41	13	0	0	2
3500-3999	160	35.32	98	45	15	0	1	1
4000-4499	59	13.02	36	9	12	1	1	0
4500-4999	7	1.55	4	3	0	0	0	0
GREATER THAN 4999	3	0.66	2	1	0	0	0	0
UNKNOWN	1	0.22	0	1	0	0	0	0
COUNTY TOTALS	453		274	121	52	1	2	3
PERCENT DISTRIBUTION		100.00	60.49	26.71	11.48	0.22	0.44	0.66

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
WASHINGTON								
LESS THAN 1000	5	1.17	2	2	0	0	0	1
1000-1499	2	0.47	1	1	0	0	0	0
1500-1999	5	1.17	4	1	0	0	0	0
2000-2499	19	4.45	8	7	4	0	0	0
2500-2999	39	9.13	14	12	11	2	0	0
3000-3499	139	32.55	68	38	32	0	0	1
3500-3999	149	34.89	82	40	19	7	0	1
4000-4499	53	12.41	23	22	7	1	0	0
4500-4999	12	2.81	6	4	2	0	0	0
GREATER THAN 4999	2	0.47	1	0	1	0	0	0
UNKNOWN	2	0.47	0	1	0	0	0	1
COUNTY TOTALS	427		209	128	76	10	0	4
PERCENT DISTRIBUTION		100.00	48.95	29.98	17.80	2.34	0.00	0.94
YORK								
LESS THAN 1000	9	0.38	6	1	1	0	1	0
1000-1499	10	0.42	4	3	0	0	0	3
1500-1999	22	0.92	11	3	4	1	0	3
2000-2499	82	3.42	27	33	12	5	0	5
2500-2999	315	13.13	168	79	53	10	2	3
3000-3499	798	33.26	491	205	84	6	1	11
3500-3999	822	34.26	500	228	76	7	1	10
4000-4499	285	11.88	172	87	24	0	0	2
4500-4999	51	2.13	27	19	4	0	0	1
GREATER THAN 4999	3	0.13	0	1	0	2	0	0
UNKNOWN	2	0.08	1	0	0	0	0	1
COUNTY TOTALS	2,399		1,407	659	258	31	5	39
PERCENT DISTRIBUTION		100.00	58.65	27.47	10.75	1.29	0.21	1.63

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MONTH PRENATAL CARE BEGAN *****					NONE	UNKNOWN	
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH				
MAINE SUMMARY										
LESS THAN 1000	63	0.39	34	15	7	0	2	5		
1000-1499	74	0.46	35	22	8	0	1	8		
1500-1999	146	0.91	78	35	20	3	1	9		
2000-2499	520	3.25	268	159	66	15	2	10		
2500-2999	2,114	13.20	1,091	677	263	41	17	25		
3000-3499	5,512	34.42	3,045	1,713	628	68	9	49		
3500-3999	5,300	33.10	3,002	1,669	505	68	7	49		
4000-4499	1,827	11.41	1,006	586	193	19	2	21		
4500-4999	374	2.34	196	137	32	5	0	4		
GREATER THAN 4999	39	0.24	25	8	3	2	0	1		
UNKNOWN	44	0.27	14	15	3	0	1	11		
STATE TOTALS	16,013		8,794	5,036	1,728	221	42	192		
PERCENT DISTRIBUTION		100.00	54.92	31.45	10.79	1.38	0.26	1.20		

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ANDROSCOGGIN											
0	7	0	0.00	0	0.00	0	0.00	7	100.00	0	0.00
1	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	4	3	75.00	0	0.00	1	25.00	0	0.00	0	0.00
3	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
4	5	2	40.00	1	20.00	2	40.00	0	0.00	0	0.00
5	7	2	28.57	1	14.29	4	57.14	0	0.00	0	0.00
6	18	8	44.44	7	38.89	3	16.67	0	0.00	0	0.00
7	12	3	25.00	7	58.33	2	16.67	0	0.00	0	0.00
8	37	14	37.84	18	48.65	5	13.51	0	0.00	0	0.00
9	57	31	54.39	24	42.11	2	3.51	0	0.00	0	0.00
GREATER THAN 9	1,230	1,137	92.44	93	7.56	0	0.00	0	0.00	0	0.00
UNKNOWN	6	2	33.33	0	0.00	1	16.67	0	0.00	3	50.00
COUNTY TOTALS	1,386	1,203	86.80	152	10.97	21	1.52	7	0.51	3	0.22
ARROOSTOOK											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
3	4	1	25.00	0	0.00	3	75.00	0	0.00	0	0.00
4	5	1	20.00	1	20.00	3	60.00	0	0.00	0	0.00
5	7	1	14.29	3	42.86	2	28.57	0	0.00	1	14.29
6	17	5	29.41	6	35.29	6	35.29	0	0.00	0	0.00
7	23	10	43.48	7	30.43	4	17.39	0	0.00	2	8.70
8	32	15	46.88	16	50.00	1	3.13	0	0.00	0	0.00
9	77	46	59.74	30	38.96	1	1.30	0	0.00	0	0.00
GREATER THAN 9	970	836	86.19	124	12.78	9	0.93	0	0.00	1	0.10
UNKNOWN	8	2	25.00	0	0.00	0	0.00	0	0.00	6	75.00
COUNTY TOTALS	1,150	918	79.83	189	16.43	30	2.61	3	0.26	10	0.87

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
CUMBERLAND											
0	4	0	0.00	0	0.00	0	0.00	4	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	9	2	22.22	2	22.22	5	55.56	0	0.00	0	0.00
3	14	4	28.57	6	42.86	4	28.57	0	0.00	0	0.00
4	32	11	34.38	13	40.63	8	25.00	0	0.00	0	0.00
5	32	12	37.50	13	40.63	6	18.75	0	0.00	1	3.13
6	55	35	63.64	15	27.27	5	9.09	0	0.00	0	0.00
7	66	41	62.12	19	28.79	6	9.09	0	0.00	0	0.00
8	140	101	72.14	34	24.29	4	2.86	0	0.00	1	0.71
9	208	168	80.77	32	15.38	5	2.40	0	0.00	3	1.44
GREATER THAN 9	2,686	2,489	92.67	167	6.22	5	0.19	0	0.00	25	0.93
UNKNOWN	47	15	31.91	1	2.13	0	0.00	0	0.00	31	65.96
COUNTY TOTALS	3,294	2,878	87.37	302	9.17	49	1.49	4	0.12	61	1.85
FRANKLIN											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
5	3	0	0.00	2	66.67	1	33.33	0	0.00	0	0.00
6	6	3	50.00	2	33.33	1	16.67	0	0.00	0	0.00
7	7	3	42.86	4	57.14	0	0.00	0	0.00	0	0.00
8	14	8	57.14	6	42.86	0	0.00	0	0.00	0	0.00
9	8	6	75.00	2	25.00	0	0.00	0	0.00	0	0.00
GREATER THAN 9	313	296	94.57	15	4.79	1	0.32	0	0.00	1	0.32
UNKNOWN	6	2	33.33	0	0.00	0	0.00	0	0.00	4	66.67
COUNTY TOTALS	361	319	88.37	32	8.86	3	0.83	2	0.55	5	1.39

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
HANCOCK											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	5	1	20.00	2	40.00	2	40.00	0	0.00	0	0.00
4	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00
5	5	2	40.00	2	40.00	1	20.00	0	0.00	0	0.00
6	21	6	28.57	10	47.62	4	19.05	0	0.00	1	4.76
7	29	24	82.76	4	13.79	0	0.00	0	0.00	1	3.45
8	46	31	67.39	14	30.43	0	0.00	0	0.00	1	2.17
9	63	53	84.13	9	14.29	0	0.00	0	0.00	1	1.59
GREATER THAN 9	369	338	91.60	26	7.05	1	0.27	0	0.00	4	1.08
UNKNOWN	7	2	28.57	0	0.00	0	0.00	0	0.00	5	71.43
COUNTY TOTALS	550	458	83.27	69	12.55	9	1.64	1	0.18	13	2.36
KENNEBEC											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
3	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
4	7	2	28.57	3	42.86	2	28.57	0	0.00	0	0.00
5	7	3	42.86	2	28.57	2	28.57	0	0.00	0	0.00
6	13	9	69.23	4	30.77	0	0.00	0	0.00	0	0.00
7	12	5	41.67	3	25.00	4	33.33	0	0.00	0	0.00
8	33	19	57.58	12	36.36	0	0.00	0	0.00	2	6.06
9	47	28	59.57	17	36.17	1	2.13	0	0.00	1	2.13
GREATER THAN 9	1,324	1,229	92.82	81	6.12	4	0.30	0	0.00	10	0.76
UNKNOWN	12	5	41.67	0	0.00	0	0.00	0	0.00	7	58.33
COUNTY TOTALS	1,463	1,303	89.06	123	8.41	14	0.96	3	0.21	20	1.37

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
KNOX											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
3	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
4	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
5	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
6	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
7	12	6	50.00	5	41.67	1	8.33	0	0.00	0	0.00
8	13	8	61.54	5	38.46	0	0.00	0	0.00	0	0.00
9	18	12	66.67	6	33.33	0	0.00	0	0.00	0	0.00
GREATER THAN 9	375	345	92.00	27	7.20	1	0.27	0	0.00	2	0.53
UNKNOWN	3	1	33.33	0	0.00	0	0.00	0	0.00	2	66.67
COUNTY TOTALS -	427	375	87.82	44	10.30	4	0.94	0	0.00	4	0.94
LINCOLN											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
3	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
4	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
5	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
6	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
7	7	4	57.14	2	28.57	1	14.29	0	0.00	0	0.00
8	12	9	75.00	3	25.00	0	0.00	0	0.00	0	0.00
9	13	7	53.85	6	46.15	0	0.00	0	0.00	0	0.00
GREATER THAN 9	331	310	93.66	17	5.14	2	0.60	0	0.00	2	0.60
UNKNOWN	2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
COUNTY TOTALS	373	335	89.81	30	8.04	5	1.34	1	0.27	2	0.54

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
OXFORD											
0	4	0	0.00	0	0.00	0	0.00	4	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	7	1	14.29	1	14.29	3	42.86	0	0.00	2	28.57
4	7	1	14.29	4	57.14	2	28.57	0	0.00	0	0.00
5	7	5	71.43	1	14.29	1	14.29	0	0.00	0	0.00
6	16	6	37.50	6	37.50	4	25.00	0	0.00	0	0.00
7	21	13	61.90	7	33.33	1	4.76	0	0.00	0	0.00
8	32	21	65.63	10	31.25	0	0.00	0	0.00	1	3.13
9	45	34	75.56	10	22.22	1	2.22	0	0.00	0	0.00
GREATER THAN 9	529	466	88.09	58	10.96	1	0.19	0	0.00	4	0.76
UNKNOWN	3	1	33.33	0	0.00	0	0.00	0	0.00	2	66.67
COUNTY TOTALS	674	548	81.31	98	14.54	15	2.23	4	0.59	9	1.34
PENOBSCOT											
0	7	0	0.00	0	0.00	0	0.00	7	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	3	2	66.67	0	0.00	1	33.33	0	0.00	0	0.00
3	10	3	30.00	3	30.00	4	40.00	0	0.00	0	0.00
4	10	4	40.00	4	40.00	2	20.00	0	0.00	0	0.00
5	12	2	16.67	5	41.67	5	41.67	0	0.00	0	0.00
6	42	22	52.38	14	33.33	4	9.52	0	0.00	2	4.76
7	90	58	64.44	30	33.33	2	2.22	0	0.00	0	0.00
8	112	90	80.36	19	16.96	3	2.68	0	0.00	0	0.00
9	187	173	92.51	13	6.95	1	0.53	0	0.00	0	0.00
GREATER THAN 9	1,237	1,183	95.63	50	4.04	0	0.00	0	0.00	4	0.32
UNKNOWN	7	3	42.86	1	14.29	0	0.00	0	0.00	3	42.86
COUNTY TOTALS	1,717	1,540	89.69	139	8.10	22	1.28	7	0.41	9	0.52

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
PISCATAQUIS											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
4	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
5	2	1	50.00	0	0.00	0	0.00	0	0.00	1	50.00
6	4	1	25.00	3	75.00	0	0.00	0	0.00	0	0.00
7	11	4	36.36	6	54.55	1	9.09	0	0.00	0	0.00
8	6	5	83.33	1	16.67	0	0.00	0	0.00	0	0.00
9	16	13	81.25	3	18.75	0	0.00	0	0.00	0	0.00
GREATER THAN 9	147	134	91.16	13	8.84	0	0.00	0	0.00	0	0.00
UNKNOWN	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
COUNTY TOTALS	188	159	84.57	26	13.83	2	1.06	0	0.00	1	0.53
SAGadahoc											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
5	4	3	75.00	1	25.00	0	0.00	0	0.00	0	0.00
6	7	2	28.57	4	57.14	1	14.29	0	0.00	0	0.00
7	15	11	73.33	4	26.67	0	0.00	0	0.00	0	0.00
8	15	11	73.33	4	26.67	0	0.00	0	0.00	0	0.00
9	28	24	85.71	4	14.29	0	0.00	0	0.00	0	0.00
GREATER THAN 9	414	391	94.44	23	5.56	0	0.00	0	0.00	0	0.00
UNKNOWN	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
COUNTY TOTALS	487	444	91.17	41	8.42	1	0.21	1	0.21	0	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
SOMERSET											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
3	3	2	66.67	1	33.33	0	0.00	0	0.00	0	0.00
4	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00
5	3	2	66.67	1	33.33	0	0.00	0	0.00	0	0.00
6	11	6	54.55	2	18.18	2	18.18	0	0.00	1	9.09
7	15	9	60.00	6	40.00	0	0.00	0	0.00	0	0.00
8	16	8	50.00	7	43.75	1	6.25	0	0.00	0	0.00
9	26	21	80.77	5	19.23	0	0.00	0	0.00	0	0.00
GREATER THAN 9	576	500	86.81	71	12.33	1	0.17	0	0.00	4	0.69
UNKNOWN	8	4	50.00	0	0.00	0	0.00	0	0.00	4	50.00
COUNTY TOTALS	664	552	83.13	97	14.61	4	0.60	2	0.30	9	1.36
WALDO											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	3	2	66.67	1	33.33	0	0.00	0	0.00	0	0.00
5	7	3	42.86	3	42.86	1	14.29	0	0.00	0	0.00
6	9	7	77.78	2	22.22	0	0.00	0	0.00	0	0.00
7	22	15	68.18	7	31.82	0	0.00	0	0.00	0	0.00
8	31	26	83.87	5	16.13	0	0.00	0	0.00	0	0.00
9	38	34	89.47	4	10.53	0	0.00	0	0.00	0	0.00
GREATER THAN 9	336	305	90.77	29	8.63	0	0.00	0	0.00	2	0.60
UNKNOWN	3	2	66.67	0	0.00	0	0.00	0	0.00	1	33.33
COUNTY TOTALS	453	395	87.20	52	11.48	1	0.22	2	0.44	3	0.66

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
4	5	2	40.00	0	0.00	3	60.00	0	0.00	0	0.00
5	5	3	60.00	1	20.00	1	20.00	0	0.00	0	0.00
6	12	3	25.00	7	58.33	2	16.67	0	0.00	0	0.00
7	31	14	45.16	14	45.16	3	9.68	0	0.00	0	0.00
8	32	19	59.38	12	37.50	0	0.00	0	0.00	1	3.13
9	37	23	62.16	14	37.84	0	0.00	0	0.00	0	0.00
GREATER THAN 9	299	270	90.30	28	9.36	0	0.00	0	0.00	1	0.33
UNKNOWN	2	0	0.00	0	0.00	0	0.00	0	0.00	2	100.00
COUNTY TOTALS	427	337	78.92	76	17.80	10	2.34	0	0.00	4	0.94
YORK											
0	5	0	0.00	0	0.00	0	0.00	5	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	7	1	14.29	3	42.86	3	42.86	0	0.00	0	0.00
3	7	1	14.29	2	28.57	4	57.14	0	0.00	0	0.00
4	21	3	14.29	13	61.90	4	19.05	0	0.00	1	4.76
5	22	9	40.91	10	45.45	3	13.64	0	0.00	0	0.00
6	47	27	57.45	15	31.91	4	8.51	0	0.00	1	2.13
7	62	38	61.29	20	32.26	3	4.84	0	0.00	1	1.61
8	146	116	79.45	26	17.81	4	2.74	0	0.00	0	0.00
9	140	110	78.57	26	18.57	2	1.43	0	0.00	2	1.43
GREATER THAN 9	1,895	1,745	92.08	142	7.49	3	0.16	0	0.00	5	0.26
UNKNOWN	46	16	34.78	1	2.17	0	0.00	0	0.00	29	63.04
COUNTY TOTALS	2,399	2,066	86.12	258	10.75	31	1.29	5	0.21	39	1.63

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

STATE AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY											
0	42	0	0.00	0	0.00	0	0.00	42	100.00	0	0.00
1	10	4	40.00	2	20.00	4	40.00	0	0.00	0	0.00
2	36	12	33.33	10	27.78	14	38.89	0	0.00	0	0.00
3	59	16	27.12	17	28.81	24	40.68	0	0.00	2	3.39
4	108	33	30.56	47	43.52	27	25.00	0	0.00	1	0.93
5	126	50	39.68	46	36.51	27	21.43	0	0.00	3	2.38
6	280	141	50.36	97	34.64	37	13.21	0	0.00	5	1.79
7	435	258	59.31	145	33.33	28	6.44	0	0.00	4	0.92
8	717	501	69.87	192	26.78	18	2.51	0	0.00	6	0.84
9	1,008	783	77.68	205	20.34	13	1.29	0	0.00	7	0.69
GREATER THAN 9	13,031	11,974	91.89	964	7.40	28	0.21	0	0.00	65	0.50
UNKNOWN	161	58	36.02	3	1.86	1	0.62	0	0.00	99	61.49
STATE TOTALS	16,013	13,830	86.37	1,728	10.79	221	1.38	42	0.26	192	1.20

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	NONE	UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9	53	3.82	18	18	12	4	1	0
GRADES 9-11	179	12.91	65	72	34	6	1	1
GRADE 12	662	47.76	315	259	75	9	3	1
GREATER THAN GRADE 12	488	35.21	270	182	31	2	2	1
UNKNOWN	4	0.29	3	1	0	0	0	0
COUNTY TOTALS	1,386		671	532	152	21	7	3
PERCENT DISTRIBUTION		100.00	48.41	38.38	10.97	1.52	0.51	0.22
AROOSTOOK								
LESS THAN GRADE 9	24	2.09	8	5	10	1	0	0
GRADES 9-11	136	11.83	57	31	37	10	0	1
GRADE 12	550	47.83	263	175	97	7	1	7
GREATER THAN GRADE 12	438	38.09	252	126	44	12	2	2
UNKNOWN	2	0.17	1	0	1	0	0	0
COUNTY TOTALS	1,150		581	337	189	30	3	10
PERCENT DISTRIBUTION		100.00	50.52	29.30	16.43	2.61	0.26	0.87
CUMBERLAND								
LESS THAN GRADE 9	43	1.31	12	17	9	4	0	1
GRADES 9-11	287	8.71	117	99	56	10	1	4
GRADE 12	1,084	32.91	504	398	141	21	2	18
GREATER THAN GRADE 12	1,843	55.95	990	713	95	9	1	35
UNKNOWN	37	1.12	13	15	1	5	0	3
COUNTY TOTALS	3,294		1,636	1,242	302	49	4	61
PERCENT DISTRIBUTION		100.00	49.67	37.70	9.17	1.49	0.12	1.85

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	NONE	UNKNOWN
FRANKLIN								
LESS THAN GRADE 9	9	2.49	4	1	3	0	0	1
GRADES 9-11	46	12.74	25	15	5	0	1	0
GRADE 12	157	43.49	80	55	19	2	1	0
GREATER THAN GRADE 12	147	40.72	85	53	5	1	0	3
UNKNOWN	2	0.55	0	1	0	0	0	1
COUNTY TOTALS	361		194	125	32	3	2	5
PERCENT DISTRIBUTION		100.00	53.74	34.63	8.86	0.83	0.55	1.39
HANCOCK								
LESS THAN GRADE 9	5	0.91	1	3	0	0	0	1
GRADES 9-11	55	10.00	19	21	13	1	0	1
GRADE 12	245	44.55	103	104	31	2	0	5
GREATER THAN GRADE 12	238	43.27	107	98	24	5	1	3
UNKNOWN	7	1.27	0	2	1	1	0	3
COUNTY TOTALS	550		230	228	69	9	1	13
PERCENT DISTRIBUTION		100.00	41.82	41.45	12.55	1.64	0.18	2.36
KENNEBEC								
LESS THAN GRADE 9	20	1.37	13	3	4	0	0	0
GRADES 9-11	173	11.83	85	49	28	3	0	8
GRADE 12	673	46.00	370	220	66	8	3	6
GREATER THAN GRADE 12	592	40.46	371	191	21	3	0	6
UNKNOWN	5	0.34	0	1	4	0	0	0
COUNTY TOTALS	1,463		839	464	123	14	3	20
PERCENT DISTRIBUTION		100.00	57.35	31.72	8.41	0.96	0.21	1.37

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
KNOX								
LESS THAN GRADE 9	14	3.28	7	5	1	1	0	0
GRADES 9-11	46	10.77	27	10	8	1	0	0
GRADE 12	194	45.43	128	36	26	2	0	2
GREATER THAN GRADE 12	168	39.34	126	31	9	0	0	2
UNKNOWN	5	1.17	4	1	0	0	0	0
COUNTY TOTALS	427		292	83	44	4	0	4
PERCENT DISTRIBUTION		100.00	68.38	19.44	10.30	0.94	0.00	0.94
LINCOLN								
LESS THAN GRADE 9	5	1.34	5	0	0	0	0	0
GRADES 9-11	32	8.58	15	11	4	2	0	0
GRADE 12	170	45.58	105	46	16	1	1	1
GREATER THAN GRADE 12	163	43.70	107	43	10	2	0	1
UNKNOWN	3	0.80	3	0	0	0	0	0
COUNTY TOTALS	373		235	100	30	5	1	2
PERCENT DISTRIBUTION		100.00	63.00	26.81	8.04	1.34	0.27	0.54
OXFORD								
LESS THAN GRADE 9	16	2.37	8	4	3	0	1	0
GRADES 9-11	108	16.02	38	35	23	10	0	2
GRADE 12	329	48.81	142	128	51	4	3	1
GREATER THAN GRADE 12	219	32.49	112	80	21	1	0	5
UNKNOWN	2	0.30	1	0	0	0	0	1
COUNTY TOTALS	674		301	247	98	15	4	9
PERCENT DISTRIBUTION		100.00	44.66	36.65	14.54	2.23	0.59	1.34

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9	32	1.86	17	9	4	0	1	1
GRADES 9-11	186	10.83	93	47	37	6	1	2
GRADE 12	725	42.22	491	162	56	9	3	4
GREATER THAN GRADE 12	769	44.79	604	113	41	7	2	2
UNKNOWN	5	0.29	2	2	1	0	0	0
COUNTY TOTALS	1,717		1,207	333	139	22	7	9
PERCENT DISTRIBUTION		100.00	70.30	19.39	8.10	1.28	0.41	0.52
PISCATAQUIS								
LESS THAN GRADE 9	8	4.26	3	0	4	1	0	0
GRADES 9-11	26	13.83	12	8	6	0	0	0
GRADE 12	98	52.13	58	28	12	0	0	0
GREATER THAN GRADE 12	56	29.79	34	16	4	1	0	1
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	188		107	52	26	2	0	1
PERCENT DISTRIBUTION		100.00	56.91	27.66	13.83	1.06	0.00	0.53
SAGADAHOC								
LESS THAN GRADE 9	5	1.03	0	4	1	0	0	0
GRADES 9-11	58	11.91	27	21	10	0	0	0
GRADE 12	197	40.45	128	48	21	0	0	0
GREATER THAN GRADE 12	226	46.41	161	54	9	1	1	0
UNKNOWN	1	0.21	1	0	0	0	0	0
COUNTY TOTALS	487		317	127	41	1	1	0
PERCENT DISTRIBUTION		100.00	65.09	26.08	8.42	0.21	0.21	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	NONE	UNKNOWN
SOMERSET								
LESS THAN GRADE 9	16	2.41	6	5	5	0	0	0
GRADES 9-11	119	17.92	43	44	27	3	0	2
GRADE 12	309	46.54	137	130	38	0	1	3
GREATER THAN GRADE 12	218	32.83	108	79	25	1	1	4
UNKNOWN	2	0.30	0	0	2	0	0	0
COUNTY TOTALS	664		294	258	97	4	2	9
PERCENT DISTRIBUTION		100.00	44.28	38.86	14.61	0.60	0.30	1.36
WALDO								
LESS THAN GRADE 9	10	2.21	5	3	2	0	0	0
GRADES 9-11	59	13.02	29	16	13	0	0	1
GRADE 12	212	46.80	127	59	23	0	1	2
GREATER THAN GRADE 12	170	37.53	113	42	13	1	1	0
UNKNOWN	2	0.44	0	1	1	0	0	0
COUNTY TOTALS	453		274	121	52	1	2	3
PERCENT DISTRIBUTION		100.00	60.49	26.71	11.48	0.22	0.44	0.66
WASHINGTON								
LESS THAN GRADE 9	8	1.87	1	4	3	0	0	0
GRADES 9-11	63	14.75	25	18	17	3	0	0
GRADE 12	186	43.56	89	52	36	6	0	3
GREATER THAN GRADE 12	168	39.34	94	54	19	1	0	0
UNKNOWN	2	0.47	0	0	1	0	0	1
COUNTY TOTALS	427		209	128	76	10	0	4
PERCENT DISTRIBUTION		100.00	48.95	29.98	17.80	2.34	0.00	0.94

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
YORK								
LESS THAN GRADE 9	38	1.58	17	8	10	2	1	0
GRADES 9-11	251	10.46	115	58	58	13	2	5
GRADE 12	993	41.39	567	279	118	11	1	17
GREATER THAN GRADE 12	1,101	45.89	702	309	70	5	1	14
UNKNOWN	16	0.67	6	5	2	0	0	3
COUNTY TOTALS	2,399		1,407	659	258	31	5	39
PERCENT DISTRIBUTION		100.00	58.65	27.47	10.75	1.29	0.21	1.63
MAINE SUMMARY								
LESS THAN GRADE 9	306	1.91	125	89	71	13	4	4
GRADES 9-11	1,824	11.39	792	555	376	68	6	27
GRADE 12	6,784	42.37	3,607	2,179	826	82	20	70
GREATER THAN GRADE 12	7,004	43.74	4,236	2,184	441	52	12	79
UNKNOWN	95	0.59	34	29	14	6	0	12
STATE TOTALS	16,013		8,794	5,036	1,728	221	42	192
PERCENT DISTRIBUTION		100.00	54.92	31.45	10.79	1.38	0.26	1.20

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-9

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1992 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON- WHITE	NO PRENATAL CARE	MEDICAL RISK FACTORS	C-SECTION	CONGEN. ANOM- ALIES	BIRTHWEIGHT UNDER 2500	IN GRAMS OVER 4999
AT HOME	154	24	4	11	2	17	0	2	2	2
BATH MEMORIAL HOSPITAL	286	45	26	15	1	34	84	8	9	0
BLUE HILL MEMORIAL HOSPITAL	200	42	14	3	0	33	28	2	4	0
BORN ON WAY TO HOSPITAL	7	3	1	1	1	0	0	0	0	0
BRIGHTON MEDICAL CENTER	427	117	35	8	0	39	103	5	15	0
CALAIS REGIONAL HOSPITAL	102	40	15	11	0	20	29	6	6	0
CARY MEDICAL CENTER	239	66	28	3	1	75	76	5	15	0
CENTRAL MAINE MEDICAL CENTER	1,133	363	157	28	5	321	279	10	43	7
DOWN EAST COMMUNITY HOSPITAL	225	81	19	19	0	40	29	4	6	2
EASTERN MAINE MEDICAL CENTER	1,674	425	152	46	8	296	356	9	117	4
FRANKLIN MEMORIAL HOSPITAL	384	106	38	4	4	108	81	3	17	0
HENRIETTA D. GOODALL HOSPITAL	379	130	58	17	0	106	57	9	10	1
HOULTON REGIONAL HOSPITAL	259	69	36	18	1	61	68	4	12	0
ISLAND COMMUNITY MEDICAL CTR.	1	0	0	0	0	0	0	0	0	0
KENNEBEC VALLEY MEDICAL CTR.	751	201	80	24	1	226	144	10	24	3
MAINE COAST MEMORIAL HOSPITAL	219	48	29	34	0	46	40	3	10	0
MAINE MEDICAL CENTER	2,754	561	191	124	6	740	730	50	326	9
MAYO REGIONAL HOSPITAL	194	68	38	3	1	74	35	7	4	0
MERCY HOSPITAL	731	137	40	26	0	106	141	13	18	0
MID-MAINE MEDICAL CENTER	880	235	83	13	4	232	138	19	27	3
MILES MEMORIAL HOSPITAL	149	43	18	7	1	54	39	3	2	0
MILLINOCKET REGIONAL HOSPITAL	77	32	16	2	1	29	18	8	4	0
MOUNT DESERT ISLAND HOSPITAL	104	33	5	6	0	19	15	3	3	0
NORTH CUMBERLAND MEM. HOSPITAL	75	29	13	2	0	10	23	1	4	0
NORTH MAINE MEDICAL CENTER	110	34	9	1	0	34	14	3	1	0
NOT CLASSIFIABLE	31	11	2	1	0	8	5	0	2	0
OTHER SPECIFIED PLACE	1	0	0	0	0	0	0	0	0	0
PARKVIEW MEMORIAL HOSPITAL	790	171	79	37	0	159	146	12	25	1
PENOBSCOT BAY MEDICAL CENTER	447	116	41	10	0	125	42	3	15	4
PENOBSCOT VALLEY HOSPITAL	122	36	17	7	0	18	31	0	3	0
REDINGTON-FAIRVIEW HOSPITAL	298	125	63	5	0	73	82	7	12	0
RUMFORD COMMUNITY HOSPITAL	140	60	31	2	1	46	31	3	8	0
ST. ANDREW'S HOSPITAL	11	4	2	1	0	1	0	2	0	0
ST. MARY'S HOSPITAL	294	47	14	3	1	42	54	3	9	0
SOUTHERN MAINE MEDICAL CENTER	585	172	64	14	1	70	151	2	17	0
STEPHENS MEMORIAL HOSPITAL	294	92	44	7	3	56	82	3	9	0
THE AROOSTOOK MEDICAL CENTER	310	76	37	10	1	104	39	3	15	1
US AIR FORCE HOSPITAL	219	12	17	29	0	81	37	6	5	1
WALDO COUNTY GENERAL HOSPITAL	197	74	31	2	1	45	41	6	9	0
WATERVILLE OSTEOPATHIC HOSP.	197	59	18	10	0	48	35	4	6	0
YORK HOSPITAL	268	58	22	13	0	66	45	8	6	0
STATE TOTALS	15,716	4,045	1,587	577	43	3,672	3,348	247	820	38

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

BIRHOS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-10

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1992 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	***** OUT OF WEDLOCK BIRTHS	***** MOTHER UNDER AGE 20 YRS.	***** NON- WHITE	***** NO PRENATAL CARE	***** TOTAL BIRTHS IN EACH MEDICAL RISK FACTORS	***** C-SECTION	***** CONGEN. ANOM- ALIES	***** BIRTHWEIGHT IN GRAMS UNDER 2500	***** OVER 4999
AT HOME	154	15.58	2.80	7.14	1.30	11.04	0.00	1.30	1.30	1.30
BATH MEMORIAL HOSPITAL	286	15.73	9.09	5.24	0.35	11.89	29.37	2.10	3.15	0.00
BLUE HILL MEMORIAL HOSPITAL	200	21.00	7.00	1.50	0.00	16.50	14.00	1.00	2.00	0.00
BORN ON WAY TO HOSPITAL	7	42.86	14.29	14.29	14.29	0.00	0.00	0.00	0.00	0.00
BRIGHTON MEDICAL CENTER	427	27.40	8.20	1.87	0.00	9.13	24.12	1.17	3.51	0.00
CALAIS REGIONAL HOSPITAL	102	39.22	14.71	10.78	0.00	19.61	28.43	5.88	5.88	0.00
CARY MEDICAL CENTER	239	27.62	11.72	1.26	0.42	31.38	31.80	2.09	6.28	0.00
CENTRAL MAINE MEDICAL CENTER	1,133	32.04	13.86	2.47	0.44	28.33	24.82	0.88	3.80	0.82
DOWN EAST COMMUNITY HOSPITAL	225	36.00	8.44	8.44	0.00	17.78	12.89	1.78	2.87	0.89
EASTERN MAINE MEDICAL CENTER	1,674	25.39	9.08	2.75	0.36	17.68	21.27	0.54	6.99	0.24
FRANKLIN MEMORIAL HOSPITAL	384	27.60	9.90	1.04	1.04	28.13	21.09	0.78	4.43	0.00
HENRIETTA D. GOODALL HOSPITAL	379	34.30	15.30	4.49	0.00	27.97	15.04	2.37	2.64	0.26
HOULTON REGIONAL HOSPITAL	259	26.84	13.90	6.95	0.39	23.55	26.25	1.54	4.63	0.00
ISLAND COMMUNITY MEDICAL CTR.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
KENNEBEC VALLEY MEDICAL CTR.	751	26.76	10.65	3.20	0.13	30.09	19.17	1.33	3.20	0.40
MAINE COAST MEMORIAL HOSPITAL	219	21.92	13.24	15.53	0.00	21.00	18.28	1.37	4.57	0.00
MAINE MEDICAL CENTER	2,754	20.37	8.94	4.50	0.22	26.87	26.51	1.82	11.84	0.33
MAYO REGIONAL HOSPITAL	194	35.05	19.59	1.55	0.52	38.14	18.04	3.81	2.06	0.00
MERCY HOSPITAL	731	18.74	5.47	3.56	0.00	14.50	19.29	1.78	2.46	0.00
MID-MAINE MEDICAL CENTER	880	26.70	9.43	1.48	0.45	26.36	15.68	2.16	3.07	0.34
MILES MEMORIAL HOSPITAL	149	28.86	12.08	4.70	0.67	36.24	26.17	2.01	1.34	0.00
MILLINOCKET REGIONAL HOSPITAL	77	41.56	20.78	2.60	1.30	37.68	23.38	10.39	5.19	0.00
MOUNT DESERT ISLAND HOSPITAL	104	31.73	4.81	5.77	0.00	18.27	14.42	2.88	2.88	0.00
NORTH CUMBERLAND MEM. HOSPITAL	75	38.67	17.33	2.67	0.00	13.33	30.67	1.33	5.33	0.00
NORTH MAINE MEDICAL CENTER	110	30.91	8.18	0.91	0.00	30.91	12.73	2.73	0.91	0.00
NOT CLASSIFIABLE	31	35.48	6.45	3.23	0.00	25.81	18.13	0.00	6.45	0.00
OTHER SPECIFIED PLACE	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PARKVIEW MEMORIAL HOSPITAL	790	21.65	10.00	4.68	0.00	20.13	18.48	1.52	3.16	0.13
PENOBSCOT BAY MEDICAL CENTER	447	25.95	9.17	2.24	0.00	27.96	9.40	0.67	3.36	0.89
PENOBSCOT VALLEY HOSPITAL	122	29.51	13.93	5.74	0.00	14.75	25.41	0.00	2.46	0.00
REDINGTON-FAIRVIEW HOSPITAL	298	41.95	21.14	1.68	0.00	24.50	27.52	2.35	4.03	0.00
RUMFORD COMMUNITY HOSPITAL	140	42.86	22.14	1.43	0.71	32.86	22.14	2.14	5.71	0.00
ST. ANDREW'S HOSPITAL	11	36.36	18.18	9.09	0.00	9.09	0.00	18.18	0.00	0.00
ST. MARY'S HOSPITAL	294	15.99	4.76	1.02	0.34	14.29	18.37	1.02	3.06	0.00
SOUTHERN MAINE MEDICAL CENTER	585	29.40	10.94	2.39	0.17	11.97	25.81	0.34	2.91	0.00
STEPHENS MEMORIAL HOSPITAL	294	31.29	14.97	2.38	1.02	19.05	27.89	1.02	3.06	0.00
THE AROOSTOOK MEDICAL CENTER	310	24.52	11.94	3.23	0.32	33.55	12.58	0.97	4.84	0.32
US AIR FORCE HOSPITAL	219	5.48	7.76	13.24	0.00	41.55	16.89	2.74	2.28	0.46
WALDO COUNTY GENERAL HOSPITAL	197	37.56	15.74	1.02	0.51	22.84	20.81	3.05	4.57	0.00
WATERVILLE OSTEOPATHIC HOSP.	197	29.95	9.14	5.08	0.00	24.37	17.77	2.03	3.05	0.00
YORK HOSPITAL	268	21.80	8.27	4.89	0.00	24.81	16.92	3.01	2.26	0.00
STATE TOTALS	15,718	25.74	10.10	3.67	0.27	23.36	21.30	1.57	5.22	0.24

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

BIRHOS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-11

LIVE BIRTHS BY BIRTHWEIGHT
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1992 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS		***** BIRTHWEIGHT IN GRAMS *****									
			< 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
AT HOME	154	100.0	0	0.0	0	0.0	0	0.0	151	98.1	3	1.9
BATH MEMORIAL HOSPITAL	286	100.0	0	0.0	0	0.0	0	0.0	286	100.0	0	0.0
BLUE HILL MEMORIAL HOSPITAL	200	100.0	0	0.0	0	0.0	0	0.0	200	100.0	0	0.0
BORN ON WAY TO HOSPITAL	7	100.0	0	0.0	0	0.0	0	0.0	6	85.7	1	14.3
BRIGHTON MEDICAL CENTER	427	100.0	1	0.2	1	0.2	2	0.5	425	99.5	0	0.0
CALAIS REGIONAL HOSPITAL	102	100.0	0	0.0	0	0.0	0	0.0	102	100.0	0	0.0
CARY MEDICAL CENTER	239	100.0	0	0.0	0	0.0	0	0.0	239	100.0	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,133	100.0	5	0.4	3	0.3	8	0.7	1,118	98.7	7	0.6
DOWN EAST COMMUNITY HOSPITAL	225	100.0	1	0.4	0	0.0	1	0.4	224	99.6	0	0.0
EASTERN MAINE MEDICAL CENTER	1,674	100.0	8	0.5	9	0.5	17	1.0	1,656	98.9	1	0.1
FRANKLIN MEMORIAL HOSPITAL	384	100.0	0	0.0	1	0.3	1	0.3	382	99.5	1	0.3
HENRIETTA D. GOODALL HOSPITAL	379	100.0	1	0.3	0	0.0	1	0.3	377	99.5	1	0.3
HOULTON REGIONAL HOSPITAL	259	100.0	1	0.4	0	0.0	1	0.4	257	99.2	1	0.4
ISLAND COMMUNITY MEDICAL CTR.	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
KENNEBEC VALLEY MEDICAL CTR.	751	100.0	1	0.1	1	0.1	2	0.3	746	99.3	3	0.4
MAINE COAST MEMORIAL HOSPITAL	219	100.0	0	0.0	0	0.0	0	0.0	214	97.7	5	2.3
MAINE MEDICAL CENTER	2,754	100.0	43	1.6	58	2.1	101	3.7	2,652	96.3	1	0.0
MAYO REGIONAL HOSPITAL	194	100.0	0	0.0	0	0.0	0	0.0	194	100.0	0	0.0
MERCY HOSPITAL	731	100.0	0	0.0	0	0.0	0	0.0	729	99.7	2	0.3
MID-MAINE MEDICAL CENTER	880	100.0	0	0.0	2	0.2	2	0.2	869	98.8	9	1.0
MILES MEMORIAL HOSPITAL	149	100.0	1	0.7	0	0.0	1	0.7	148	99.3	0	0.0
MILLINOCKET REGIONAL HOSPITAL	77	100.0	0	0.0	0	0.0	0	0.0	77	100.0	0	0.0
MOUNT DESERT ISLAND HOSPITAL	104	100.0	0	0.0	0	0.0	0	0.0	104	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSPITAL	75	100.0	0	0.0	0	0.0	0	0.0	75	100.0	0	0.0
NORTH MAINE MEDICAL CENTER	110	100.0	0	0.0	0	0.0	0	0.0	109	99.1	1	0.9
NOT CLASSIFIABLE	31	100.0	0	0.0	1	3.2	1	3.2	30	96.8	0	0.0
OTHER SPECIFIED PLACE	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
PARKVIEW MEMORIAL HOSPITAL	790	100.0	0	0.0	3	0.4	3	0.4	787	99.6	0	0.0
PENOBSCOT BAY MEDICAL CENTER	447	100.0	1	0.2	0	0.0	1	0.2	443	99.1	3	0.7
PENOBSCOT VALLEY HOSPITAL	122	100.0	0	0.0	0	0.0	0	0.0	122	100.0	0	0.0
REDINGTON-FAIRVIEW HOSPITAL	298	100.0	1	0.3	0	0.0	1	0.3	294	98.7	3	1.0
RUMFORD COMMUNITY HOSPITAL	140	100.0	0	0.0	0	0.0	0	0.0	139	99.3	1	0.7
ST. ANDREW'S HOSPITAL	11	100.0	0	0.0	0	0.0	0	0.0	11	100.0	0	0.0
ST. MARY'S HOSPITAL	294	100.0	1	0.3	0	0.0	1	0.3	293	99.7	0	0.0
SOUTHERN MAINE MEDICAL CENTER	585	100.0	0	0.0	1	0.2	1	0.2	583	99.7	1	0.2
STEPHENS MEMORIAL HOSPITAL	294	100.0	0	0.0	0	0.0	0	0.0	294	100.0	0	0.0
THE AROOSTOOK MEDICAL CENTER	310	100.0	0	0.0	2	0.6	2	0.6	308	99.4	0	0.0
US AIR FORCE HOSPITAL	219	100.0	0	0.0	0	0.0	0	0.0	219	100.0	0	0.0
WALDO COUNTY GENERAL HOSPITAL	197	100.0	0	0.0	1	0.5	1	0.5	196	99.5	0	0.0
WATERVILLE OSTEOPATHIC HOSP.	197	100.0	0	0.0	0	0.0	0	0.0	197	100.0	0	0.0
YORK HOSPITAL	266	100.0	1	0.4	0	0.0	1	0.4	265	99.6	0	0.0
STATE TOTALS	15,716	100.0	66	0.4	83	0.5	149	0.9	15,523	98.8	44	0.3

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

BLOCWT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

PREGNANCY OUTCOME



TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
ARROOSTOOK									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	5,683	0	###	0	###	0	###	0	###
10-14	3,122	2	###	1	###	1	###	0	###
15	*	11	*	7	###	4	###	0	###
16	*	15	*	9	###	5	###	1	###
17	*	27	*	23	*	4	###	0	###
18	*	47	*	41	*	6	###	0	###
19	*	61	*	48	*	13	*	0	###
15-19	2,848	161	56.5	128	44.9	32	11.2	1	###
20-24	2,905	471	162.1	423	145.6	47	16.2	1	###
25-29	3,080	376	122.1	347	112.7	27	8.8	2	###
30-34	3,379	209	61.9	194	57.4	12	3.6	3	###
35-39	3,481	52	14.9	48	13.8	4	###	0	###
40-44	3,073	9	###	7	###	2	###	0	###
GREATER THAN 44	15,356	1	###	1	###	0	###	0	###
UNKNOWN	0	6		1		5		0	
COUNTY TOTALS	42,927	1,287	30.0	1,150	26.8	130	3.0	7	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	5,683	0	###	0	###	0	###	0	###
10-14	3,122	2	###	1	###	1	###	0	###
15	*	11	*	7	###	4	###	0	###
16	*	14	*	8	###	5	###	1	###
17	*	23	*	19	*	4	###	0	###
18	*	33	*	27	*	6	###	0	###
19	*	42	*	29	*	13	*	0	###
15-19	2,848	123	43.2	90	31.6	32	11.2	1	###
20-24	2,905	150	51.6	109	37.5	41	14.1	0	###
25-29	3,080	53	17.2	37	12.0	16	5.2	0	###
30-34	3,379	26	7.7	18	5.3	7	###	1	###
35-39	3,481	6	###	4	###	2	###	0	###
40-44	3,073	2	###	1	###	1	###	0	###
GREATER THAN 44	15,356	0	###	0	###	0	###	0	###
UNKNOWN	0	6		1		5		0	
COUNTY TOTALS	42,927	368	8.6	261	6.1	105	2.4	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
CUMBERLAND									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	15,745	0	###	0	###	0	###	0	###
10-14	7,414	7	###	2	###	5	###	0	###
15	*	7	###	5	###	2	###	0	###
16	*	40	*	23	*	17	*	0	###
17	*	76	*	46	*	30	*	0	###
18	*	112	*	70	*	42	*	0	###
19	*	151	*	108	*	43	*	0	###
15-19	7,720	386	50.0	252	32.6	134	17.4	0	###
20-24	9,625	974	101.2	665	69.1	308	32.0	1	###
25-29	9,909	1,193	120.4	996	100.5	190	19.2	7	###
30-34	11,415	1,085	95.1	942	82.5	142	12.4	1	###
35-39	11,221	447	39.8	369	32.9	76	6.8	2	###
40-44	9,741	82	8.4	65	6.7	16	1.6	1	###
GREATER THAN 44	43,948	1	###	1	###	0	###	0	###
UNKNOWN	0	9	*	2	*	7	*	0	*
COUNTY TOTALS	126,738	4,184	33.0	3,294	26.0	878	6.9	12	0.1

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	15,745	0	###	0	###	0	###	0	###
10-14	7,414	7	###	2	###	5	###	0	###
15	*	7	###	5	###	2	###	0	###
16	*	38	*	21	*	17	*	0	###
17	*	72	*	42	*	30	*	0	###
18	*	99	*	59	*	40	*	0	###
19	*	118	*	79	*	39	*	0	###
15-19	7,720	334	43.3	206	26.7	128	16.6	0	###
20-24	9,625	530	55.1	258	26.8	271	28.2	1	###
25-29	9,909	272	27.4	131	13.2	141	14.2	0	###
30-34	11,415	160	14.0	70	6.1	90	7.9	0	###
35-39	11,221	70	6.2	36	3.2	34	3.0	0	###
40-44	9,741	7	###	4	###	3	###	0	###
GREATER THAN 44	43,948	0	###	0	###	0	###	0	###
UNKNOWN	0	9	*	2	*	7	*	0	*
COUNTY TOTALS	126,738	1,389	11.0	709	5.6	679	5.4	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
FRANKLIN									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	1,998	0	###	0	###	0	###	0	###
10-14	1,065	0	###	0	###	0	###	0	###
15	*	1	###	1	###	0	###	0	###
16	*	9	###	4	###	5	###	0	###
17	*	7	###	4	###	3	###	0	###
18	*	16	*	15	*	1	###	0	###
19	*	19	*	14	*	5	###	0	###
15-19	1,289	52	40.3	38	29.5	14	10.9	0	###
20-24	1,271	127	99.9	109	85.8	18	14.2	0	###
25-29	988	131	132.6	120	121.5	10	10.1	1	###
30-34	1,162	74	63.7	68	58.5	6	###	0	###
35-39	1,176	26	22.1	21	17.9	5	###	0	###
40-44	1,179	10	8.5	5	###	5	###	0	###
GREATER THAN 44	5,135	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		0		1	
COUNTY TOTALS	15,263	421	27.6	361	23.7	58	3.8	2	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	1,998	0	###	0	###	0	###	0	###
10-14	1,065	0	###	0	###	0	###	0	###
15	*	1	###	1	###	0	###	0	###
16	*	9	###	4	###	5	###	0	###
17	*	7	###	4	###	3	###	0	###
18	*	14	*	13	*	1	###	0	###
19	*	15	*	10	*	5	###	0	###
15-19	1,289	46	35.7	32	24.8	14	10.9	0	###
20-24	1,271	51	40.1	35	27.5	16	12.6	0	###
25-29	988	22	22.3	17	17.2	5	###	0	###
30-34	1,162	12	10.3	8	###	4	###	0	###
35-39	1,176	5	###	3	###	2	###	0	###
40-44	1,179	5	###	2	###	3	###	0	###
GREATER THAN 44	5,135	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	15,263	141	9.2	97	6.4	44	2.9	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
HANCOCK									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	3,161	0	###	0	###	0	###	0	###
10-14	1,465	0	###	0	###	0	###	0	###
15	*	1	###	0	###	1	###	0	###
16	*	4	###	2	###	2	###	0	###
17	*	18	*	10	*	8	###	0	###
18	*	21	*	14	*	6	###	1	###
19	*	30	*	24	*	5	###	1	###
15-19	1,345	74	55.0	50	37.2	22	16.4	2	###
20-24	1,405	210	149.5	167	118.9	41	29.2	2	###
25-29	1,601	190	118.7	162	101.2	27	16.9	1	###
30-34	1,993	139	69.7	121	60.7	17	8.5	1	###
35-39	2,048	51	24.9	41	20.0	10	4.9	0	###
40-44	1,928	10	5.2	8	###	1	###	1	###
GREATER THAN 44	9,464	0	###	0	###	0	###	0	###
UNKNOWN	0	5	*	1	*	4	*	0	*
COUNTY TOTALS	24,410	679	27.8	550	22.5	122	5.0	7	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	3,161	0	###	0	###	0	###	0	###
10-14	1,465	0	###	0	###	0	###	0	###
15	*	1	###	0	###	1	###	0	###
16	*	4	###	2	###	2	###	0	###
17	*	17	*	9	###	8	###	0	###
18	*	16	*	10	*	5	###	1	###
19	*	25	*	19	*	5	###	1	###
15-19	1,345	63	46.8	40	29.7	21	15.6	2	###
20-24	1,405	102	72.6	67	47.7	35	24.9	0	###
25-29	1,601	49	30.6	30	18.7	19	11.9	0	###
30-34	1,993	22	11.0	13	6.5	9	###	0	###
35-39	2,048	10	4.9	5	###	5	###	0	###
40-44	1,928	2	###	2	###	0	###	0	###
GREATER THAN 44	9,464	0	###	0	###	0	###	0	###
UNKNOWN	0	4	*	0	*	4	*	0	*
COUNTY TOTALS	24,410	252	10.3	157	6.4	93	3.8	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
KENNEBEC									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	7,922	0	###	0	###	0	###	0	###
10-14	4,108	3	###	0	###	3	###	0	###
15	*	6	###	2	###	4	###	0	###
16	*	15	*	10	*	5	###	0	###
17	*	39	*	29	*	10	*	0	###
18	*	63	*	46	*	17	*	0	###
19	*	74	*	57	*	17	*	0	###
15-19	4,029	197	48.9	144	35.7	53	13.2	0	###
20-24	4,050	515	127.2	435	107.4	78	19.3	2	###
25-29	4,143	519	125.3	464	112.0	54	13.0	1	###
30-34	4,961	323	65.1	291	58.7	31	6.2	1	###
35-39	5,055	130	25.7	114	22.6	15	3.0	1	###
40-44	4,732	20	4.2	13	2.7	7	###	0	###
GREATER THAN 44	21,658	2	###	1	###	1	###	0	###
UNKNOWN	0	5		1		2		2	
COUNTY TOTALS	60,658	1,714	28.3	1,463	24.1	244	4.0	7	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	7,922	0	###	0	###	0	###	0	###
10-14	4,108	3	###	0	###	3	###	0	###
15	*	6	###	2	###	4	###	0	###
16	*	15	*	10	*	5	###	0	###
17	*	34	*	24	*	10	*	0	###
18	*	49	*	33	*	16	*	0	###
19	*	53	*	36	*	17	*	0	###
15-19	4,029	157	39.0	105	26.1	52	12.9	0	###
20-24	4,050	232	57.3	165	40.7	65	16.0	2	###
25-29	4,143	124	29.9	83	20.0	41	9.9	0	###
30-34	4,961	41	8.3	23	4.6	17	3.4	1	###
35-39	5,055	26	5.1	15	3.0	11	2.2	0	###
40-44	4,732	4	###	1	###	3	###	0	###
GREATER THAN 44	21,658	1	###	1	###	0	###	0	###
UNKNOWN	0	4		0		2		2	
COUNTY TOTALS	60,658	592	9.8	393	6.5	194	3.2	5	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
KNOX									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,452	0	HHH	0	HHH	0	HHH	0	HHH
10-14	1,226	2	HHH	1	HHH	1	HHH	0	HHH
15	*	3	HHH	2	HHH	1	HHH	0	HHH
16	*	4	HHH	2	HHH	2	HHH	0	HHH
17	*	10	*	5	HHH	5	HHH	0	HHH
18	*	12	*	8	HHH	4	HHH	0	HHH
19	*	26	*	24	*	2	HHH	0	HHH
15-19	1,026	55	53.6	41	40.0	14	13.6	0	HHH
20-24	919	144	156.7	114	124.0	30	32.6	0	HHH
25-29	1,089	137	125.8	125	114.8	12	11.0	0	HHH
30-34	1,527	107	70.1	95	62.2	12	7.9	0	HHH
35-39	1,619	54	33.4	44	27.2	10	6.2	0	HHH
40-44	1,475	8	HHH	7	HHH	1	HHH	0	HHH
GREATER THAN 44	7,599	1	HHH	0	HHH	1	HHH	0	HHH
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	18,932	508	26.8	427	22.6	81	4.3	0	HHH

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,452	0	HHH	0	HHH	0	HHH	0	HHH
10-14	1,226	2	HHH	1	HHH	1	HHH	0	HHH
15	*	3	HHH	2	HHH	1	HHH	0	HHH
16	*	4	HHH	2	HHH	2	HHH	0	HHH
17	*	9	HHH	4	HHH	5	HHH	0	HHH
18	*	9	HHH	5	HHH	4	HHH	0	HHH
19	*	20	*	18	*	2	HHH	0	HHH
15-19	1,026	45	43.9	31	30.2	14	13.6	0	HHH
20-24	919	60	65.3	34	37.0	26	28.3	0	HHH
25-29	1,089	32	29.4	23	21.1	9	HHH	0	HHH
30-34	1,527	21	13.8	13	8.5	8	HHH	0	HHH
35-39	1,619	13	8.0	5	HHH	8	HHH	0	HHH
40-44	1,475	2	HHH	1	HHH	1	HHH	0	HHH
GREATER THAN 44	7,599	1	HHH	0	HHH	1	HHH	0	HHH
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	18,932	176	9.3	108	5.7	68	3.6	0	HHH

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

HHH RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL		LIVE BIRTHS		INDUCED ABORTIONS##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
LINCOLN									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,015	0	***	0	***	0	***	0	***
10-14	1,030	1	***	0	***	1	***	0	***
15	*	4	***	1	***	2	***	1	***
16	*	10	*	7	***	3	***	0	***
17	*	8	***	6	***	2	***	0	***
18	*	8	***	5	***	3	***	0	***
19	*	20	*	14	*	6	***	0	***
15-19	893	50	56.0	33	37.0	16	17.9	1	***
20-24	713	106	148.7	89	124.8	17	23.8	0	***
25-29	859	118	137.4	101	117.6	14	16.3	3	***
30-34	1,203	121	100.6	106	88.1	15	12.5	0	***
35-39	1,341	50	37.3	39	29.1	11	8.2	0	***
40-44	1,271	8	***	4	***	4	***	0	***
GREATER THAN 44	6,353	1	***	1	***	0	***	0	***
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	15,678	455	29.0	373	23.8	78	5.0	4	***

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,015	0	***	0	***	0	***	0	***
10-14	1,030	1	***	0	***	1	***	0	***
15	*	4	***	1	***	2	***	1	***
16	*	10	*	7	***	3	***	0	***
17	*	7	***	5	***	2	***	0	***
18	*	7	***	4	***	3	***	0	***
19	*	14	*	10	*	4	***	0	***
15-19	893	42	47.0	27	30.2	14	15.7	1	***
20-24	713	43	60.3	29	40.7	14	19.6	0	***
25-29	859	18	21.0	9	***	8	***	1	***
30-34	1,203	19	15.8	10	8.3	9	***	0	***
35-39	1,341	9	***	4	***	5	***	0	***
40-44	1,271	1	***	0	***	1	***	0	***
GREATER THAN 44	6,353	0	***	0	***	0	***	0	***
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	15,678	133	8.5	79	5.0	52	3.3	2	***

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

*** RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
OXFORD :									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	3,701	0	###	0	###	0	###	0	###
10-14	1,908	2	###	1	###	1	###	0	###
15	.	5	###	2	###	3	###	0	###
16	.	12	.	10	.	2	###	0	###
17	.	19	.	17	.	2	###	0	###
18	.	35	.	28	.	7	###	0	###
19	.	37	.	29	.	7	###	1	###
15-19	1,562	108	69.1	86	55.1	21	13.4	1	###
20-24	1,444	248	171.7	217	150.3	31	21.5	0	###
25-29	1,794	222	123.7	193	107.6	26	14.5	3	###
30-34	2,283	144	63.1	131	57.4	13	5.7	0	###
35-39	2,165	48	22.2	39	18.0	9	###	0	###
40-44	1,874	8	###	6	###	2	###	0	###
GREATER THAN 44	10,240	0	###	0	###	0	###	0	###
UNKNOWN	0	3	.	1	.	2	.	0	.
COUNTY TOTALS	26,971	783	29.0	674	25.0	105	3.9	4	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	3,701	0	###	0	###	0	###	0	###
10-14	1,908	2	###	1	###	1	###	0	###
15	.	5	###	2	###	3	###	0	###
16	.	11	.	9	###	2	###	0	###
17	.	15	.	13	.	2	###	0	###
18	.	29	.	23	.	6	###	0	###
19	.	25	.	19	.	6	###	0	###
15-19	1,562	85	54.4	66	42.3	19	12.2	0	###
20-24	1,444	108	74.8	78	54.0	30	20.8	0	###
25-29	1,794	56	31.2	34	19.0	21	11.7	1	###
30-34	2,283	27	11.8	17	7.4	10	4.4	0	###
35-39	2,165	11	5.1	7	###	4	###	0	###
40-44	1,874	3	###	1	###	2	###	0	###
GREATER THAN 44	10,240	0	###	0	###	0	###	0	###
UNKNOWN	0	1	.	0	.	1	.	0	.
COUNTY TOTALS	26,971	293	10.9	204	7.6	88	3.3	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
PENOBSCOT									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	9,393	0	HHH	0	HHH	0	HHH	0	HHH
10-14	4,920	4	HHH	4	HHH	0	HHH	0	HHH
15	*	5	HHH	4	HHH	1	HHH	0	HHH
16	*	31	*	23	*	8	HHH	0	HHH
17	*	41	*	30	*	11	*	0	HHH
18	*	59	*	37	*	22	*	0	HHH
19	*	110	*	90	*	20	*	0	HHH
15-19	5,835	246	42.2	184	31.5	62	10.6	0	HHH
20-24	6,457	591	91.5	468	72.5	121	18.7	2	HHH
25-29	5,385	645	119.8	568	105.5	73	13.6	4	HHH
30-34	6,264	427	68.2	373	59.5	54	8.6	0	HHH
35-39	6,158	131	21.3	110	17.9	19	3.1	2	HHH
40-44	5,520	17	3.1	10	1.8	7	HHH	0	HHH
GREATER THAN 44	24,972	0	HHH	0	HHH	0	HHH	0	HHH
UNKNOWN	0	4		0		4		0	
COUNTY TOTALS	74,904	2,065	27.6	1,717	22.9	340	4.5	8	HHH

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	9,393	0	HHH	0	HHH	0	HHH	0	HHH
10-14	4,920	3	HHH	3	HHH	0	HHH	0	HHH
15	*	5	HHH	4	HHH	1	HHH	0	HHH
16	*	29	*	21	*	8	HHH	0	HHH
17	*	36	*	25	*	11	*	0	HHH
18	*	53	*	31	*	22	*	0	HHH
19	*	71	*	54	*	17	*	0	HHH
15-19	5,835	194	33.2	135	23.1	59	10.1	0	HHH
20-24	6,457	294	45.5	189	29.3	104	16.1	1	HHH
25-29	5,385	141	26.2	89	16.5	52	9.7	0	HHH
30-34	6,264	77	12.3	39	6.2	38	6.1	0	HHH
35-39	6,158	25	4.1	12	1.9	13	2.1	0	HHH
40-44	5,520	4	HHH	0	HHH	4	HHH	0	HHH
GREATER THAN 44	24,972	0	HHH	0	HHH	0	HHH	0	HHH
UNKNOWN	0	3		0		3		0	
COUNTY TOTALS	74,904	741	9.9	467	6.2	273	3.6	1	HHH

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

HHH RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL		LIVE BIRTHS		INDUCED ABORTIONS**		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
PISCATAQUIS									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	1,206	0	***	0	***	0	***	0	***
10-14	735	1	***	0	***	1	***	0	***
15	*	1	***	1	***	0	***	0	***
16	*	3	***	2	***	1	***	0	***
17	*	5	***	4	***	1	***	0	***
18	*	10	*	8	***	2	***	0	***
19	*	15	*	13	*	2	***	0	***
15-19	610	34	55.7	28	45.9	6	***	0	***
20-24	485	88	181.4	76	156.7	12	24.7	0	***
25-29	544	52	95.6	42	77.2	10	18.4	0	***
30-34	756	40	52.9	31	41.0	8	***	1	***
35-39	750	14	18.7	10	13.3	2	***	2	***
40-44	717	3	***	1	***	2	***	0	***
GREATER THAN 44	3,795	0	***	0	***	0	***	0	***
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	9,598	232	24.2	188	19.6	41	4.3	3	***

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	1,206	0	***	0	***	0	***	0	***
10-14	735	1	***	0	***	1	***	0	***
15	*	1	***	1	***	0	***	0	***
16	*	3	***	2	***	1	***	0	***
17	*	5	***	4	***	1	***	0	***
18	*	6	***	4	***	2	***	0	***
19	*	11	*	9	***	2	***	0	***
15-19	610	26	42.6	20	32.8	6	***	0	***
20-24	485	34	70.1	26	53.6	8	***	0	***
25-29	544	18	33.1	11	20.2	7	***	0	***
30-34	756	9	***	3	***	6	***	0	***
35-39	750	3	***	1	***	1	***	1	***
40-44	717	1	***	0	***	1	***	0	***
GREATER THAN 44	3,795	0	***	0	***	0	***	0	***
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	9,598	92	9.6	61	6.4	30	3.1	1	***

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

** DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

*** RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL		LIVE BIRTHS		INDUCED ABORTIONS##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
SAGADAHOC									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,582	0	###	0	###	0	###	0	###
10-14	1,182	1	###	0	###	1	###	0	###
15	*	2	###	1	###	1	###	0	###
16	*	6	###	4	###	2	###	0	###
17	*	16	*	11	*	5	###	0	###
18	*	20	*	14	*	6	###	0	###
19	*	25	*	20	*	5	###	0	###
15-19	1,039	69	66.4	50	48.1	19	18.3	0	###
20-24	1,088	163	149.8	134	123.2	28	25.7	1	###
25-29	1,328	182	137.0	161	121.2	20	15.1	1	###
30-34	1,573	124	78.8	108	68.7	14	8.9	2	###
35-39	1,557	38	24.4	31	19.9	7	###	0	###
40-44	1,375	6	###	3	###	3	###	0	###
GREATER THAN 44	5,466	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	17,190	583	33.9	487	28.3	92	5.4	4	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,582	0	###	0	###	0	###	0	###
10-14	1,182	1	###	0	###	1	###	0	###
15	*	2	###	1	###	1	###	0	###
16	*	6	###	4	###	2	###	0	###
17	*	16	*	11	*	5	###	0	###
18	*	19	*	13	*	6	###	0	###
19	*	15	*	10	*	5	###	0	###
15-19	1,039	58	55.8	39	37.5	19	18.3	0	###
20-24	1,088	68	62.5	42	38.6	26	23.9	0	###
25-29	1,328	22	16.6	11	8.3	11	8.3	0	###
30-34	1,573	13	8.3	7	###	6	###	0	###
35-39	1,557	7	###	3	###	4	###	0	###
40-44	1,375	0	###	0	###	0	###	0	###
GREATER THAN 44	5,466	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	17,190	169	9.8	102	5.9	67	3.9	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS##	RATE#	FETAL DEATHS NUMBER	RATE#
SOMERSET									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	3,502	0	###	0	###	0	###	0	###
10-14	1,963	2	###	1	###	1	###	0	###
15	*	9	###	9	###	0	###	0	###
16	*	17	*	16	*	1	###	0	###
17	*	30	*	26	*	4	###	0	###
18	*	29	*	21	*	8	###	0	###
19	*	42	*	31	*	11	*	0	###
15-19	1,741	127	72.9	103	59.2	24	13.8	0	###
20-24	1,621	264	162.9	233	143.7	29	17.9	2	###
25-29	1,719	219	127.4	201	116.9	18	10.5	0	###
30-34	2,139	91	42.5	83	38.8	7	###	1	###
35-39	2,075	40	19.3	34	16.4	5	###	1	###
40-44	1,990	13	6.5	7	###	6	###	0	###
GREATER THAN 44	9,134	0	###	0	###	0	###	0	###
UNKNOWN	0	3		2		0		1	
COUNTY TOTALS	25,884	759	29.3	664	25.7	90	3.5	5	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	3,502	0	###	0	###	0	###	0	###
10-14	1,963	2	###	1	###	1	###	0	###
15	*	9	###	9	###	0	###	0	###
16	*	13	*	12	*	1	###	0	###
17	*	25	*	21	*	4	###	0	###
18	*	24	*	16	*	8	###	0	###
19	*	34	*	23	*	11	*	0	###
15-19	1,741	105	60.3	81	46.5	24	13.8	0	###
20-24	1,621	115	70.9	91	56.1	23	14.2	1	###
25-29	1,719	50	29.1	36	20.9	14	8.1	0	###
30-34	2,139	17	7.9	9	###	7	###	1	###
35-39	2,075	6	###	3	###	3	###	0	###
40-44	1,990	3	###	1	###	2	###	0	###
GREATER THAN 44	9,134	0	###	0	###	0	###	0	###
UNKNOWN	0	2		1		0		1	
COUNTY TOTALS	25,884	300	11.6	223	8.6	74	2.9	3	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
WALDO									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,442	0	***	0	***	0	***	0	***
10-14	1,305	1	***	0	***	1	***	0	***
15	*	7	***	5	***	2	***	0	***
16	*	14	*	10	*	4	***	0	***
17	*	12	*	4	***	8	***	0	***
18	*	21	*	19	*	2	***	0	***
19	*	17	*	15	*	2	***	0	***
15-19	1,042	74	68.1	53	50.9	18	17.3	0	***
20-24	968	156	161.2	135	139.5	20	20.7	1	***
25-29	1,080	145	134.3	130	120.4	15	13.9	0	***
30-34	1,457	104	71.4	96	65.9	8	***	0	***
35-39	1,501	37	24.7	31	20.7	6	***	0	***
40-44	1,505	9	***	8	***	1	***	0	***
GREATER THAN 44	6,123	0	***	0	***	0	***	0	***
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	17,423	524	30.1	453	26.0	70	4.0	1	***

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,442	0	***	0	***	0	***	0	***
10-14	1,305	1	***	0	***	1	***	0	***
15	*	6	***	4	***	2	***	0	***
16	*	12	*	8	***	4	***	0	***
17	*	11	*	3	***	8	***	0	***
18	*	16	*	14	*	2	***	0	***
19	*	13	*	11	*	2	***	0	***
15-19	1,042	58	55.7	40	38.4	18	17.3	0	***
20-24	968	75	77.5	56	57.9	19	19.6	0	***
25-29	1,080	39	36.1	29	26.9	10	9.3	0	***
30-34	1,457	9	***	6	***	3	***	0	***
35-39	1,501	6	***	4	***	2	***	0	***
40-44	1,505	1	***	1	***	0	***	0	***
GREATER THAN 44	6,123	0	***	0	***	0	***	0	***
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	17,423	190	10.9	136	7.8	54	3.1	0	***

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

*** RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL		LIVE BIRTHS		INDUCED ABORTIONS##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
WASHINGTON									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,371	0	###	0	###	0	###	0	###
10-14	1,372	0	###	0	###	0	###	0	###
15	*	3	###	3	###	0	###	0	###
16	*	5	###	3	###	2	###	0	###
17	*	16	*	13	*	3	###	0	###
18	*	17	*	11	*	6	###	0	###
19	*	22	*	16	*	6	###	0	###
15-19	1,147	63	54.9	46	40.1	17	14.8	0	###
20-24	1,091	162	148.5	145	132.9	15	13.7	2	###
25-29	1,069	145	135.6	136	127.2	8	###	1	###
30-34	1,405	70	49.8	65	46.3	5	###	0	###
35-39	1,362	34	25.0	31	22.8	3	###	0	###
40-44	1,234	6	###	4	###	2	###	0	###
GREATER THAN 44	7,262	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	18,313	481	26.3	427	23.3	51	2.8	3	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,371	0	###	0	###	0	###	0	###
10-14	1,372	0	###	0	###	0	###	0	###
15	*	3	###	3	###	0	###	0	###
16	*	4	###	2	###	2	###	0	###
17	*	15	*	12	*	3	###	0	###
18	*	15	*	9	###	6	###	0	###
19	*	14	*	9	###	5	###	0	###
15-19	1,147	51	44.5	35	30.5	16	13.9	0	###
20-24	1,091	74	67.8	62	56.8	12	11.0	0	###
25-29	1,069	35	32.7	28	26.2	7	###	0	###
30-34	1,405	18	12.8	14	10.0	4	###	0	###
35-39	1,362	9	###	7	###	2	###	0	###
40-44	1,234	1	###	0	###	1	###	0	###
GREATER THAN 44	7,262	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	18,313	189	10.3	146	8.0	43	2.3	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE		FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
YORK										
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS										
LESS THAN 10	11,839	0	###	0	###	0	###	0	###	
10-14	5,795	2	###	2	###	0	###	0	###	
15	*	12	*	8	###	4	###	0	###	
16	*	16	*	12	*	4	###	0	###	
17	*	47	*	34	*	13	*	1	###	
18	*	73	*	57	*	15	*	1	###	
19	*	115	*	98	*	16	*	2	###	
15-19	5,043	263	52.2	209	41.4	52	10.3	1	###	
20-24	5,367	667	124.3	569	106.0	97	18.1	1	###	
25-29	6,382	900	141.0	813	127.4	86	13.5	2	###	
30-34	7,753	627	80.9	569	73.4	56	7.2	0	###	
35-39	7,664	244	31.8	213	27.8	31	4.0	0	###	
40-44	6,667	28	4.2	22	3.3	6	###	0	###	
GREATER THAN 44	29,052	0	###	0	###	0	###	1	###	
UNKNOWN	0	9		2		6		7	###	
COUNTY TOTALS	85,562	2,740	32.0	2,399	28.0	334	3.9			

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	11,839	0	###	0	###	0	###	0	###
10-14	5,795	2	###	2	###	0	###	0	###
15	.	12	.	8	###	4	###	0	###
16	.	15	.	11	.	4	###	0	###
17	.	46	.	33	.	13	.	0	###
18	.	61	.	47	.	14	.	0	###
19	.	76	.	61	.	15	.	0	###
15-19	5,043	210	41.6	160	31.7	50	9.9	1	###
20-24	5,367	291	54.2	207	38.6	83	15.5	1	###
25-29	6,382	153	24.0	93	14.6	59	9.2	1	###
30-34	7,753	93	12.0	54	7.0	38	4.9	0	###
35-39	7,664	36	4.7	18	2.3	18	2.3	0	###
40-44	6,667	5	###	3	###	2	###	0	###
GREATER THAN 44	29,052	0	###	0	###	0	###	0	###
UNKNOWN	0	7		1		5		1	###
COUNTY TOTALS	85,562	797	9.3	538	6.3	255	3.0	4	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
UNKNOWN									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	0	0	###	0	###	0	###	0	###
10-14	0	0	###	0	###	0	###	0	###
15	*	0	###	0	###	0	###	0	###
16	*	0	###	0	###	0	###	0	###
17	*	0	###	0	###	0	###	0	###
18	*	0	###	0	###	0	###	0	###
19	*	0	###	0	###	0	###	0	###
15-19	0	0	###	0	###	0	###	0	###
20-24	0	0	###	0	###	0	###	0	###
25-29	0	0	###	0	###	0	###	0	###
30-34	0	0	###	0	###	0	###	0	###
35-39	0	0	###	0	###	0	###	0	###
40-44	0	0	###	0	###	0	###	0	###
GREATER THAN 44	0	0	###	0	###	0	###	0	###
UNKNOWN	0	0	###	0	###	0	###	0	###
COUNTY TOTALS	0	0	###	0	###	0	###	0	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	0	0	###	0	###	0	###	0	###
10-14	0	0	###	0	###	0	###	0	###
15	*	0	###	0	###	0	###	0	###
16	*	0	###	0	###	0	###	0	###
17	*	0	###	0	###	0	###	0	###
18	*	0	###	0	###	0	###	0	###
19	*	0	###	0	###	0	###	0	###
15-19	0	0	###	0	###	0	###	0	###
20-24	0	0	###	0	###	0	###	0	###
25-29	0	0	###	0	###	0	###	0	###
30-34	0	0	###	0	###	0	###	0	###
35-39	0	0	###	0	###	0	###	0	###
40-44	0	0	###	0	###	0	###	0	###
GREATER THAN 44	0	0	###	0	###	0	###	0	###
UNKNOWN	0	0	###	0	###	0	###	0	###
COUNTY TOTALS	0	0	###	0	###	0	###	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER RATE#	LIVE BIRTHS NUMBER RATE#	INDUCED ABORTIONS## NUMBER RATE#	FETAL DEATHS NUMBER RATE#
MAINE SUMMARY					
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS					
LESS THAN 10	83,184	0 ###	0 ###	0 ###	0 ###
10-14	42,282	31 0.7	15 0.4	16 0.4	0 ###
15	8,075	89 11.0	61 7.6	27 3.3	1 ###
16	7,727	225 29.1	156 20.2	68 8.8	1 ###
17	8,187	414 50.6	289 35.3	125 15.3	0 ###
18	8,014	606 75.6	441 55.0	162 20.2	3 ###
19	8,659	850 98.2	673 77.7	174 20.1	3 ###
15-19	40,662	2,184 53.7	1,620 39.8	556 13.7	8 ###
20-24	43,510	5,357 123.1	4,372 100.5	969 22.3	16 0.4
25-29	45,001	5,702 126.7	5,040 112.0	633 14.1	29 0.6
30-34	53,633	3,971 74.0	3,530 65.8	425 7.9	16 0.3
35-39	53,179	1,480 27.8	1,242 23.4	229 4.3	9 ###
40-44	48,050	254 5.3	180 3.7	72 1.5	2 ###
GREATER THAN 44	224,348	7 ###	4 ###	3 ###	0 ###
UNKNOWN	0	47	10	32	5
STATE TOTALS	633,849	19,033 30.0	16,013 25.3	2,935 4.6	85 0.1

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	83,184	0 ###	0 ###	0 ###	0 ###
10-14	42,282	30 0.7	14 0.3	16 0.4	0 ###
15	8,075	88 10.9	60 7.4	27 3.3	1 ###
16	7,727	209 27.0	140 18.1	68 8.8	1 ###
17	8,187	378 46.2	254 31.0	124 15.1	0 ###
18	8,014	502 62.6	344 42.9	156 19.5	2 ###
19	8,659	604 69.8	441 50.9	162 18.7	1 ###
15-19	40,662	1,781 43.8	1,239 30.5	537 13.2	5 ###
20-24	43,510	2,450 56.3	1,607 36.9	836 19.2	7 ###
25-29	45,001	1,201 26.7	747 16.6	451 10.0	3 ###
30-34	53,633	601 11.2	325 6.1	272 5.1	4 ###
35-39	53,179	259 4.9	136 2.6	121 2.3	2 ###
40-44	48,050	48 1.0	19 0.4	29 0.6	0 ###
GREATER THAN 44	224,348	3 ###	1 ###	2 ###	0 ###
UNKNOWN	0	38	5	29	4
STATE TOTALS	633,849	6,411 10.1	4,093 6.5	2,293 3.6	25 0.0

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
ANDROSCOGGIN									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	7,172	0	###	0	###	0	###	0	###
10-14	3,672	3	###	3	###	0	###	0	###
15	*	12	*	10	*	2	###	0	###
16	*	24	*	19	*	5	###	0	###
17	*	43	*	27	*	16	*	0	###
18	*	63	*	47	*	15	*	1	###
19	*	86	*	72	*	14	*	0	###
15-19	3,493	228	65.3	175	50.1	52	14.9	1	###
20-24	4,101	471	114.9	393	95.8	77	18.8	1	###
25-29	4,031	528	131.0	481	119.3	43	10.7	4	###
30-34	4,363	286	65.6	257	58.9	25	5.7	4	###
35-39	4,006	84	21.0	67	16.7	16	4.0	1	###
40-44	3,769	17	4.5	10	2.7	7	###	0	###
GREATER THAN 44	18,791	1	###	0	###	1	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	53,398	1,618	30.3	1,386	26.0	221	4.1	11	0.2

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	7,172	0	###	0	###	0	###	0	###
10-14	3,672	3	###	3	###	0	###	0	###
15	*	12	*	10	*	2	###	0	###
16	*	22	*	17	*	5	###	0	###
17	*	40	*	25	*	15	*	0	###
18	*	52	*	36	*	15	*	1	###
19	*	58	*	44	*	14	*	0	###
15-19	3,493	184	52.7	132	37.8	51	14.6	1	###
20-24	4,101	223	54.4	159	38.8	63	15.4	1	###
25-29	4,031	117	29.0	86	21.3	31	7.7	0	###
30-34	4,363	37	8.5	21	4.8	16	3.7	0	###
35-39	4,006	17	4.2	9	###	7	###	1	###
40-44	3,769	7	###	2	###	5	###	0	###
GREATER THAN 44	18,791	1	###	0	###	1	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	53,398	589	11.0	412	7.7	174	3.3	3	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-2

FETAL DEATHS AND INDUCED ABORTIONS BY WEEKS OF GESTATION
MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

GESTATION WEEKS	TOTAL	FETAL-DEATHS		INDUCED-ABORTIONS	
		NUMBER	PERCENT	NUMBER	PERCENT
0-4	5	0	0.00	5	0.17
5-8	1,341	0	0.00	1,341	45.69
9-12	1,386	0	0.00	1,386	47.22
13-19	137	0	0.00	137	4.67
20-23	26	13	15.29	13	0.44
24-27	6	6	7.06	0	0.00
28-31	15	15	17.65	0	0.00
32-35	12	12	14.12	0	0.00
36-38	10	10	11.76	0	0.00
> 39	12	12	14.12	0	0.00
UNKNOWN	70	17	20.00	53	1.81
STATE TOTALS	3,020	85	100.00	2,935	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 0 ABORTION RECORDS WERE BLANK.

TRMWKR

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



INFANT AND FETAL MORTALITY

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
REMAINDER OF INFECTIOUS AND PARASITIC DISEASES (001-007,010-032,034-035,037,039-041,080-088,091-139)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
MENINGITIS (320-322)					
FEMALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS (323-389)					
MALE	2	0	0.00	2	100.00
TOTALS	2	0	0.00	2	100.00
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)					
MALE	2	0	0.00	2	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	1	33.33	2	66.67
BRONCHITIS AND BRONCHIOLITIS (466,490-491)					
MALE	2	0	0.00	2	100.00
TOTALS	2	0	0.00	2	100.00
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478,492-519)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
REMAINDER OF DISEASES OF DIGESTIVE SYSTEM (520-534,538-543,562-579)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
SPINA BIFIDA (741)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
CONGENITAL HYDROCEPHALUS (742.3)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER PERCENT		POSTNEONATAL DEATHS NUMBER PERCENT	
(CONT.)					
OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE (742.0-742.2, 742.4-742.9, 743)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
CONGENITAL ANOMALIES OF HEART (745-746)					
MALE	4	2	50.00	2	50.00
FEMALE	3	2	66.67	1	33.33
TOTALS	7	4	57.14	3	42.86
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)					
MALE	3	3	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
DOWN'S SYNDROME (758.0)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9)					
FEMALE	4	3	75.00	1	25.00
TOTALS	4	3	75.00	1	25.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
(CONT.)					
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)					
MALE	1	1	100.00	0	0.00
FEMALE	3	3	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)					
MALE	4	4	100.00	0	0.00
FEMALE	4	4	100.00	0	0.00
TOTALS	8	8	100.00	0	0.00
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)					
FEMALE	4	4	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
FETAL DISTRESS IN LIVEBORN INFANT (768.2-768.4)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
BIRTH ASPHYXIA (768.5-768.9)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
RESPIRATORY DISTRESS SYNDROME (769)					
MALE	2	2	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
OTHER RESPIRATORY CONDITIONS OF NEWBORN (770)					
MALE	2	2	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
(CONT.)					
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)					
MALE	2	1	50.00	1	50.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	2	66.67	1	33.33
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9, 776.1-779)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
SUDDEN INFANT DEATH SYNDROME (798.0)					
MALE	7	0	0.00	7	100.00
FEMALE	5	1	20.00	4	80.00
TOTALS	12	1	8.33	11	91.67
SYMPTOMS, SIGNS, AND ALL OTHER ILL-DEFINED CONDITIONS (780-797, 798.1-799)					
MALE	3	0	0.00	3	100.00
FEMALE	1	0	0.00	1	100.00
TOTALS	4	0	0.00	4	100.00
ACCIDENTAL MECHANICAL SUFFOCATION (E913)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
OTHER HOMICIDE (E960-E966, E968-E969)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
ALL OTHER CAUSES (RESIDUAL)					
MALE	2	2	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
STATE					
MALE	51	28	54.90	23	45.10
FEMALE	38	29	76.32	9	23.68
TOTALS	89	57	64.04	32	35.96

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX BY CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	GESTATION WEEKS					
			20-23	24-27	28-31	32-35	36-39	OVER 39
ANENCEPHALUS AND SIMILAR ANOMALIES (740)								
FEMALE	1	1.18	0	0	0	1	0	0
TOTALS	1	1.18	0	0	0	1	0	0
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)								
MALE	1	1.18	0	1	0	0	0	0
TOTALS	1	1.18	0	1	0	0	0	0
DOWN'S SYNDROME (758.0)								
MALE	2	2.35	2	0	0	0	0	0
TOTALS	2	2.35	2	0	0	0	0	0
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9)								
MALE	1	1.18	1	0	0	0	0	0
TOTALS	1	1.18	1	0	0	0	0	0
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744, 757, 759)								
MALE	1	1.18	0	0	1	0	0	0
FEMALE	1	1.18	0	1	0	0	0	0
TOTALS	2	2.35	0	1	1	0	0	0
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)								
MALE	2	2.35	0	0	0	0	1	1
FEMALE	1	1.18	0	0	0	1	0	0
TOTALS	3	3.53	0	0	0	1	1	1
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)								
FEMALE	2	2.35	1	0	0	0	0	1
TOTALS	2	2.35	1	0	0	0	0	1
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)								
MALE	31	36.47	6	3	4	4	3	11
FEMALE	14	16.47	2	1	1	3	2	5
TOTALS	45	52.94	8	4	5	7	5	16
SLOW FETAL GROWTH AND FETAL MALNUTRITION (764)								
FEMALE	1	1.18	0	0	1	0	0	0
TOTALS	1	1.18	0	0	1	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)								
FEMALE	1	1.18	0	0	0	0	0	1
TOTALS	1	1.18	0	0	0	0	0	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
BIRTH ASPHYXIA (768.5-768.9)								
MALE	1	1.18	0	0	0	0	0	1
FEMALE	1	1.18	0	0	0	1	0	0
TOTALS	2	2.35	0	0	0	1	0	1
NEONATAL HEMORRHAGE (772)								
MALE	1	1.18	0	0	0	0	1	0
TOTALS	1	1.18	0	0	0	0	1	0
HEMOLYTIC DISEASE OF NEWBORN, DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE (773-774)								
MALE	3	3.53	0	0	1	1	0	1
FEMALE	5	5.88	0	0	2	0	2	1
UNKNOWN	1	1.18	0	0	0	0	0	1
TOTALS	9	10.59	0	0	3	1	2	3
ALL OTHER AND ILL DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775 2-775 9, 776 1-779)								
MALE	3	3.53	0	0	0	0	1	2
FEMALE	10	11.76	1	0	5	0	2	2
TOTALS	13	15.29	1	0	5	0	3	4
ALL OTHER CAUSES (RESIDUAL)								
FEMALE	1	1.18	0	0	0	0	1	0
TOTALS	1	1.18	0	0	0	0	1	0
STATE								
MALE	46	54.12	9	4	6	5	6	16
FEMALE	38	44.71	4	2	9	6	7	10
UNKNOWN	1	1.18	0	0	0	0	0	1
TOTALS	85	100.00	13	6	15	11	13	27

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

PAGES 61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-3

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE BIRTHS		NEONATAL DEATHS		NEONATAL DEATH RATE
	NUMBER	PERCENT	NUMBER	PERCENT	
LESS THAN 500	15	0.09	15	26.32	1000.0
500-999	48	0.30	9	15.79	187.5
1000-1499	74	0.46	7	12.28	94.6
1500-1999	146	0.91	4	7.02	27.4
2000-2499	520	3.25	3	5.26	5.8
2500-2999	2,114	13.20	4	7.02	1.9
3000-3499	5,512	34.42	9	15.79	1.6
3500-3999	5,300	33.10	4	7.02	0.8
4000-4499	1,827	11.41	1	1.75	0.5
4500-4999	374	2.34	0	0.00	0.0
GREATER THAN 4999	39	0.24	0	0.00	0.0
UNKNOWN	44	0.27	1	1.75	22.7
STATE TOTALS	16,013	100.00	57	100.00	3.6

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1992 NEONATAL DEATHS BY 1992 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1992 NEONATAL DEATH COHORT OCCURRED IN 1991.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BIRNEOD

TABLE F-4

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT
MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	***** COMPLICATIONS *****			
			MEDICAL RISK FACTORS	LABOR OR DELIVERY	TOBACCO/ALCOHOL USE	CONGENITAL ANOMALIES
20-23	13	15.29	3	9	2	3
24-27	6	7.06	2	2	1	2
28-31	15	17.65	3	6	6	1
32-35	11	12.94	3	5	2	1
36-39	13	15.29	9	9	5	0
OVER 39	27	31.76	3	13	6	2
UNKNOWN	0	0.00	0	0	0	0
STATE TOTALS	85		23	44	22	9
PERCENT DISTRIBUTION		100.00	27.06	51.76	25.88	10.59
AGE OF PATIENT(YRS.)						
LESS THAN 10	0	0.00	0	0	0	0
10-14	0	0.00	0	0	0	0
15	1	1.18	1	0	0	1
16	1	1.18	0	0	0	1
17	0	0.00	0	0	0	0
18	3	3.53	2	1	1	0
19	3	3.53	1	2	1	0
20-24	16	18.82	5	9	4	2
25-29	29	34.12	6	16	6	3
30-34	16	18.82	4	7	7	0
35-39	9	10.59	3	4	1	0
40-44	2	2.35	0	1	0	1
OVER 44	0	0.00	0	0	0	0
UNKNOWN	5	5.88	1	4	2	1
TEENAGE TOTALS	8	9.41	4	3	2	2
STATE TOTALS	85		23	44	22	9
PERCENT DISTRIBUTION		100.00	27.06	51.76	25.88	10.59

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

** THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

FCOMPPRG

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-5

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS		***** INFANT DEATHS *****				POSTNEONATAL		PERINATAL	
	NUMBER	RATE	TOTAL NUMBER	RATE	NEONATAL NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
ANDROSCOGGIN	982	9.5	11	7.2	7	4.6	4	2.6	18	11.7
ARROOSTOOK	778	8.9	3	2.5	1	0.8	2	1.7	8	8.8
CUMBERLAND	2,129	8.7	16	4.8	11	3.2	5	1.4	23	8.8
FRANKLIN	223	7.6	3	7.9	3	7.9	0	0.0	5	13.1
HANCOCK	518	10.8	3	5.2	1	1.7	2	3.5	8	13.7
KENNEBEC	1,085	9.3	2	1.3	2	1.3	0	0.0	9	5.8
KNOX	402	10.9	4	9.3	3	8.9	1	2.3	3	6.9
LINCOLN	306	10.0	2	5.4	2	5.4	0	0.0	6	16.0
OXFORD	494	9.4	6	9.1	4	6.1	2	3.0	8	12.0
PENOBSCOT	1,199	8.2	11	5.9	8	4.3	3	1.6	18	8.8
PISCATAQUIS	227	12.1	1	4.4	1	4.4	0	0.0	4	17.5
SAGadahoc	253	7.4	2	3.9	1	2.0	1	2.0	5	9.7
SOMERSET	453	8.9	4	6.0	1	1.5	3	4.5	6	8.9
WALDO	304	8.9	2	4.5	0	0.0	2	4.5	1	2.2
WASHINGTON	422	11.8	8	18.7	4	9.4	4	9.4	7	16.3
YORK	1,270	7.6	11	4.5	8	3.3	3	1.2	15	6.1
STATE TOTALS	11,045	8.9	89	5.3	57	3.4	32	1.9	142	8.4

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR.
PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION (BASED ON ESTIMATED MAINE POPULATION JULY 1, 1992).

INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

* FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-6

FETAL DEATHS BY SELECTED CHARACTERISTICS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	**** TRIMESTER IN WHICH **** **** PRENATAL CARE BEGAN ****					AGE OF PATIENT (YRS.)	
						1	2	3	NONE	UNKNOWN	LESS THAN 20	OVER 35
ANDROSCOGGIN	11	12.94	3	4	11	9	0	0	1	1	1	0
AROOSTOOK	7	8.24	1	3	7	4	2	0	0	1	1	0
CUMBERLAND	12	14.12	1	3	12	9	0	0	2	1	0	3
FRANKLIN	2	2.35	0	0	2	2	0	0	0	0	0	0
HANCOCK	7	8.24	2	4	6	6	1	0	0	0	2	1
KENNEBEC	7	8.24	4	3	7	3	0	0	1	3	0	1
KNOX	0	0.00	0	0	0	0	0	0	0	0	0	0
LINCOLN	4	4.71	2	3	4	4	0	0	0	0	1	0
OXFORD	4	4.71	1	1	3	2	0	0	1	1	1	0
PENOBSCOT	8	9.41	1	6	8	7	0	0	1	0	0	2
PISCATAQUIS	3	3.53	0	1	3	3	0	0	0	0	0	2
SAGadahoc	4	4.71	0	1	4	2	0	0	1	1	0	0
SOMERSET	5	5.88	2	1	4	2	1	0	0	2	0	1
WALDO	1	1.18	0	0	1	0	0	0	1	0	0	0
WASHINGTON	3	3.53	0	2	3	2	0	1	0	0	0	0
YORK	7	8.24	3	2	7	7	0	0	0	0	2	0
STATE TOTALS	85		20	34	82	62	4	1	8	10	8	10
PERCENT OF ALL FETAL DEATHS WITH SPECIFIED CHARACTERISTICS												
		100.00	23.53	40.00	96.47	72.94	4.71	1.18	9.41	11.76	9.41	11.76

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FOCHAR

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-7

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS	***** RISK CHARACTERISTICS *****								MALE/FEMALE RATIO
		CONGENITAL ANOMALIES		***** FETAL WEIGHT *****				LESS THAN 28 GESTATION WEEKS		
		NUMBER	PERCENT	< 500 GRAMS		< 2500 GRAMS		NUMBER	PERCENT	
				NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	11	1	9.1	2	18.2	7	63.6	3	27.3	1.75
AROOSTOOK	7	2	28.6	0	0.0	1	14.3	2	28.6	0.75
CUMBERLAND	12	1	8.3	0	0.0	1	8.3	1	8.3	1.20
FRANKLIN	2	0	0.0	1	50.0	2	100.0	1	50.0	0.00
HANCOCK	7	1	14.3	3	42.9	5	71.4	3	42.9	6.00
KENNEBEC	7	1	14.3	0	0.0	2	28.6	1	14.3	6.00
KNOX	0	0	0.0	0	0.0	0	0.0	0	0.0	0.00
LINCOLN	4	1	25.0	0	0.0	2	50.0	0	0.0	0.00
OXFORD	4	0	0.0	1	25.0	2	50.0	2	50.0	0.33
PENOBSCOT	8	0	0.0	0	0.0	2	25.0	2	25.0	0.60
PISCATAQUIS	3	0	0.0	0	0.0	2	66.7	0	0.0	0.50
SAGADAHOC	4	0	0.0	1	25.0	3	75.0	1	25.0	0.33
SOMERSET	5	1	20.0	0	0.0	1	20.0	0	0.0	1.50
WALDO	1	0	0.0	1	100.0	1	100.0	1	100.0	0.00
WASHINGTON	3	1	33.3	0	0.0	2	66.7	1	33.3	0.50
YORK	7	0	0.0	1	14.3	5	71.4	1	14.3	2.50
STATE TOTALS	85	9	10.6	10	11.8	38	44.7	19	22.4	1.21

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FENVRES

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

GENERAL MORTALITY



TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

	***** TOTAL	DEATHS MALE	***** FEMALE	***** TOTAL	RANK MALE	***** FEMALE	*** TOTAL	PER 100,000 MALE	*** FEMALE
AGE: TOTAL FOR ALL AGES									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	3,428	1,897	1,729	1	1	1	277.1	281.7	272.8
MALIGNANT NEOPLASMS (140-208)	2,902	1,498	1,406	2	2	2	234.7	248.3	221.8
CEREBROVASCULAR DISEASE (430-438)	738	278	462	3	4	3	59.7	45.8	72.9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	628	359	267	4	3	4	50.6	59.8	42.1
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	399	258	143	5	5	7	32.3	42.5	22.6
PNEUMONIA & INFLUENZA (480-487)	338	154	184	6	8	5	27.3	25.8	29.0
DIABETES MELLITUS (250)	320	144	176	7	7	6	25.9	23.9	27.8
INFECTIOUS & PARASITIC DISEASES (001-139)	188	98	88	8	9	9	13.4	16.3	10.7
SUICIDE (E950-E959)	152	133	19	9	8	15	12.3	22.1	3.0
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	128	88	38	10	10	11	10.2	14.6	6.0
TOTAL FOR AGE GROUP	11,045	5,500	5,545				893.4	912.9	874.8
AGE: UNDER 1 YEAR									
PERINATAL CONDITIONS (760-779)	29	14	15	1	2	1	179.4	188.8	190.5
CONGENITAL ANOMALIES (740-759)	26	15	11	2	1	2	160.8	180.9	139.7
MENINGITIS (320-322)	2	0	2	3	7	3	###	###	###
ACUTE BRONCHITIS & BRONCHIOLITIS (488)	2	2	0	4	3	6	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	1	0	5	4	8	###	###	###
HEART DISEASE (390-398,402,404-429)	1	1	0	8	4	6	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	1	0	1	7	7	4	###	###	###
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	1	1	0	8	4	6	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1	0	1	9	7	4	###	###	###
TOTAL FOR AGE GROUP	89	51	38				550.5	615.1	482.5

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1992

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF DEATHS	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	18	8	8	1	1	1	8.8	###	###
MALIGNANT NEOPLASMS (140-208)	9	6	3	2	2	3	###	###	###
CONGENITAL ANOMALIES (740-759)	8	4	4	3	3	2	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	3	1	2	4	5	4	###	###	###
SUICIDE (E950-E959)	3	3	0	5	4	8	###	###	###
HEART DISEASE (390-398,402,404-429)	2	1	1	6	5	5	###	###	###
CEREBROVASCULAR DISEASE (430-438)	2	1	1	7	5	5	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	2	1	1	8	5	5	###	###	###
TOTAL FOR AGE GROUP	52	29	23				21.5	23.4	19.8
AGE: 15 TO 24 YEARS									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	85	48	17	1	1	1	38.1	55.4	20.2
SUICIDE (E950-E959)	25	22	3	2	2	3	14.6	25.4	###
MALIGNANT NEOPLASMS (140-208)	9	4	5	3	3	2	###	###	###
HEART DISEASE (390-398,402,404-429)	8	3	3	4	4	3	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	3	1	2	5	5	5	###	###	###
BENIGN NEOPLASMS (210-239)	1	1	0	6	5	8	###	###	###
ANEMIAS (280-285)	1	1	0	7	5	8	###	###	###
CEREBROVASCULAR DISEASE (430-438)	1	1	0	8	5	8	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	1	0	9	5	8	###	###	###
COMPL. OF PREGNANCY, CHILDBIRTH & PUERPERIUM (630-676)	1	0	1	10	10	8	###	###	###
TOTAL FOR AGE GROUP	121	87	34				70.8	100.4	40.4

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1992

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS		POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 25 TO 34 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	58	48	10	1	1	1	29.8	50.0	10.1
SUICIDE (E950-E959)	28	21	5	2	2	3	13.4	21.9	###
INFECTIOUS & PARASITIC DISEASES (001-139)	17	15	2	3	3	5	8.7	15.6	###
HEART DISEASE (390-398,402,404-429)	15	10	5	4	4	3	7.7	10.4	###
MALIGNANT NEOPLASMS (140-208)	14	8	6	5	5	2	7.2	###	###
HOMICIDE & LEGAL INTERVENTION (E980-E978)	9	8	1	6	5	7	###	###	###
DIABETES MELLITUS (250)	3	2	1	7	7	7	###	###	###
CEREBROVASCULAR DISEASE (430-438)	3	2	1	8	7	7	###	###	###
CONGENITAL ANOMALIES (740-759)	3	2	1	9	7	7	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2	2	0	10	7	12	###	###	###
TOTAL FOR AGE GROUP	180	132	48				92.5	137.6	48.7
AGE: 35 TO 44 YEARS									
MALIGNANT NEOPLASMS (140-208)	76	31	45	1	3	1	37.5	30.6	44.5
HEART DISEASE (390-398,402,404-429)	53	43	10	2	1	3	26.2	42.4	9.9
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	53	41	12	3	2	2	26.2	40.4	11.9
SUICIDE (E950-E959)	30	26	4	4	4	5	14.8	25.6	###
INFECTIOUS & PARASITIC DISEASES (001-139)	22	20	2	5	5	7	10.9	19.7	###
DIABETES MELLITUS (250)	9	7	2	6	6	7	###	###	###
HOMICIDE & LEGAL INTERVENTION (E980-E978)	9	4	5	7	8	4	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	8	7	1	8	8	11	###	###	###
CEREBROVASCULAR DISEASE (430-438)	7	3	4	9	10	5	###	###	###
CONGENITAL ANOMALIES (740-759)	5	4	1	10	8	11	###	###	###
TOTAL FOR AGE GROUP	303	200	103				149.5	197.2	101.7

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1992
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

		*****	DEATHS	*****	***** RANK *****			*** RATE PER 100,000 ***		
		TOTAL	MALE	FEMALE	BY NUMBER OF DEATHS			TOTAL	MALE	FEMALE
		TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 45 TO 64 YEARS										
CAUSE OF DEATH										
MALIGNANT NEOPLASMS (140-208)		697	381	316	1	1	1	287.7	321.5	255.3
HEART DISEASE (390-398,402,404-429)		453	339	114	2	2	2	187.0	286.1	92.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-498)		90	50	40	3	3	3	37.2	42.2	32.3
ACCIDENTS & ADVERSE EFFECTS (E800-E949)		63	40	23	4	4	4	26.0	33.8	18.6
DIABETES MELLITUS (250)		51	29	22	5	7	5	21.1	24.5	17.8
CEREBROVASCULAR DISEASE (430-438)		49	29	20	6	7	6	20.2	24.5	16.2
CHRONIC LIVER DISEASE & CIRRHOSIS (571)		46	36	10	7	5	7	19.0	30.4	8.1
SUICIDE (E950-E959)		35	31	4	8	6	10	14.4	26.2	###
INFECTIOUS & PARASITIC DISEASES (001-139)		29	21	8	9	9	8	12.0	17.7	###
PNEUMONIA & INFLUENZA (480-487)		14	7	7	10	10	9	5.8	###	###
TOTAL FOR AGE GROUP		1,703	1,061	642				703.0	895.3	518.8
AGE: 65 TO 74 YEARS										
MALIGNANT NEOPLASMS (140-208)		853	451	402	1	1	1	910.3	1,086.2	770.4
HEART DISEASE (390-398,402,404-429)		692	395	297	2	2	2	738.5	951.3	569.2
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-498)		177	108	69	3	3	3	188.9	260.1	132.2
CEREBROVASCULAR DISEASE (430-438)		130	64	66	4	4	4	138.7	154.1	126.5
DIABETES MELLITUS (250)		77	37	40	5	5	5	82.2	89.1	76.7
CHRONIC LIVER DISEASE & CIRRHOSIS (571)		40	28	12	6	6	8	42.7	67.4	23.0
PNEUMONIA & INFLUENZA (480-487)		39	22	17	7	8	6	41.6	53.0	32.6
ACCIDENTS & ADVERSE EFFECTS (E800-E949)		39	26	13	8	7	7	41.6	62.6	24.9
INFECTIOUS & PARASITIC DISEASES (001-139)		27	15	12	9	10	8	28.8	36.1	23.0
SUICIDE (E950-E959)		16	16	0	10	9	19	17.1	38.5	###
TOTAL FOR AGE GROUP		2,387	1,324	1,063				2,547.4	3,188.7	2,037.1

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1992
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS		TOTAL	MALE	FEMALE
AGE: 75 TO 84 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	1,087	552	535	1	1	1	1,958.3	2,615.2	1,552.7
MALIGNANT NEOPLASMS (140-208)	886	456	410	2	2	2	1,558.6	2,180.4	1,189.9
CEREBROVASCULAR DISEASE (430-438)	247	104	143	3	4	3	444.5	492.7	415.0
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	232	137	95	4	3	4	417.5	649.1	275.7
DIABETES MELLITUS (250)	108	46	62	5	6	5	194.4	217.9	179.9
PNEUMONIA & INFLUENZA (480-487)	103	51	52	6	5	6	185.4	241.6	150.9
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	44	22	22	7	7	7	79.2	104.2	63.8
INFECTIOUS & PARASITIC DISEASES (001-139)	28	11	17	8	11	8	50.4	52.1	49.3
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	26	14	12	9	8	10	46.8	66.3	34.8
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	24	13	11	10	9	11	43.2	61.6	31.9
TOTAL FOR AGE GROUP	3,240	1,637	1,603				5,831.2	7,755.7	4,852.3
AGE: 85 YEARS AND OLDER									
HEART DISEASE (390-398,402,404-429)	1,117	353	764	1	1	1	5,925.4	7,207.0	5,475.5
MALIGNANT NEOPLASMS (140-208)	378	159	219	2	2	3	2,005.2	3,246.2	1,569.6
CEREBROVASCULAR DISEASE (430-438)	299	72	227	3	3	2	1,586.1	1,470.0	1,626.9
PNEUMONIA & INFLUENZA (480-487)	180	72	108	4	3	4	954.9	1,470.0	774.0
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	124	63	61	5	5	5	657.8	1,286.2	437.2
DIABETES MELLITUS (250)	72	23	49	6	6	6	381.9	469.8	351.2
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	60	22	38	7	7	6	318.3	449.2	272.3
ATHEROSCLEROSIS (440)	57	11	46	8	10	7	302.4	224.6	329.7
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	45	18	27	9	8	9	236.7	367.5	193.5
INFECTIOUS & PARASITIC DISEASES (001-139)	39	14	25	10	9	10	208.9	285.8	179.2
TOTAL FOR AGE GROUP	2,970	979	1,991				15,755.1	19,987.8	14,269.3

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1992

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

*** RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE D-2 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH	**YEARS OF LIFE LOST**			PERCENT YEARS OF LIFE LOST			RANK BY YEARS OF LIFE LOST			AVERAGE YEARS OF LIFE LOST PER DEATH		
	TOTAL	MALE	FEMALE	TOT.	MALE	FEM.	TOT.	MALE	FEM.	TOT.	MALE	FEM.
MALIGNANT NEOPLASMS (140-208)	39,653	18,219	21,434	27.5	24.7	30.4	1	2	1	14	12	15
HEART DISEASE (390-398,402,404-429)	35,563	18,447	17,116	24.7	25.0	24.3	2	1	2	10	11	10
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	12,033	8,177	3,856	8.3	11.1	5.5	3	3	4	30	32	27
CEREBROVASCULAR DISEASE (430-438)	6,758	2,496	4,262	4.7	3.4	6.0	4	6	3	9	9	9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	6,419	3,204	3,215	4.5	4.3	4.6	5	5	5	10	9	12
SUICIDE (E950-E959)	4,972	4,230	742	3.4	5.7	1.1	6	4	12	33	32	39
DIABETES MELLITUS (250)	3,808	1,743	2,065	2.6	2.4	2.9	7	8	6	12	12	12
INFECTIOUS & PARASITIC DISEASES (001-139)	3,287	2,299	988	2.3	3.1	1.4	8	7	10	20	23	15
CONGENITAL ANOMALIES (740-759)	3,004	1,626	1,378	2.1	2.2	2.0	9	9	8	59	54	66
PNEUMONIA & INFLUENZA (480-487)	2,591	1,073	1,518	1.8	1.5	2.2	10	11	7	8	7	8
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2,228	1,525	703	1.5	2.1	1.0	11	10	13	18	17	19
PERINATAL CONDITIONS (760-779)	2,178	1,008	1,170	1.5	1.4	1.7	12	12	9	75	72	78
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	1,544	694	850	1.1	0.9	1.2	13	13	11	10	8	12
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1,213	634	579	0.8	0.9	0.8	14	14	15	45	42	48
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	822	359	463	0.6	0.5	0.7	15	15	16	9	8	9
ATHEROSCLEROSIS (440)	793	208	585	0.6	0.3	0.8	16	18	14	8	7	8
BENIGN NEOPLASMS (210-239)	508	237	271	0.4	0.3	0.4	17	16	17	15	13	16
HYPERTENSION (401,403)	462	226	236	0.3	0.3	0.3	18	17	18	9	8	9
ANEMIAS (280-285)	269	160	109	0.2	0.2	0.2	19	19	23	11	11	10
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	255	74	181	0.2	0.1	0.3	20	22	19	8	7	8
MENINGITIS (320-322)	198	42	156	0.1	0.1	0.2	21	25	21	50	21	78
NUTRITIONAL DEFICIENCIES (260-269)	169	59	110	0.1	0.1	0.2	22	24	22	8	10	7
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	168	153	15	0.1	0.2	0.0	23	20	27	34	51	8
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	166	90	76	0.1	0.1	0.1	24	21	25	9	11	7
COMPL. OF PREGNANCY, CHILDBIRTH & PUERPERIUM (630-676)	164	0	164	0.1	0.0	0.2	25	29	20	55	0	55
ULCER OF STOMACH & DUODENUM (531-533)	161	70	91	0.1	0.1	0.1	26	23	24	9	9	9
HYPERPLASIA OF PROSTATE (600)	27	27	0	0.0	0.0	0.0	27	26	29	7	7	0
APPENDICITIS (540-543)	26	4	22	0.0	0.0	0.0	28	28	26	9	4	11
KIDNEY INFECTIONS (590)	25	14	11	0.0	0.0	0.0	29	27	28	8	7	11
ALL OTHER EXTERNAL CAUSES (E980-E999)	7	7	0	0.0	0.0	0.0				7	7	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	1,761	1,011	750	1.2	1.4	1.1				28	35	22
ALL OTHER CAUSES (RESIDUAL)	12,905	5,542	7,363	9.0	7.5	10.4				12	12	11
ALL CAUSES	144,137	73,658	70,479	100.	100.	100.				13	13	13

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING.
SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

DEAYLL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																	OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84			
OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003.005)																			
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)																			
MALE	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	3	
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	3	
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																			
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	
SEPTICEMIA (038)																			
MALE	29	0	0	0	0	0	0	0	0	1	2	3	4	3	5	3	8		
FEMALE	46	0	0	0	0	0	0	1	1	1	2	2	2	7	4	6	20		
TOTALS	75	0	0	0	0	0	0	1	1	2	4	5	6	10	9	9	28		
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)																			
MALE	5	1	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0		
FEMALE	4	0	0	0	1	0	0	0	0	0	0	0	0	1	1	1	0		
TOTALS	9	1	0	0	1	0	0	0	0	0	0	0	2	1	3	1	0		
VIRAL HEPATITIS (070)																			
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0		
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0		
OTHER VIRAL DISEASES (046-049,051-054,057-061,065,066,071-079)																			
MALE	49	0	0	0	0	0	0	15	18	12	0	2	0	1	0	0	1		
FEMALE	13	0	0	1	0	0	0	1	1	1	2	0	1	1	0	1	4		
TOTALS	62	0	0	1	0	0	0	16	19	13	2	2	1	2	0	1	5		
NEUROSYPHILIS (094)																			
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0		
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0		
MYCOSES (110-118)																			
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0		
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0		
HELMINTHIASES (120-129)																			
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
LATE EFFECTS OF ACUTE POLIOMYELITIS (138)																			
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0		
TOTALS	3	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0		
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)																			
MALE	4	0	0	0	1	0	0	0	1	0	0	1	0	0	0	0	0	1	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
TOTALS	5	0	0	0	1	0	0	0	1	0	0	1	0	0	0	1	1		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
MALIGNANT NEOPLASMS OF: LIP (140)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
MALIGNANT NEOPLASMS OF: TONGUE (141)																	
MALE	5	0	0	0	0	0	0	0	0	0	2	1	0	1	0	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0
TOTALS	8	0	0	0	0	0	0	0	0	0	3	1	0	2	1	0	1
MALIGNANT NEOPLASMS OF: PHARYNX (146-149.0)																	
MALE	27	0	0	0	0	0	0	0	1	4	2	3	3	5	5	2	2
FEMALE	8	0	0	0	0	0	0	0	0	0	1	1	3	1	0	0	2
TOTALS	35	0	0	0	0	0	0	0	1	4	3	4	6	6	5	2	4
MALIGNANT NEOPLASMS OF: OTHER SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX (142-145, 149.1-149.9)																	
MALE	9	0	0	0	0	0	0	0	0	1	0	1	2	1	2	1	1
FEMALE	6	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0	3
TOTALS	15	0	0	0	0	0	0	1	0	1	0	1	3	2	2	1	4
MALIGNANT NEOPLASMS OF: ESOPHAGUS (150)																	
MALE	52	0	0	0	0	0	0	0	1	8	6	5	7	11	7	4	3
FEMALE	20	0	0	0	0	0	0	0	0	0	1	1	3	4	3	3	5
TOTALS	72	0	0	0	0	0	0	0	1	8	7	6	10	15	10	7	8
MALIGNANT NEOPLASMS OF: STOMACH (151)																	
MALE	29	0	0	0	0	0	0	0	0	4	4	1	1	4	4	4	7
FEMALE	27	0	0	0	0	0	0	0	0	2	0	1	1	0	6	2	15
TOTALS	56	0	0	0	0	0	0	0	0	6	4	2	2	4	10	6	22
MALIGNANT NEOPLASMS OF: SMALL INTESTINE, INCLUDING DUODENUM (152)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	4	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	1
TOTALS	5	0	0	0	0	0	0	0	0	2	0	0	1	1	0	0	1
MALIGNANT NEOPLASMS OF: HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0, 153.1, 153.7)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
TOTALS	4	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0	0
MALIGNANT NEOPLASMS OF: SIGMOID COLON (153.3)																	
MALE	7	0	0	0	0	0	0	0	0	0	0	2	0	2	2	0	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS	9	0	0	0	0	0	0	0	0	0	0	2	0	2	2	0	3
MALIGNANT NEOPLASMS OF: CECUM, APPENDIX AND ASCENDING COLON (153.4-153.6)																	
MALE	4	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	1
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2
TOTALS	8	0	0	0	0	0	0	0	0	1	0	1	2	0	0	1	3
MALIGNANT NEOPLASMS OF: OTHER AND COLON, UNSPECIFIED (153.8-153.9)																	
MALE	119	0	0	0	0	0	0	1	4	7	11	11	17	19	30	12	7
FEMALE	143	0	0	0	0	0	0	0	2	5	3	13	16	25	25	22	32
TOTALS	262	0	0	0	0	0	0	1	6	12	14	24	33	44	55	34	39

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																	OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84			
(CONT.)																			
MALIGNANT NEOPLASMS OF: RECTUM, RECTOSIGMOID JUNCTION AND ANUS (154)																			
MALE	28	0	0	0	0	0	0	0	0	1	2	4	7	6	1	4	3		
FEMALE	23	0	0	0	0	0	0	0	0	3	0	3	4	3	2	4	4		
TOTALS	51	0	0	0	0	0	0	0	0	4	2	7	11	9	3	8	7		
MALIGNANT NEOPLASMS OF: LIVER, PRIMARY (155.0)																			
MALE	8	0	0	0	0	0	1	0	0	0	0	0	3	1	1	0	2		
FEMALE	6	0	0	0	0	0	0	0	0	1	3	0	0	0	1	0	1		
TOTALS	14	0	0	0	0	0	1	0	0	1	3	0	3	1	2	0	3		
MALIGNANT NEOPLASMS OF: INTRAHEPATIC BILE DUCTS (155.1)																			
MALE	5	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0	1		
FEMALE	8	0	0	0	0	0	0	0	0	1	0	1	2	2	2	0	0		
TOTALS	13	0	0	0	0	0	0	0	0	1	0	3	2	2	4	0	1		
MALIGNANT NEOPLASMS OF: LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)																			
MALE	5	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	1		
FEMALE	4	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	0		
TOTALS	9	0	0	0	0	0	0	0	0	1	0	2	0	1	1	3	1		
MALIGNANT NEOPLASMS OF: GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)																			
MALE	4	0	0	0	0	0	0	0	0	1	1	0	0	1	0	1	0		
FEMALE	16	0	0	0	0	0	0	0	0	0	1	1	0	3	4	1	6		
TOTALS	20	0	0	0	0	0	0	0	0	1	2	1	0	4	4	2	6		
MALIGNANT NEOPLASMS OF: PANCREAS (157)																			
MALE	70	0	0	0	0	0	0	0	2	2	9	13	8	10	11	9	6		
FEMALE	77	0	0	0	0	0	0	0	0	4	2	13	14	11	11	7	15		
TOTALS	147	0	0	0	0	0	0	0	2	6	11	26	22	21	22	16	21		
MALIGNANT NEOPLASMS OF: RETROPERITONEUM, PERITONEUM AND OTHER SITES WITHIN THE DIGESTIVE ORGANS (158-159)																			
MALE	8	0	0	0	0	0	0	0	0	1	1	0	0	1	1	3	1		
FEMALE	20	0	0	0	0	0	0	0	0	0	0	2	0	5	4	4	5		
TOTALS	28	0	0	0	0	0	0	0	0	1	1	2	0	6	5	7	6		
MALIGNANT NEOPLASMS OF: LARYNX (161)																			
MALE	20	0	0	0	0	0	0	0	0	0	3	3	3	1	5	1	4		
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0		
TOTALS	23	0	0	0	0	0	0	0	0	0	3	3	5	2	5	1	4		
MALIGNANT NEOPLASMS OF: TRACHEA, BRONCHUS, AND LUNG (162)																			
MALE	488	0	0	0	0	0	0	0	8	45	40	61	72	82	90	54	36		
FEMALE	305	0	0	0	0	0	0	0	6	28	26	34	49	62	51	29	20		
TOTALS	793	0	0	0	0	0	0	0	14	73	66	95	121	144	141	83	56		
MALIGNANT NEOPLASMS OF: ALL OTHER SITES WITHIN THE RESPIRATORY SYSTEM & INTRATHORACIC ORGANS (160, 163-165)																			
MALE	8	0	0	0	0	0	0	0	0	1	0	1	3	3	0	0	0		
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1		
TOTALS	11	0	0	0	0	0	0	0	0	1	0	1	5	3	0	0	1		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
MALIGNANT NEOPLASMS OF: BONE AND ARTICULAR CARTILAGE (170)																		
MALE	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	
FEMALE	4	0	0	1	0	0	1	0	0	0	0	0	0	1	0	0	0	
TOTALS	6	0	0	1	0	0	1	0	0	0	1	0	1	1	0	0	1	
MALIGNANT NEOPLASMS OF: CONNECTIVE AND OTHER SOFT TISSUE (171)																		
MALE	7	0	0	0	0	0	0	0	0	1	1	0	1	0	2	2	0	
FEMALE	15	0	1	0	0	0	0	1	1	0	0	3	3	0	2	2	2	
TOTALS	22	0	1	0	0	0	0	1	1	1	1	3	4	0	4	4	2	
MALIGNANT NEOPLASMS OF: MELANOMA OF SKIN (172)																		
MALE	18	0	0	0	0	0	1	0	1	4	1	4	4	1	2	0	0	
FEMALE	14	0	0	0	0	0	0	0	3	1	1	4	0	1	3	1	0	
TOTALS	32	0	0	0	0	0	1	0	4	5	2	8	4	2	5	1	0	
MALIGNANT NEOPLASMS OF: OTHER MALIGNANT NEOPLASM OF SKIN (173)																		
MALE	11	0	0	0	0	0	0	0	1	2	0	3	1	0	1	1	2	
FEMALE	5	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	2	
TOTALS	16	0	0	0	0	0	0	0	1	3	0	3	1	1	2	1	4	
MALIGNANT NEOPLASMS OF: FEMALE BREAST (174)																		
FEMALE	221	0	0	0	0	0	0	1	14	23	13	23	31	22	34	35	25	
TOTALS	221	0	0	0	0	0	0	1	14	23	13	23	31	22	34	35	25	
MALIGNANT NEOPLASMS OF: MALE BREAST (175)																		
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
MALIGNANT NEOPLASMS OF: CERVIX UTERI (180)																		
FEMALE	22	0	0	0	0	0	0	0	2	6	1	1	0	4	3	4	1	
TOTALS	22	0	0	0	0	0	0	0	2	6	1	1	0	4	3	4	1	
MALIGNANT NEOPLASMS OF: OTHER PARTS OF UTERUS (179,181-182)																		
FEMALE	35	0	0	0	0	0	1	0	1	2	0	3	7	4	8	4	5	
TOTALS	35	0	0	0	0	0	1	0	1	2	0	3	7	4	8	4	5	
MALIGNANT NEOPLASMS OF: OVARY AND OTHER UTERINE ADNEXA (183)																		
FEMALE	83	0	0	0	0	0	0	0	4	8	4	13	15	15	8	9	7	
TOTALS	83	0	0	0	0	0	0	0	4	8	4	13	15	15	8	9	7	
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)																		
FEMALE	8	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2	4	
TOTALS	8	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2	4	
MALIGNANT NEOPLASMS OF: PROSTATE (185)																		
MALE	178	0	0	0	0	0	0	0	0	4	1	6	13	33	40	45	36	
TOTALS	178	0	0	0	0	0	0	0	0	4	1	6	13	33	40	45	36	
MALIGNANT NEOPLASMS OF: TESTIS (186)																		
MALE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	
MALIGNANT NEOPLASMS OF: BLADDER (188)																		
MALE	39	0	0	0	0	0	0	0	0	1	1	3	10	7	10	3	4	
FEMALE	18	0	0	0	0	0	0	0	0	1	1	0	2	0	5	5	4	
TOTALS	57	0	0	0	0	0	0	0	0	2	2	3	12	7	15	8	8	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
MALIGNANT NEOPLASMS OF: KIDNEY AND OTHER UNSPECIFIED URINARY ORGANS (189)																		
MALE	51	0	0	0	0	0	0	0	1	3	4	8	4	10	8	4	9	
FEMALE	25	0	0	0	0	0	0	0	2	1	0	2	3	2	5	4	6	
TOTALS	76	0	0	0	0	0	0	0	3	4	4	10	7	12	13	8	15	
MALIGNANT NEOPLASMS OF: BRAIN (191)																		
MALE	25	0	0	0	0	0	0	2	4	4	1	1	5	2	0	2	4	
FEMALE	28	0	0	0	1	0	0	1	2	3	1	4	7	3	4	1	1	
TOTALS	53	0	0	0	1	0	0	3	6	7	2	5	12	5	4	3	5	
MALIGNANT NEOPLASMS OF: THYROID GLAND, OTHER ENDOCRINE GLANDS, RELATED STRUCTURES (193-194)																		
MALE	5	0	1	0	1	0	0	0	2	0	0	0	0	1	0	0	0	
FEMALE	7	0	0	0	0	0	0	1	0	0	0	1	1	1	2	0	1	
TOTALS	12	0	1	0	1	0	0	1	0	2	0	1	1	2	2	0	1	
MALIGNANT NEOPLASMS OF: ALL OTHER AND UNSPECIFIED SITES (195-199)																		
MALE	110	0	0	0	0	0	1	1	2	4	6	12	14	27	14	15	14	
FEMALE	114	0	0	0	0	0	0	0	4	5	4	10	13	13	18	23	24	
TOTALS	224	0	0	0	0	0	1	1	6	9	10	22	27	40	32	38	38	
LYMPHOSARCOMA AND RETICULOSARCOMA (200)																		
MALE	11	0	0	0	0	0	0	0	0	0	0	1	1	4	2	2	1	
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	2	
TOTALS	17	0	0	0	0	0	0	0	0	0	0	2	1	5	2	4	3	
HODGKIN'S DISEASE (201)																		
MALE	4	0	0	0	0	0	0	1	1	1	0	0	0	0	1	0	0	
FEMALE	3	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	
TOTALS	7	0	0	0	0	0	1	2	1	1	0	0	0	0	2	0	0	
OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE (202)																		
MALE	53	0	0	0	0	0	1	0	1	5	2	7	6	7	7	13	4	
FEMALE	47	0	0	0	0	0	0	0	1	3	2	5	2	11	14	5	4	
TOTALS	100	0	0	0	0	0	1	0	2	8	4	12	8	18	21	18	8	
MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)																		
MALE	17	0	0	0	0	0	0	0	0	0	0	3	4	4	2	1	3	
FEMALE	21	0	0	0	0	0	0	0	0	2	1	1	6	4	4	1	2	
TOTALS	38	0	0	0	0	0	0	0	0	2	1	4	10	8	6	2	5	
LYMPHOID LEUKEMIA (204)																		
MALE	20	0	0	2	0	0	0	0	0	0	0	2	1	6	3	4	2	
FEMALE	11	0	0	0	0	1	0	0	0	0	0	0	1	0	2	4	3	
TOTALS	31	0	0	2	0	1	0	0	0	0	0	2	2	6	5	8	5	
MYELOID LEUKEMIA (205)																		
MALE	24	0	0	0	0	0	0	3	1	3	2	1	0	3	5	3	3	
FEMALE	19	0	0	0	0	0	1	0	1	1	1	0	3	3	1	4	4	
TOTALS	43	0	0	0	0	0	1	3	2	4	3	1	3	6	6	7	7	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
MONOCYTIC LEUKEMIA (206)																		
MALE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	
OTHER AND UNSPECIFIED LEUKEMIA (207-208)																		
MALE	18	0	0	1	1	0	0	0	0	1	1	5	2	1	3	3	0	
FEMALE	16	0	0	0	0	0	0	0	2	1	0	0	2	1	3	0	7	
TOTALS	34	0	0	1	1	0	0	0	2	2	1	5	4	2	6	3	7	
BENIGN NEOPLASMS OF EYE, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM (224-225)																		
MALE	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	
FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	
TOTALS	4	0	0	0	0	0	0	0	1	0	1	0	1	0	0	1	0	
BENIGN NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	
NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)																		
MALE	4	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	1	
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
TOTALS	5	0	0	0	0	0	0	0	0	1	1	0	0	1	0	1	1	
NEOPLASMS OF UNSPECIFIED NATURE (239)																		
MALE	11	0	0	0	0	0	1	0	0	1	1	1	0	2	1	0	4	
FEMALE	13	0	0	0	0	0	0	1	1	0	0	1	0	1	4	2	3	
TOTALS	24	0	0	0	0	0	1	1	1	1	1	2	0	3	5	2	7	
DISORDERS OF THYROID GLAND (240-246)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	2	
DIABETES MELLITUS (250)																		
MALE	144	0	0	0	0	0	0	2	7	8	8	13	14	23	31	15	23	
FEMALE	176	0	0	0	0	0	0	1	2	4	9	9	17	23	30	32	49	
TOTALS	320	0	0	0	0	0	0	3	9	12	17	22	31	46	61	47	72	
DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
DISORDERS OF ADRENAL GLANDS (255)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	
CYSTIC FIBROSIS (277.0)																		
FEMALE	2	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUP'S AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
OBESITY (278.0)																	
MALE	6	0	0	0	0	0	0	0	0	1	4	0	1	0	0	0	0
FEMALE	4	0	0	0	0	0	0	0	1	2	0	0	0	0	0	1	0
TOTALS	10	0	0	0	0	0	0	0	1	3	4	0	1	0	0	1	0
ALL OTHER ENDOCRINE, METABOLIC DISEASES & IMMUNITY DISORD. (251-252,256-259,270,276,277,1-277,9,278,1-279)																	
MALE	24	0	2	0	0	0	0	1	1	2	1	2	3	4	2	2	4
FEMALE	31	1	0	0	0	0	0	0	0	2	3	1	1	6	1	5	11
TOTALS	55	1	2	0	0	0	0	1	1	4	4	3	4	10	3	7	15
NUTRITIONAL MARASMUS (261)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
OTHER PROTEIN-CALORIE MALNUTRITION (262-263)																	
MALE	5	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	2
FEMALE	14	0	0	0	0	0	0	0	0	0	0	0	0	1	0	5	8
TOTALS	19	0	0	0	0	0	0	0	1	0	0	0	0	1	1	6	10
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
DEFICIENCY ANEMIAS (280-281)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
HEMOLYTIC ANEMIAS (282-283)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
APLASTIC ANEMIA (284)																	
MALE	7	0	0	0	0	1	0	0	0	0	0	0	0	3	2	1	0
FEMALE	5	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	1
TOTALS	12	0	0	0	0	1	0	0	0	0	0	1	2	3	3	1	1
OTHER AND UNSPECIFIED ANEMIAS (285)																	
MALE	7	0	0	0	0	0	0	0	0	1	0	0	0	0	3	0	3
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2
TOTALS	11	0	0	0	0	0	0	0	0	1	0	0	0	0	4	1	5
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0
TOTALS	4	0	0	0	0	0	0	0	0	1	0	0	1	1	0	1	0
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)																	
MALE	11	1	0	0	0	0	0	0	0	0	1	1	1	1	2	3	1
FEMALE	10	0	0	0	0	0	0	0	1	1	1	0	2	2	1	0	1
TOTALS	21	1	0	0	0	0	0	0	1	1	1	1	3	3	2	3	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																	OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84			
(CONT.)																			
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)																			
MALE	25	0	0	0	0	0	0	0	0	0	0	0	0	1	5	6	1		
FEMALE	75	0	0	0	0	0	0	0	0	0	0	1	1	3	4	13	53		
TOTALS	100	0	0	0	0	0	0	0	0	0	0	1	1	4	9	19	66		
ALCOHOLIC PSYCHOSES (291)																			
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0		
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0		
ALL OTHER PHYCHOSES (292-299)																			
MALE	16	0	0	0	0	0	0	0	0	0	0	0	1	0	1	7	7		
FEMALE	38	0	0	0	0	0	0	0	0	0	0	0	0	1	1	9	27		
TOTALS	54	0	0	0	0	0	0	0	0	0	0	0	1	1	2	16	34		
ALCOHOL DEPENDENCE SYNDROME (303)																			
MALE	12	0	0	0	0	0	1	2	1	0	1	5	2	0	0	0	0		
FEMALE	9	0	0	0	0	0	0	1	1	1	2	3	1	0	0	0	0		
TOTALS	21	0	0	0	0	0	1	3	2	1	3	8	3	0	0	0	0		
DRUG DEPENDENCE (304)																			
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0		
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0		
TOTALS	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0		
OTHER NEUROTIC, PERSONALITY AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)																			
MALE	5	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	3		
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	4		
TOTALS	12	0	0	0	0	0	0	0	1	0	0	0	0	1	1	2	7		
MENTAL RETARDATION (317-319)																			
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0		
FEMALE	3	0	0	1	0	0	0	2	0	0	0	0	0	0	0	0	0		
TOTALS	4	0	0	1	0	0	0	2	1	0	0	0	0	0	0	0	0		
MENINGITIS (320-322)																			
MALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0		
FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TOTALS	4	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0		
PARKINSON'S DISEASE (332)																			
MALE	24	0	0	0	0	0	0	0	0	0	0	0	0	3	8	6	7		
FEMALE	22	0	0	0	0	0	0	0	0	0	0	0	0	3	0	6	13		
TOTALS	46	0	0	0	0	0	0	0	0	0	0	0	0	6	8	12	20		
OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)																			
MALE	69	1	0	0	0	0	0	1	2	2	1	3	9	9	8	13	20		
FEMALE	124	0	1	0	0	0	0	0	0	1	1	4	5	7	10	24	71		
TOTALS	193	1	1	0	0	0	0	1	2	3	2	7	14	16	18	37	91		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
MULTIPLE SCLEROSIS (340)																		
MALE	6	0	0	0	0	0	0	0	1	2	0	1	1	0	0	1	0	
FEMALE	21	0	0	0	0	0	0	1	5	5	3	1	2	1	2	1	0	
TOTALS	27	0	0	0	0	0	0	1	6	7	3	2	3	1	2	2	0	
INFANTILE CEREBRAL PALSY (343)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
TOTALS	3	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	
EPILEPSY (345)																		
MALE	4	0	1	1	0	1	0	0	1	0	0	0	0	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
TOTALS	5	0	1	1	0	1	0	0	1	0	0	0	1	0	0	0	0	
OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)																		
MALE	16	1	0	0	0	1	0	3	0	3	0	0	1	3	1	1	2	
FEMALE	21	0	0	0	0	0	0	0	1	1	2	2	1	0	5	4	5	
TOTALS	37	1	0	0	0	1	0	3	1	4	2	2	2	3	6	5	7	
DISEASES OF MITRAL VALVE (394)																		
MALE	4	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	1	
FEMALE	13	0	0	0	0	0	0	0	2	1	0	1	2	1	2	2	2	
TOTALS	17	0	0	0	0	0	0	1	2	1	0	1	2	2	3	2	3	
DISEASE OF AORTIC VALVE (395)																		
MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	
DISEASES OF MITRAL AND AORTIC VALVES (396)																		
FEMALE	5	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	2	
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	2	
ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	0	4	2	1	
TOTALS	8	0	0	0	0	0	0	0	0	0	0	0	0	0	4	2	2	
ESSENTIAL HYPERTENSION (401)																		
MALE	11	0	0	0	0	0	0	0	0	1	0	3	1	2	1	3	0	
FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	6	
TOTALS	21	0	0	0	0	0	0	0	0	1	0	3	2	3	1	5	6	
HYPERTENSIVE HEART DISEASE (402)																		
MALE	24	0	0	0	0	0	0	0	2	2	0	1	5	3	4	4	3	
FEMALE	45	0	0	0	0	0	0	0	0	0	2	0	2	2	7	7	25	
TOTALS	69	0	0	0	0	0	0	0	2	2	2	1	7	5	11	11	28	
HYPERTENSIVE RENAL DISEASE (403)																		
MALE	17	0	0	0	0	0	0	0	0	0	0	0	0	1	3	6	7	
FEMALE	16	0	0	0	0	0	0	0	0	1	0	0	0	3	2	3	7	
TOTALS	33	0	0	0	0	0	0	0	0	1	0	0	0	4	5	9	14	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
HYPERTENSIVE HEART AND RENAL DISEASE (404)																		
MALE	9	0	0	0	0	0	0	0	0	1	0	0	0	2	0	3	3	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	
TOTALS	14	0	0	0	0	0	0	0	0	1	0	0	0	2	1	4	6	
ACUTE MYOCARDIAL INFARCTION (410)																		
MALE	580	0	0	0	0	0	0	1	21	46	28	66	58	83	96	91	90	
FEMALE	535	0	0	0	0	0	0	0	7	16	9	18	56	66	73	107	183	
TOTALS	1,115	0	0	0	0	0	0	1	28	62	37	84	114	149	169	198	273	
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
TOTALS	8	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	6	
ANGINA PECTORIS (413)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	
FEMALE	7	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	4	
TOTALS	10	0	0	0	0	0	0	0	0	0	1	0	1	0	2	1	5	
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)																		
MALE	583	0	0	0	0	0	0	5	12	40	26	40	53	77	88	103	139	
FEMALE	587	0	0	0	0	0	1	4	1	10	8	10	31	51	63	111	297	
TOTALS	1,170	0	0	0	0	0	1	9	13	50	34	50	84	128	151	214	436	
DISEASES OF PULMONARY CIRCULATION (415-417)																		
MALE	22	1	0	0	0	0	0	1	0	2	1	1	4	5	3	3	1	
FEMALE	28	0	0	0	0	0	1	1	0	2	3	2	3	4	3	4	5	
TOTALS	50	1	0	0	0	0	1	2	0	4	4	3	7	9	6	7	6	
ACUTE AND SUBACUTE ENDOCARDITIS (421)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	0	
ACUTE PERICARDITIS, ACUTE MYOCARDITIS AND OTHER DISEASES OF PERICARDIUM (420,422-423)																		
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
MITRAL VALVE DISORDERS (424.0)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	
FEMALE	12	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	7	
TOTALS	14	0	0	0	0	0	0	0	0	0	0	0	2	0	2	3	7	
AORTIC VALVE DISORDERS (424.1)																		
MALE	31	0	0	0	0	0	0	0	0	1	0	2	3	5	4	6	10	
FEMALE	26	0	0	0	0	0	0	0	0	0	0	0	1	2	4	6	13	
TOTALS	57	0	0	0	0	0	0	0	0	1	0	2	4	7	8	12	23	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)																		
MALE	8	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3	4	
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	1	1	0	2	4	
TOTALS	17	0	0	0	0	0	0	0	0	1	0	1	1	1	0	5	8	
HEART FAILURE (428)																		
MALE	79	0	0	0	0	0	0	0	0	1	1	4	7	8	15	14	29	
FEMALE	137	0	0	0	0	0	0	0	0	0	1	3	3	12	15	25	78	
TOTALS	216	0	0	0	0	0	0	0	0	1	2	7	10	20	30	39	107	
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)																		
FEMALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
ALL OTHER FORMS OF HEART DISEASE (425-427, 429.2-429.9)																		
MALE	342	0	1	0	0	2	1	2	8	19	20	34	30	47	54	56	68	
FEMALE	305	0	0	0	0	0	1	0	0	7	4	14	23	34	39	47	136	
TOTALS	647	0	1	0	0	2	2	2	8	26	24	48	53	81	93	103	204	
SUBARACHNOID HEMORRHAGE (430)																		
MALE	13	0	0	0	0	0	0	1	1	1	4	2	1	1	1	1	0	
FEMALE	25	0	1	0	0	0	0	0	4	5	0	2	3	3	2	2	3	
TOTALS	38	0	1	0	0	0	0	1	5	6	4	4	4	4	3	3	3	
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)																		
MALE	35	0	1	0	0	0	1	0	0	3	1	1	2	5	7	9	5	
FEMALE	43	0	0	0	0	0	0	0	0	2	0	4	5	5	5	11	11	
TOTALS	78	0	1	0	0	0	1	0	0	5	1	5	7	10	12	20	16	
OCCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)																		
MALE	6	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	2	
FEMALE	6	0	0	0	0	0	0	0	0	0	1	0	1	1	0	2	1	
TOTALS	12	0	0	0	0	0	0	0	0	0	1	0	3	2	1	2	3	
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCCLUSION OF CEREBRAL ARTERIES (434.0, 434.9)																		
MALE	29	0	0	0	0	0	0	0	1	1	0	4	3	3	3	4	10	
FEMALE	46	0	0	0	0	0	0	0	0	0	1	1	2	5	7	9	21	
TOTALS	75	0	0	0	0	0	0	0	1	1	1	5	5	8	10	13	31	
CEREBRAL EMBOLISM (434.1)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)																		
MALE	147	0	0	0	0	0	0	0	1	2	2	5	13	25	24	39	36	
FEMALE	273	0	0	0	0	0	0	0	0	0	0	4	11	25	39	53	141	
TOTALS	420	0	0	0	0	0	0	0	1	2	2	9	24	50	63	92	177	
OTHER CEREBROVASCULAR DISEASE (435, 437-438)																		
MALE	46	0	0	0	0	0	0	1	0	1	0	2	3	5	6	9	19	
FEMALE	68	0	0	0	0	0	0	1	0	0	0	0	0	4	4	9	50	
TOTALS	114	0	0	0	0	0	0	2	0	1	0	2	3	9	10	18	69	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
ATHEROSCLEROSIS (440)																		
MALE	28	0	0	0	0	0	0	0	0	0	1	3	1	4	2	6	1	
FEMALE	73	0	0	0	0	0	0	0	0	0	1	1	3	7	5	10	46	
TOTALS	101	0	0	0	0	0	0	0	0	0	2	4	4	11	7	16	57	
AORTIC ANEURYSM (441)																		
MALE	59	0	0	0	0	0	0	0	0	1	1	1	6	15	12	10	13	
FEMALE	41	0	0	0	0	0	0	1	1	1	0	0	5	4	7	9	13	
TOTALS	100	0	0	0	0	0	0	1	1	2	1	1	11	19	19	19	26	
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)																		
MALE	26	0	0	0	0	0	0	0	0	0	0	1	3	5	7	4	6	
FEMALE	31	0	0	0	0	0	0	1	1	0	0	1	2	6	6	2	12	
TOTALS	57	0	0	0	0	0	0	1	1	0	0	2	5	11	13	6	18	
PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTALS	5	0	0	0	0	0	0	1	0	0	0	0	0	1	1	2	0	
OTHER DISEASES OF VEINS, LYMPHATICS, AND CIRCULATORY SYSTEM (454-459)																		
MALE	9	1	0	0	0	0	0	0	0	0	0	1	3	0	1	1	2	
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	
TOTALS	15	1	0	0	0	0	0	0	0	0	0	1	3	0	1	2	7	
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)																		
MALE	4	2	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	5	3	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	
OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)																		
FEMALE	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	
TOTALS	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)																		
MALE	3	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
TOTALS	5	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	
VIRAL PNEUMONIA (480)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	
PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)																		
MALE	6	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	3	
FEMALE	11	0	0	0	0	0	0	0	0	1	0	1	1	1	0	1	6	
TOTALS	17	0	0	0	0	0	0	0	0	1	0	3	1	1	0	2	9	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)																		
MALE	7	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3		
FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	5	
TOTALS	15	0	0	0	0	0	0	0	0	0	0	0	1	0	2	6		
PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)																		
MALE	130	0	0	0	0	1	0	0	1	1	1	3	11	9	16	26	61	
FEMALE	148	0	0	0	0	0	0	0	0	2	0	2	6	9	19	24	86	
TOTALS	278	0	0	0	0	1	0	0	1	3	1	5	17	18	35	50	147	
INFLUENZA (487)																		
MALE	9	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	5	
FEMALE	15	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3	10	
TOTALS	24	0	0	0	0	0	0	0	0	0	0	1	1	0	1	6	15	
BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
CHRONIC BRONCHITIS (491)																		
MALE	20	0	0	0	0	0	0	0	0	0	2	6	2	3	2	3	2	
FEMALE	18	0	0	0	0	0	0	0	0	0	0	3	1	1	5	2	6	
TOTALS	38	0	0	0	0	0	0	0	0	0	2	9	3	4	7	5	8	
EMPHYSEMA (492)																		
MALE	57	0	0	0	0	0	0	0	0	1	2	4	3	14	11	11	11	
FEMALE	30	0	0	0	0	0	0	0	1	1	1	2	7	1	9	3	5	
TOTALS	87	0	0	0	0	0	0	0	1	2	3	6	10	15	20	14	16	
ASTHMA (493)																		
MALE	9	0	0	0	0	0	0	0	0	1	1	0	2	1	2	1	1	
FEMALE	13	0	0	0	0	0	0	0	1	2	0	0	1	1	4	2	2	
TOTALS	22	0	0	0	0	0	0	0	1	3	1	0	3	2	6	3	3	
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)																		
MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	
TOTALS	8	0	0	0	0	0	0	0	0	1	0	0	0	3	1	1	2	
CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)																		
MALE	270	0	0	0	0	0	0	0	1	2	11	19	25	56	50	57	49	
FEMALE	200	0	0	0	0	0	0	0	0	1	4	26	25	31	35	33	45	
TOTALS	470	0	0	0	0	0	0	0	1	3	15	45	50	87	85	90	94	
PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)																		
MALE	17	1	0	0	0	0	0	0	0	0	0	1	0	1	3	3	8	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	
TOTALS	22	1	0	0	0	0	0	0	0	0	0	1	0	1	5	4	10	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
EMPHYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	0	
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	0	
PLEURISY (511)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)																		
MALE	50	0	0	0	0	0	0	1	0	0	3	6	5	10	8	9	8	
FEMALE	42	0	0	0	0	0	0	2	0	0	2	1	5	6	8	8	10	
TOTALS	92	0	0	0	0	0	0	3	0	0	5	7	10	16	16	17	18	
DISEASES OF ORAL CAVITY, SALIVARY GLANDS AND JAWS (520-529)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
GASTRIC ULCER (531)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	3	1	1	0	0	
DUODENAL ULCER (532)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	3	
PEPTIC ULCER, SITE UNSPECIFIED (533)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	
GASTRITIS AND DUODENITIS (535)																		
MALE	4	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	1	
FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	
TOTALS	7	0	0	0	0	0	0	0	0	1	2	0	0	1	0	1	2	
APPENDICITIS (540-543)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)																		
MALE	10	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	6	
FEMALE	24	0	0	0	0	0	0	0	0	0	0	0	2	1	2	3	16	
TOTALS	34	0	0	0	0	0	0	0	0	0	0	1	3	3	2	3	22	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)																		
MALE	3	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
TOTALS	4	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	1	
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)																		
MALE	19	0	0	0	0	0	0	1	0	1	1	0	3	2	6	2	3	
FEMALE	39	0	0	0	0	0	0	0	0	1	0	3	2	3	3	6	21	
TOTALS	58	0	0	0	0	0	0	1	0	2	1	3	5	5	9	8	24	
DIVERTICULA OF INTESTINE (562)																		
MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	2	
FEMALE	21	0	0	0	0	0	0	0	0	0	0	0	0	2	1	3	15	
TOTALS	27	0	0	0	0	0	0	0	0	0	0	0	0	4	3	3	17	
CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)																		
MALE	44	0	0	0	0	0	0	1	5	6	6	7	9	7	2	1	0	
FEMALE	12	0	0	0	0	0	0	0	0	3	1	2	5	0	1	0	0	
TOTALS	56	0	0	0	0	0	0	1	5	9	7	9	14	7	3	1	0	
CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)																		
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
FEMALE	7	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	
TOTALS	8	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	
CIRRHOSIS OF LIVER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)																		
MALE	43	0	0	0	0	0	0	1	2	9	2	5	5	7	5	5	2	
FEMALE	19	1	0	0	0	0	0	0	1	1	0	1	2	3	7	1	2	
TOTALS	62	1	0	0	0	0	0	1	3	10	2	6	7	10	12	6	4	
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)																		
MALE	8	0	0	0	0	0	0	0	0	0	2	1	1	0	1	1	2	
FEMALE	11	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	7	
TOTALS	19	0	0	0	0	0	0	0	0	0	2	1	1	1	1	4	9	
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)																		
MALE	62	0	0	0	0	0	0	1	2	5	1	5	6	8	7	11	16	
FEMALE	80	0	0	0	0	0	0	1	1	0	4	7	5	6	9	7	40	
TOTALS	142	0	0	0	0	0	0	2	3	5	5	12	11	14	16	18	56	
NEPHROTIC SYNDROME (581)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587)																		
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	
RENAL FAILURE (584-586,588-589)																		
MALE	44	0	0	0	0	0	0	1	0	0	2	3	4	2	8	6	18	
FEMALE	46	0	0	0	0	0	0	0	0	1	1	1	3	4	5	4	27	
TOTALS	90	0	0	0	0	0	0	1	0	1	3	4	7	6	13	10	45	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
INFECTIONS OF KIDNEY (590)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1
URINARY CALCULUS (592,594)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)																	
MALE	25	0	0	0	0	0	0	1	0	1	0	0	1	5	6	3	8
FEMALE	34	0	0	0	0	0	0	0	0	0	1	0	1	3	3	4	22
TOTALS	59	0	0	0	0	0	0	1	0	1	1	0	2	8	9	7	30
HYPERPLASIA OF PROSTATE (600)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2
OTHER DISEASES OF MALE GENITAL ORGANS (601-608)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
OTHER DISEASES OF FEMALE GENITAL ORGANS (614-629)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
LEGALLY INDUCED ABORTION (635)																	
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
COMPLICATIONS OF THE PUERPERIUM (670-676)																	
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
INDIRECT OBSTETRIC CAUSES (647-648)																	
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)																	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (714)																	
MALE	6	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	0
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	2	0	2	2	1
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	3	1	4	4	1
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
FEMALE	11	0	0	0	0	0	0	0	1	0	0	0	0	3	1	2	4
TOTALS	13	0	0	0	0	0	0	0	1	0	0	1	0	3	1	2	5

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																	OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84			
(CONT.)																			
DORSOPATHIES (720-724)																			
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1		
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1		
RHEUMATISM, EXCLUDING THE BACK (725-729)																			
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)																			
MALE	4	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0		
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	3		
TOTALS	9	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	3		
SPINA BIFIDA (741)																			
MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TOTALS	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)																			
MALE	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
FEMALE	4	0	0	2	1	0	1	0	0	0	0	0	0	0	0	0	0		
TOTALS	7	2	0	2	1	0	1	0	0	0	0	0	0	0	0	0	1		
CONGENITAL ANOMALIES OF HEART (745-746)																			
MALE	10	4	2	0	0	0	0	1	3	0	0	0	0	0	0	0	0		
FEMALE	5	3	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0		
TOTALS	15	7	2	0	0	0	0	2	4	0	0	0	0	0	0	0	0		
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)																			
MALE	3	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0		
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0		
TOTALS	4	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0		
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)																			
MALE	13	6	2	0	0	0	0	1	0	0	1	1	0	0	1	0	1		
FEMALE	11	8	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0		
TOTALS	24	14	2	0	1	0	0	1	0	1	1	2	0	0	1	0	1		
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA AND RESPIRATORY DISTRESS SYNDROME (768-769)																			
MALE	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TOTALS	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)																			
MALE	10	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
FEMALE	13	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TOTALS	23	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)																			
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6		
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
SYMPTOMS, SIGNS AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)																		
MALE	28	10	0	0	0	1	0	1	1	2	1	1	0	3	1	1	6	
FEMALE	28	6	0	0	0	0	0	1	0	0	0	1	2	3	2	2	11	
TOTALS	56	16	0	0	0	1	0	2	1	2	1	2	2	6	3	3	17	
RAILWAY ACCIDENTS (E800-E807)																		
MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)																		
MALE	40	0	0	0	1	3	5	6	5	6	1	2	3	2	2	1	3	
FEMALE	32	0	0	0	1	6	2	3	4	7	1	2	2	1	1	1	1	
TOTALS	72	0	0	0	2	9	7	9	9	13	2	4	5	3	3	2	4	
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH PEDESTRIAN (E814)																		
MALE	12	0	0	0	0	0	1	2	1	1	2	0	1	0	1	0	3	
FEMALE	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	14	0	1	0	0	0	1	2	1	1	2	0	1	0	1	0	4	
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)																		
MALE	22	0	0	0	0	4	3	8	3	0	1	0	0	2	1	0	0	
FEMALE	12	0	0	0	3	0	0	2	3	1	0	0	0	0	2	0	1	
TOTALS	34	0	0	0	3	4	3	10	6	1	1	0	0	2	3	0	1	
MOTOR VEHICLE TRAFFIC ACCIDENTS NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)																		
MALE	50	0	0	0	0	7	7	16	11	2	1	0	1	1	1	3	0	
FEMALE	16	0	0	0	1	3	2	1	3	3	1	1	0	1	0	0	0	
TOTALS	66	0	0	0	1	10	9	17	14	5	2	1	1	2	1	3	0	
MOTOR VEHICLE TRAFFIC ACCIDENTS OF UNSPECIFIED NATURE (E819)																		
MALE	10	0	0	0	0	2	2	2	1	0	0	0	0	1	0	1	1	
FEMALE	4	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0	1	
TOTALS	14	0	0	0	0	4	2	3	1	0	0	0	0	1	0	1	2	
MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)																		
MALE	7	0	1	0	1	1	0	2	0	1	0	1	0	0	0	0	0	
FEMALE	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	8	0	2	0	1	1	0	2	0	1	0	1	0	0	0	0	0	
WATER TRANSPORT ACCIDENTS (E830-E838)																		
MALE	5	0	0	0	0	0	0	0	1	2	0	0	1	1	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	6	0	0	0	0	0	0	0	2	2	0	0	1	1	0	0	0	
AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)																		
MALE	3	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTALS	4	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E850-E858)																	
MALE	10	0	0	0	0	0	1	3	4	0	0	0	1	0	1	0	0
FEMALE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
TOTALS	12	0	0	0	0	0	1	4	4	1	0	0	1	0	1	0	0
ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)																	
MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)																	
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
FALL FROM ONE LEVEL TO ANOTHER (E880-E884)																	
MALE	11	0	0	0	0	0	2	0	0	2	3	0	0	2	0	1	1
FEMALE	6	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	4
TOTALS	17	0	0	0	0	0	2	1	0	3	3	0	0	2	0	1	5
FALL ON SAME LEVEL (E885-E886)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
TOTALS	4	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	2
FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)																	
MALE	14	0	0	0	0	0	0	0	0	0	2	1	0	3	1	0	7
FEMALE	34	0	0	0	0	0	0	0	1	0	0	1	1	1	1	9	20
TOTALS	48	0	0	0	0	0	0	0	1	0	2	2	1	4	2	9	27
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)																	
MALE	15	0	0	1	0	1	1	2	3	3	0	0	2	0	1	1	0
FEMALE	7	0	0	1	0	0	0	0	0	1	1	0	0	1	1	1	1
TOTALS	22	0	0	2	0	1	1	2	3	4	1	0	2	1	2	2	1
ACCIDENTAL DROWNING AND SUBMERSION (E910)																	
MALE	12	0	0	0	1	1	3	2	1	0	1	1	0	1	1	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0
TOTALS	15	0	0	0	1	1	3	2	1	0	1	1	1	1	2	1	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING SUFFOCATION (E911-E912)																	
MALE	6	0	1	0	0	0	0	0	0	0	0	0	0	0	1	3	1
FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	1	3	1	1	4
TOTALS	16	0	1	0	0	0	0	0	0	0	0	0	1	3	2	4	5
ACCIDENT CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)																	
MALE	5	0	0	0	1	0	0	1	1	2	0	0	0	0	0	0	0
TOTALS	5	0	0	0	1	0	0	1	1	2	0	0	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
ALL OTHER ACCIDENTS (E900-E906,E908-E909,E913-E921,E927-E929)																		
MALE	30	1	1	0	0	1	0	2	8	2	1	2	3	1	1	1	6	
FEMALE	5	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	2	
TOTALS	35	1	1	0	0	1	1	2	8	2	1	2	3	1	2	2	8	
DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)																		
MALE	8	0	0	0	0	1	1	1	3	0	2	0	0	0	0	0	0	
FEMALE	3	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	
TOTALS	11	0	0	0	0	1	1	2	4	1	2	0	0	0	0	0	0	
SUICIDE BY GASES AND VAPORS (E951-E952)																		
MALE	3	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
TOTALS	4	0	0	0	0	0	0	1	0	2	0	0	0	0	1	0	0	
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)																		
MALE	22	0	0	0	1	2	2	4	4	6	2	0	0	0	0	0	1	
FEMALE	3	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	
TOTALS	25	0	0	0	1	2	2	5	5	6	2	0	0	0	0	0	2	
SUICIDE BY HANDGUN (E955.0)																		
MALE	22	0	0	0	0	0	0	4	4	4	1	0	1	2	3	1	2	
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
TOTALS	23	0	0	0	0	0	1	4	4	4	1	0	1	2	3	1	2	
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)																		
MALE	69	0	0	0	2	8	7	11	12	7	2	2	5	7	2	3	1	
FEMALE	9	0	0	0	0	1	1	3	2	2	0	0	0	0	0	0	0	
TOTALS	78	0	0	0	2	9	8	14	14	9	2	2	5	7	2	3	1	
SUICIDE BY ALL OTHER MEANS (E954,E955.5-E959)																		
MALE	9	0	0	0	0	0	1	0	3	2	1	1	1	0	0	0	0	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
TOTALS	11	0	0	0	0	0	1	0	3	2	1	1	1	0	0	1	1	
ASSAULT BY HANDGUN (E965.0)																		
MALE	2	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	
FEMALE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	
TOTALS	4	0	0	0	1	0	0	2	1	0	0	0	0	0	0	0	0	
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)																		
MALE	5	0	0	0	0	0	0	2	3	0	0	0	0	0	0	0	0	
FEMALE	3	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0	0	
TOTALS	8	0	0	0	0	0	1	2	4	0	0	1	0	0	0	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)																	
MALE	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
ASSAULT BY ALL OTHER MEANS (E960-E964,E965.5-E965.9,E967-E969)																	
MALE	5	0	0	0	0	0	1	3	1	0	0	0	0	0	0	0	0
FEMALE	6	1	1	0	0	0	1	0	3	0	0	0	0	0	0	0	0
TOTALS	11	1	1	0	0	0	2	3	4	0	0	0	0	0	0	0	0
OTHER LEGAL INTERVENTION (E970-E977)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
INJURY INFLICTED BY ALL OTHER MEANS (E981-F984,E985.5-E989)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
STATE																	
MALE	5,500	51	13	5	11	39	48	132	200	347	267	447	544	780	833	804	979
FEMALE	5,545	38	6	6	11	13	21	48	103	206	143	293	468	595	730	873	1,991
TOTALS	11,045	89	19	11	22	52	69	180	303	553	410	740	1,012	1,375	1,563	1,677	2,970
PERCENT DISTRIBUTION																	
MALE	100.00	0.93	0.24	0.09	0.20	0.71	0.87	2.40	3.64	6.31	4.85	8.13	9.89	14.18	15.15	14.62	17.80
FEMALE	100.00	0.69	0.11	0.11	0.20	0.23	0.38	0.87	1.86	3.72	2.58	5.28	8.44	10.73	13.17	15.74	35.91
TOTALS	100.00	0.81	0.17	0.10	0.20	0.47	0.62	1.63	2.74	5.01	3.71	6.70	9.16	12.45	14.15	15.18	26.89

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

PAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-4

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004.006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	4	9	2.250
TUBERCULOSIS OF RESP. SYSTEM (010-012)	2	8	4.000
OTHER TUBERCULOSIS (013-018)	0	2	0.000
WHOOPING COUGH (033)	0	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	0	0	0.000
MENINGOCOCCAL INFECTION (036)	0	0	0.000
SEPTICEMIA (038)	75	411	5.480
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	1	5	5.000
SYPHILIS (090-097)	1	2	2.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	83	118	1.421
MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	59	75	1.271
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	696	790	1.135
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	827	907	1.096
MAL. NEO. BREAST (174-175)	222	281	1.265
MAL. NEO. GENITAL ORGANS (179-187)	328	420	1.280
MAL. NEO. URINARY ORGANS (188-189)	133	175	1.315
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	365	553	1.515
LEUKEMIA (204-208)	110	138	1.254
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	162	203	1.253
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	35	74	2.114
DIABETES MELLITUS (250)	320	940	2.937
NUTRITIONAL DEFICIENCIES (260-269)	22	219	9.954
ANEMIAS (280-285)	25	208	8.320
MENINGITIS (320-322)	4	13	3.250
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	33	58	1.757
HYPERTENSIVE HEART DISEASE (402)	69	145	2.101
HYPERTENSIVE HEART & RENAL DIS. (404)	14	26	1.857
ACUTE MYOCARDIAL INFARCTION (410)	1,115	1,324	1.187
OTHER ACUTE & SUBACUTE I.H.D. (411)	8	21	2.625
ANGINA PECTORIS (413)	10	60	6.000
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,170	2,268	1.938
OTHER DISEASES OF ENDOCARDIUM (424)	88	189	2.147
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	919	3,702	4.028
HYPERTENSION W/NO RENAL DISEASE (401, 403)	54	621	11.500
INTRACEREBRAL HEMORRHAGE (431-432)	78	125	1.602
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	75	115	1.533

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* SEE THE NOTES AT THE END OF THIS TABLE.

DEARAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-4

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	1	11	11.000
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	584	1,114	1.907
ATHEROSCLEROSIS (440)	101	464	4.594
OTHER DIS. ARTERIES & CAPIL. (441-448)	157	309	1.968
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	5	19	3.800
PNEUMONIA (480-486)	314	970	3.089
INFLUENZA (487)	24	32	1.333
BRONCHITIS CHRONIC & UNSPEC. (490-491)	39	76	1.948
EMPHYSEMA (492)	87	150	1.724
ASTHMA (493)	22	55	2.500
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	478	1,148	2.401
ULCER OF STOMACH & DUODENUM (531-533)	18	72	4.000
APPENDICITIS (540-543)	3	4	1.333
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	34	118	3.470
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	126	177	1.404
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	19	43	2.263
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	1	7	7.000
CHRON. GLOMERUL. & RENAL SCLERO. UNSPEC. (582-583, 587)	3	16	5.333
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	90	619	6.877
INFECTIONS OF KIDNEY (590)	3	15	5.000
HYPERPLASIA OF PROSTATE ALL (600)	4	16	4.000
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	1	1	1.000
OTHER COMPLICATIONS OF PREG. (640-676)	2	3	1.500
CONGENITAL ANOMALIES (740-759)	51	65	1.274
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	6	15	2.500
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	23	48	2.086
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	63	1,937	30.746
ALL OTHER DISEASES (RESIDUAL)	1,100	3,574	3.249
MOTOR VEHICLE ACCIDENTS (E810-E825)	208	212	1.019
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	191	573	3.000
SUICIDE (E950-E959)	152	154	1.013
HOMICIDE & LEGAL INTERVENTION (E960-E978)	27	27	1.000
ALL OTHER EXTERNAL CAUSES (E980-E999)	1	1	1.000
TOTAL FOR ALL CAUSES	11,045	26,250	2.376

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE. MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:

NATURE OF INJURY MENTIONS: 1253; SECONDARY NEOPLASM MENTIONS 486

SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

TABLE D-5

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY	TOTAL DEATHS	MAINE HOSPITAL	OUT OF STATE HOSPITAL	EN ROUTE TO HOSPITAL	SKILLED NURSING CARE	INTERMEDIATE CARE FACILITY	STATE PENAL INSTITUTIONS	OUT PATIENT FACILITY	AT HOME	OTHER PLACES
ANDROSCOGGIN	982	48.78	0.92	0.61	0.00	34.11	0.00	0.00	13.85	1.73
AROSTOOK	778	53.98	3.60	0.90	0.00	22.37	0.00	0.00	15.55	3.60
CUMBERLAND	2,129	50.54	1.41	0.99	0.00	25.22	0.00	0.00	20.06	1.78
FRANKLIN	223	55.16	1.35	2.24	0.00	17.94	0.00	0.00	20.63	2.69
HANCOCK	518	50.97	2.32	1.16	0.00	22.39	0.00	0.19	19.69	3.28
KENNEBEC	1,085	52.63	0.74	1.11	0.00	24.15	0.00	0.00	18.34	3.04
KNOX	402	47.51	1.49	2.74	0.00	25.37	0.00	0.00	20.90	1.99
LINCOLN	306	44.12	0.65	0.33	0.00	22.88	0.00	0.00	29.41	2.61
OXFORD	494	48.99	2.43	2.63	0.00	26.32	0.00	0.00	17.00	2.63
PENOBSCOT	1,199	54.46	0.83	1.08	0.00	20.35	0.00	0.00	20.93	2.34
PISCATAQUIS	227	53.30	2.20	0.00	0.00	22.03	0.00	0.00	19.82	2.64
SAGadahoc	253	44.27	3.56	3.16	0.00	18.97	0.00	0.00	28.85	1.19
SOMERSET	453	52.54	1.10	1.10	0.00	22.74	0.00	0.00	19.87	2.65
WALDO	304	58.22	1.32	2.30	0.00	17.76	0.00	0.00	15.79	4.61
WASHINGTON	422	55.21	1.66	0.47	0.00	20.85	0.00	0.95	16.11	4.74
YORK	1,270	50.39	7.09	0.63	0.00	20.00	0.00	0.00	20.24	1.65
STATE TOTALS	11,045	51.38	2.17	1.13	0.00	23.60	0.00	0.05	19.20	2.46

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DPLARES

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-6

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN HOSPITALS	***** PERCENT OF TOTAL DEATHS OCCURRING IN HOSPITALS *****								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS *	
									MOTOR VEHICLE (E810- E825)	OTHER (E800- E807)
ANDROSCOGGIN	494	5.67	6.88	11.74	12.55	2.02	0.40	1.42	1.01	1.42
AROOSTOOK	455	5.93	9.23	11.43	8.57	0.66	0.44	1.98	1.76	1.10
CUMBERLAND	1,126	5.86	7.28	10.21	9.24	0.98	0.71	2.84	0.98	1.87
FRANKLIN	131	4.58	6.87	20.61	9.16	0.00	0.00	2.29	0.76	2.29
HANCOCK	282	6.38	9.57	13.83	8.87	0.35	1.06	1.42	1.42	1.06
KENNEBEC	591	4.91	9.64	14.38	7.45	1.35	0.85	3.38	1.35	1.69
KNOX	207	5.31	6.76	13.04	10.14	0.00	0.48	0.48	3.38	1.93
LINCOLN	138	4.35	10.14	3.62	7.97	2.90	2.90	2.17	3.62	0.72
OXFORD	266	9.40	7.52	12.78	10.90	0.75	0.75	2.26	0.75	1.50
PENOBSCOT	676	5.03	6.36	13.02	10.06	0.74	0.74	3.40	1.63	2.22
PISCATAQUIS	126	3.97	11.90	10.32	3.97	1.59	0.79	3.97	0.00	1.59
SAGADAHOC	129	5.43	7.75	13.95	9.30	0.78	0.78	2.33	3.88	3.10
SOMERSET	248	6.45	10.48	12.10	10.89	0.81	1.61	1.61	1.21	1.61
WALDO	188	4.79	11.17	12.77	10.11	2.13	1.06	3.72	3.19	2.13
WASHINGTON	242	7.02	6.61	15.29	6.61	1.65	0.41	4.55	1.65	1.65
YORK	738	6.50	9.62	13.69	9.89	1.49	0.54	2.44	1.63	1.76
STATE TOTALS	6,037	5.83	8.30	12.47	9.39	1.13	0.75	2.58	1.52	1.72

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUHS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-7

DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN ICF	***** CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	PERCENT OF CANCER OF RESPIRATORY SYSTEM (160-165)	TOTAL DEATHS ACUTE MYOCARDIAL INFARCTION (410)	OCcurring IN INTERMEDIATE CHRONIC ISCHEMIC HEART DISEASE (411-414)	CARE FACILITIES CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS * MOTOR VEHICLE (E810- E825)	* OTHER (E800- E807)
ANDROSCOGGIN	334	5.09	6.59	3.29	13.47	0.30	2.99	4.49	0.00	0.90
AROSTOOK	174	4.60	1.72	4.02	17.24	0.00	0.57	2.87	0.00	0.00
CUMBERLAND	536	4.10	3.73	4.29	13.62	0.56	0.75	5.78	0.00	0.75
FRANKLIN	40	5.00	0.00	7.50	7.50	0.00	0.00	2.50	0.00	2.50
HANCOCK	116	1.72	2.59	2.59	15.52	0.00	1.72	10.34	0.00	0.00
KENNEBEC	262	3.44	5.34	9.54	13.36	0.38	0.76	4.58	0.38	0.00
KNOX	102	0.98	0.98	2.94	10.78	0.00	0.00	6.86	0.00	1.96
LINCOLN	70	4.29	2.86	2.86	11.43	1.43	1.43	8.57	0.00	1.43
OXFORD	130	4.62	7.69	6.92	14.62	0.00	0.77	4.62	0.00	0.77
PENOBSCOT	243	3.70	3.29	2.88	9.47	1.23	0.41	10.70	0.00	0.41
PISCATAQUIS	50	6.00	0.00	4.00	2.00	0.00	0.00	6.00	0.00	0.00
SAGadahoc	48	0.00	4.17	8.33	16.67	0.00	2.08	8.33	0.00	0.00
SOMERSET	103	12.62	4.85	2.91	8.74	0.00	1.94	2.91	0.00	0.00
WALDO	54	9.26	1.85	5.56	9.26	0.00	0.00	1.85	0.00	0.00
WASHINGTON	88	5.68	7.95	2.27	9.09	0.00	0.00	2.27	0.00	0.00
YORK	250	5.60	3.60	7.60	18.00	0.00	0.80	3.60	0.40	0.00
STATE TOTALS	2,600	4.58	4.12	4.85	13.12	0.35	1.04	5.50	0.08	0.50

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUICF

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-8

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	 CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	 CANCER OF RESPIRATORY SYSTEM (160-165)	 PERCENT OF ACUTE MYOCARDIAL INFARCTION (410)	 TOTAL DEATHS OCCURRING AT HOME CHRONIC ISCHEMIC HEART DISEASE (411-414)	 CEREBRAL HEMORRHAGE (431-432)	 CEREBRAL THROMBOSIS (434.0, 434.9)	 PNEUMONIA (480-486)	 * ACCIDENTS * MOTOR VEHICLE (E810- E825)	 OTHER (E800- E807)
ANDROSCOGGIN	136	7.35	9.56	15.44	15.44	0.00	0.00	0.74	0.00	0.74
ARROSTOOK	121	6.61	12.40	8.26	13.22	0.83	0.00	0.00	0.00	3.31
CUMBERLAND	428	9.11	9.35	4.91	15.42	0.00	0.47	0.47	0.00	1.87
FRANKLIN	46	8.70	4.35	17.39	13.04	0.00	0.00	2.17	0.00	2.17
HANCOCK	102	6.86	7.84	14.71	13.73	0.00	0.00	0.98	0.00	0.98
KENNEBEC	199	13.07	8.54	11.56	10.05	0.00	0.50	1.01	0.00	1.51
KNOX	83	12.05	4.82	13.25	9.64	0.00	0.00	0.00	0.00	0.00
LINCOLN	90	11.11	11.11	10.00	13.33	0.00	0.00	0.00	0.00	1.11
OXFORD	84	13.10	16.67	4.76	14.29	0.00	0.00	0.00	0.00	3.57
PENOBSCOT	251	12.35	11.95	10.36	9.96	0.00	0.00	0.40	0.00	1.20
PISCATAQUIS	44	9.09	15.91	6.82	11.36	0.00	0.00	0.00	0.00	2.27
SAGadahoc	73	12.33	19.18	10.96	4.11	0.00	0.00	1.37	0.00	0.00
SOMERSET	90	8.89	6.67	17.78	15.56	0.00	0.00	0.00	0.00	3.33
WALDO	48	10.42	2.08	20.83	12.50	0.00	0.00	2.08	0.00	4.17
WASHINGTON	68	10.29	13.24	13.24	7.35	0.00	0.00	2.94	0.00	1.47
YORK	258	12.40	11.24	9.30	10.47	0.00	0.00	0.78	0.00	1.94
STATE TOTALS	2,121	10.42	10.33	10.28	12.26	0.05	0.14	0.66	0.00	1.74

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUHC

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-9

DEATHS BY SEX, AGE, AND OCCUPATION
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME- MAKER	STUDENT	OTHER AND NOT REPORTED
MALE											
LESS THAN 15	80	1	0	0	0	0	0	0	0	12	67
15-19	39	0	2	3	0	0	5	0	0	27	2
20-24	48	3	9	4	4	4	14	0	0	6	4
25-29	52	5	10	5	3	12	10	1	0	1	5
30-34	80	5	9	6	9	20	17	2	0	3	9
35-39	89	11	9	2	12	30	12	9	0	1	3
40-44	111	22	12	11	5	28	18	9	0	0	6
45-49	157	36	19	14	6	33	29	11	1	0	8
50-54	190	41	22	13	9	44	30	22	0	0	9
55-59	267	40	38	19	20	61	46	17	0	0	26
60-64	447	63	60	35	33	98	85	35	0	0	38
65-69	544	106	67	33	39	129	99	38	0	0	33
70-74	780	140	114	45	60	192	142	55	1	0	31
75-79	833	149	117	57	67	192	165	51	0	0	35
80-84	804	135	127	39	76	201	160	41	0	0	25
85-89	564	94	96	34	74	129	94	23	0	0	20
90-94	298	67	42	16	40	71	40	15	1	0	6
GREATER THAN 94	117	19	19	7	32	24	8	7	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,500	937	772	343	489	1,268	974	336	3	50	328
PERCENT DISTRIBUTION	100.00	17.04	14.04	6.24	8.89	23.05	17.71	6.11	0.05	0.91	5.96

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING

DASO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-9

DEATHS BY SEX, AGE, AND OCCUPATION
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME- MAKER	STUDENT	OTHER AND NOT REPORTED
FEMALE											
LESS THAN 15	61	0	0	0	0	0	0	0	0	14	47
15-19	13	0	0	1	0	0	0	0	1	11	0
20-24	21	1	4	8	0	0	2	0	1	3	2
25-29	21	1	2	5	0	0	2	0	5	1	5
30-34	27	2	6	5	1	3	2	0	4	2	2
35-39	45	5	7	11	1	1	11	0	7	1	1
40-44	58	12	17	4	0	1	5	0	14	0	5
45-49	106	20	28	16	0	3	10	1	23	0	5
50-54	100	16	21	16	1	3	15	1	25	0	2
55-59	143	19	32	15	0	5	11	2	54	0	5
60-64	293	48	56	30	1	10	29	1	112	0	6
65-69	468	53	84	55	1	9	71	3	181	0	11
70-74	595	82	111	74	3	17	82	1	207	1	17
75-79	730	86	131	91	6	12	107	1	289	0	7
80-84	873	148	147	74	5	16	122	1	348	1	11
85-89	913	167	143	82	4	16	116	2	376	0	7
90-94	700	104	100	51	3	12	65	0	358	0	7
GREATER THAN 94	378	59	50	26	4	7	29	0	201	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,545	823	939	564	30	115	679	13	2,206	34	142
PERCENT DISTRIBUTION	100.00	14.84	16.93	10.17	0.54	2.07	12.25	0.23	39.78	0.61	2.56

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DASO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-9

DEATHS BY SEX, AGE, AND OCCUPATION
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME - MAKER	STUDENT	OTHER AND NOT REPORTED
BOTH SEXES											
LESS THAN 15	141	1	0	0	0	0	0	0	0	26	114
15-19	52	0	2	4	0	0	5	0	1	38	2
20-24	69	4	13	12	4	4	16	0	1	9	6
25-29	73	6	12	10	3	12	12	1	5	2	10
30-34	107	7	15	11	10	23	19	2	4	5	11
35-39	134	16	16	13	13	31	23	9	7	2	4
40-44	169	34	29	15	5	29	23	9	14	0	11
45-49	263	56	47	30	6	36	39	12	24	0	13
50-54	290	57	43	29	10	47	45	23	25	0	11
55-59	410	59	70	34	20	66	57	19	54	0	31
60-64	740	111	116	65	34	108	114	36	112	0	44
65-69	1,012	159	151	88	40	138	170	41	181	0	44
70-74	1,375	222	225	119	63	209	224	56	208	1	48
75-79	1,563	235	248	148	73	204	272	52	289	0	42
80-84	1,677	283	274	113	81	217	282	42	348	1	36
85-89	1,477	261	239	116	78	145	210	25	376	0	27
90-94	998	171	142	67	43	83	105	15	359	0	13
GREATER THAN 94	495	78	69	33	36	31	37	7	201	0	3
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,045	1,760	1,711	907	519	1,383	1,653	349	2,209	84	470
PERCENT DISTRIBUTION	100.00	15.93	15.49	8.21	4.70	12.52	14.97	3.16	20.00	0.76	4.26

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DASO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-10 ACQUIRED IMMUNE DEFICIENCY SYNDROME RELATED DEATHS BY STATUS OF MENTION
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

SEX AND AGE	TOTAL MENTIONS (042.0-044.9,795.8)	TOTAL AIDS MENTIONS (042.0-044.9)	UNDERLYING AIDS MENTIONS (042.0-044.9)	NON-UNDERLYING AIDS MENTIONS (042.0-044.9)	SERO-POSITIVE MENTIONS (795.8)
MALE					
LESS THAN 20	0	0	0	0	0
20-24	1	1	0	1	0
25-34	16	15	15	0	1
35-44	18	18	18	0	0
45-54	13	13	11	2	0
55-64	2	2	2	0	0
GREATER THAN 64	1	1	1	0	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	51	50	47	3	1
FEMALE					
LESS THAN 20	0	0	0	0	0
20-24	0	0	0	0	0
25-34	1	1	1	0	0
35-44	1	1	1	0	0
45-54	0	0	0	0	0
55-64	0	0	0	0	0
GREATER THAN 64	0	0	0	0	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	2	2	2	0	0
BOTH SEXES					
LESS THAN 20	0	0	0	0	0
20-24	1	1	0	1	0
25-34	17	16	16	0	1
35-44	19	19	19	0	0
45-54	13	13	11	2	0
55-64	2	2	2	0	0
GREATER THAN 64	1	1	1	0	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	53	52	49	3	1

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

AIDS

TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	TOTAL DEATHS	***** NON UNDERLYING CAUSES *****									
		038		OTH INFECTIOUS DIS		250		260-269		280-285	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	75	0	0.0	0	0.0	7	9.3	0	0.0	1	1.3
OTH INFECTIOUS DIS	83	4	4.8	0	0.0	3	3.6	3	3.6	2	2.4
250	320	2	6.6	0	0.0	0	0.0	2	0.6	7	2.2
260-269	22	2	9.1	0	0.0	0	0.0	0	0.0	0	0.0
280-285	25	5	20.0	0	0.0	0	0.0	0	0.0	0	0.0
390-398	33	1	3.0	0	0.0	1	3.0	1	3.0	2	6.1
402	69	0	0.0	0	0.0	6	8.7	1	1.4	2	2.9
411	8	0	0.0	0	0.0	1	12.5	0	0.0	0	0.0
413	10	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0
424	88	2	2.3	0	0.0	6	6.8	1	1.1	5	5.7
415-423, 425-429	919	16	1.7	5	0.5	85	9.2	12	1.3	11	1.2
401, 403	54	0	0.0	0	0.0	4	7.4	1	1.9	0	0.0
440	101	2	2.0	0	0.0	6	5.9	0	0.0	4	4.0
480-486	314	26	8.3	0	0.0	24	7.6	3	1.0	8	2.5
490-491	39	1	2.6	0	0.0	2	5.1	0	0.0	1	2.6
492	87	0	0.0	0	0.0	1	1.1	2	2.3	0	0.0
493	22	0	0.0	0	0.0	4	18.2	0	0.0	0	0.0
494-496	478	8	1.7	1	0.2	23	4.8	20	4.2	2	0.4
531-533	18	1	5.6	1	5.6	0	0.0	0	0.0	0	0.0
550-553, 560	239	17	7.1	0	0.0	10	4.2	4	1.7	9	3.8
574-575	19	6	31.6	0	0.0	0	0.0	0	0.0	0	0.0
584-586, 588-589	90	4	4.4	0	0.0	7	7.8	0	0.0	1	1.1
780-799	63	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807, E826-E949	191	6	3.1	0	0.0	6	3.1	1	0.5	2	1.0
RESIDUAL	7,678	214	2.8	28	0.4	424	5.5	146	1.9	125	1.6
STATE TOTALS	11,045	336	3.0	35	0.3	620	5.6	197	1.8	183	1.7

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	***** NON UNDERLYING CAUSES *****									
	390-398		402		411		413		424	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
OTH INFECTIOUS DIS	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
250	1	0.3	7	2.2	0	0.0	3	0.9	1	0.3
260-269	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
280-285	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
390-398	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
402	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
411	0	0.0	0	0.0	0	0.0	1	12.5	0	0.0
413	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0
424	4	4.5	0	0.0	0	0.0	1	1.1	0	0.0
415-423, 425-429	3	0.3	3	0.3	0	0.0	2	0.2	5	0.5
401, 403	0	0.0	0	0.0	0	0.0	0	0.0	3	5.6
440	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
480-486	0	0.0	1	0.3	1	0.3	2	0.6	5	1.6
490-491	0	0.0	0	0.0	1	2.6	2	5.1	0	0.0
492	0	0.0	0	0.0	0	0.0	1	1.1	1	1.1
493	0	0.0	0	0.0	0	0.0	2	9.1	0	0.0
494-496	0	0.0	3	0.6	0	0.0	2	0.4	3	0.6
531-533	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
550-553, 560	0	0.0	2	0.8	0	0.0	2	0.8	3	1.3
574-575	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
584-586, 588-589	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807, E826-E949	0	0.0	0	0.0	0	0.0	1	0.5	5	2.6
RESIDUAL	17	0.2	62	0.8	11	0.1	30	0.4	73	1.0
STATE TOTALS	25	0.2	78	0.7	13	0.1	50	0.5	101	0.9

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	***** NON UNDERLYING CAUSES *****				*****			
	415-423, 425-429		401, 403		440		480-486	490-491
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	18	24.0	2	2.7	0	0.0	5	6.7
OTH INFECTIOUS DIS	9	10.8	2	2.4	0	0.0	6	7.2
250	142	44.4	57	17.8	25	7.8	16	5.0
260-269	2	9.1	0	0.0	0	0.0	6	27.3
280-285	7	28.0	2	8.0	1	4.0	2	8.0
390-398	24	72.7	1	3.0	0	0.0	0	0.0
402	32	46.4	2	2.9	1	1.4	1	1.4
411	7	87.5	1	12.5	0	0.0	0	0.0
413	9	90.0	2	20.0	0	0.0	1	10.0
424	68	77.3	2	2.3	0	0.0	2	2.3
415-423, 425-429	0	0.0	32	3.5	7	0.8	60	6.5
401, 403	15	27.8	0	0.0	11	20.4	2	3.7
440	66	65.3	0	0.0	0	0.0	10	9.9
480-486	71	22.6	11	3.5	11	3.5	0	0.0
490-491	14	35.9	2	5.1	0	0.0	5	12.8
492	28	32.2	2	2.3	3	3.4	19	21.8
493	12	54.5	1	4.5	0	0.0	1	4.5
494-496	159	33.3	8	1.7	6	1.3	97	20.3
531-533	6	33.3	0	0.0	1	5.6	1	5.6
550-553, 560	70	29.3	3	1.3	4	1.7	13	5.4
574-575	1	5.3	1	5.3	0	0.0	0	0.0
584-586, 588-589	37	41.1	0	0.0	1	1.1	9	10.0
780-799	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807, E826-E949	28	14.7	6	3.1	0	0.0	7	3.7
RESIDUAL	1,958	25.5	430	5.6	292	3.8	393	5.1
STATE TOTALS	2,783	25.2	567	5.1	363	3.3	656	5.9
							37	0.3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	***** NON UNDERLYING CAUSES *****									
	492		493		494-496		531-533		550-553,560	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	0	0.0	5	6.7	2	2.7	15	20.0
OTH INFECTIOUS DIS	0	0.0	0	0.0	2	2.4	0	0.0	12	14.5
250	1	0.3	0	0.0	16	5.0	1	0.3	44	13.8
260-269	0	0.0	0	0.0	0	0.0	0	0.0	9	40.9
280-285	0	0.0	0	0.0	1	4.0	0	0.0	5	20.0
390-398	0	0.0	0	0.0	1	3.0	0	0.0	2	6.1
402	0	0.0	1	1.4	3	4.3	0	0.0	8	11.6
411	0	0.0	0	0.0	0	0.0	0	0.0	1	12.5
413	0	0.0	0	0.0	2	20.0	1	10.0	4	40.0
424	1	1.1	0	0.0	7	8.0	0	0.0	19	21.6
415-423,425-429	8	0.9	5	0.5	82	8.9	4	0.4	186	20.2
401,403	0	0.0	0	0.0	4	7.4	2	3.7	10	18.5
440	1	1.0	1	1.0	3	3.0	0	0.0	19	18.8
480-486	6	1.9	2	0.6	30	9.6	1	0.3	314	100.0
490-491	0	0.0	2	5.1	0	0.0	0	0.0	39	100.0
492	0	0.0	0	0.0	0	0.0	0	0.0	87	100.0
493	1	4.5	0	0.0	1	4.5	0	0.0	22	100.0
494-496	1	0.2	0	0.0	0	0.0	5	1.0	478	100.0
531-533	1	5.6	0	0.0	1	5.6	0	0.0	18	100.0
550-553,560	0	0.0	1	0.4	23	9.6	3	1.3	0	0.0
574-575	0	0.0	0	0.0	1	5.3	0	0.0	4	21.1
584-586,588-589	1	1.1	0	0.0	4	4.4	0	0.0	21	23.3
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	2	1.0	2	1.0	4	2.1	1	0.5	27	14.1
RESIDUAL	40	0.5	19	0.2	481	6.3	34	0.4	1,349	17.6
STATE TOTALS	63	0.6	33	0.3	671	6.1	54	0.5	2,693	24.4

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	***** NON UNDERLYING CAUSES *****									
	574-575		584-586, 588-589		780-799		E800-E807, E826-E949		RESIDUAL	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	12	16.0	25	33.3	2	2.7	0	0.0
OTH INFECTIOUS DIS	1	1.2	2	2.4	23	27.7	5	6.0	1	1.2
250	1	0.3	52	16.3	38	11.9	8	2.5	9	2.8
260-269	0	0.0	2	9.1	13	59.1	0	0.0	0	0.0
280-285	0	0.0	2	8.0	5	20.0	0	0.0	3	12.0
390-398	1	3.0	1	3.0	2	6.1	4	12.1	4	12.1
402	0	0.0	1	1.4	5	7.2	3	4.3	23	33.3
411	0	0.0	1	12.5	1	12.5	0	0.0	1	12.5
413	0	0.0	1	10.0	1	10.0	0	0.0	0	0.0
424	0	0.0	10	11.4	13	14.8	7	8.0	12	13.6
415-423, 425-429	1	0.1	60	6.5	149	16.2	29	3.2	159	17.3
401, 403	0	0.0	1	1.9	3	5.6	1	1.9	13	24.1
440	0	0.0	11	10.9	27	26.7	5	5.0	30	29.7
480-486	0	0.0	18	5.7	75	23.9	3	1.0	117	37.3
490-491	1	2.6	3	7.7	19	48.7	4	10.3	13	33.3
492	2	2.3	3	3.4	39	44.8	1	1.1	33	37.9
493	0	0.0	0	0.0	9	40.9	0	0.0	4	18.2
494-496	1	0.2	25	5.2	240	50.2	16	3.3	172	36.0
531-533	0	0.0	0	0.0	5	27.8	2	11.1	6	33.3
550-553, 560	0	0.0	15	6.3	97	40.6	29	12.1	77	32.2
574-575	0	0.0	1	5.3	5	26.3	3	15.8	8	42.1
584-586, 588-589	0	0.0	0	0.0	20	22.2	2	2.2	39	43.3
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807, E826-E949	0	0.0	8	4.2	36	18.8	0	0.0	59	30.9
RESIDUAL	16	0.2	300	3.9	1,024	13.3	536	7.0	0	0.0
STATE TOTALS	24	0.2	529	4.8	1,874	17.0	660	6.0	783	7.1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

INDUCED ABORTIONS



TABLE A-2

INDUCED ABORTIONS BY GESTATION AND TYPE OF ABORTION PROCEDURE
MAINE STATE TOTALS, 1992 (OCCURRENCE DATA)

TERMINATION PROCEDURE	TOTAL	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****													UNK
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	
PRIMARY PROCEDURE THAT TERMINATED PREGNANCY																
SUCTION CURETTAGE	3,104	96.22	1,441	579	440	302	169	96	21	5	2	2	3	1	2	41
SHARP CURETTAGE	7	0.22	1	3	1	2	0	0	0	0	0	0	0	0	0	0
DILATION AND EVACUATION	60	1.86	13	6	1	4	0	1	1	0	5	4	7	4	11	3
SALINE INSTILLATION	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROSTAGLANDIN INSTILLATION	1	0.03	0	0	0	0	0	0	0	0	0	0	0	0	1	0
HYSTEROTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTERECTOMY	2	0.06	2	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	31	0.96	6	9	2	0	0	3	0	0	0	0	1	0	0	10
UNKNOWN	21	0.65	6	5	2	2	1	1	0	0	1	0	0	0	2	1
STATE TOTALS	3,226		1,469	602	446	310	170	101	22	5	8	6	11	5	16	55
PERCENT DISTRIBUTION		100.00	45.54	18.66	13.83	9.61	5.27	3.13	0.68	0.15	0.25	0.19	0.34	0.15	0.50	1.70
ADDITIONAL PROCEDURES USED																
SUCTION CURETTAGE	2	0.10	0	2	0	0	0	0	0	0	0	0	0	0	0	0
SHARP CURETTAGE	1,925	98.97	1,005	308	253	171	75	70	21	4	2	2	1	1	0	12
DILATION AND EVACUATION	14	0.72	5	3	2	0	1	1	0	0	0	0	0	0	0	2
SALINE INSTILLATION	1	0.05	0	1	0	0	0	0	0	0	0	0	0	0	0	0
PROSTAGLANDIN INSTILLATION	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTEROTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	3	0.15	0	0	0	0	1	0	0	0	0	0	0	0	1	1
STATE TOTALS	1,945		1,010	314	255	171	77	71	21	4	2	2	1	1	1	15
PERCENT DISTRIBUTION		100.00	51.93	16.14	13.11	8.79	3.96	3.65	1.08	0.21	0.10	0.10	0.05	0.05	0.05	0.77

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

AWKTRMO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-3

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****													GREATER THAN 19	UNKNOWN
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19			
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10-14	16	0.55	5	1	3	3	1	2	1	0	0	0	0	0	0	0	
15	27	0.92	12	5	6	2	2	0	0	0	0	0	0	0	0	0	
16	68	2.32	23	16	13	7	4	3	0	0	0	0	0	0	0	2	
17	125	4.26	33	23	21	15	12	10	2	0	0	0	1	0	2	6	
18	162	5.52	51	35	23	23	15	10	2	0	0	0	0	0	0	3	
19	174	5.93	65	36	26	20	13	4	2	0	1	0	0	0	2	5	
20-24	969	33.02	442	187	140	99	49	29	8	2	0	2	0	0	2	9	
25-29	633	21.57	298	116	89	50	31	17	1	0	2	1	3	4	7	14	
30-34	425	14.48	219	81	53	36	17	7	0	1	1	2	4	1	0	3	
35-39	229	7.80	145	33	21	6	11	5	0	1	2	0	0	0	2	3	
40-44	72	2.45	40	9	10	5	1	2	0	0	1	1	1	0	1	1	
GREATER THAN 44	3	0.10	2	0	0	0	0	0	0	0	1	0	0	0	0	0	
UNKNOWN	32	1.09	11	5	4	6	2	0	0	0	0	0	0	0	0	4	
STATE TOTALS	2,935		1,346	547	409	272	158	89	16	4	8	6	9	5	16	50	
PERCENT DISTRIBUTION		100.00	45.86	18.64	13.94	9.27	5.38	3.03	0.55	0.14	0.27	0.20	0.31	0.17	0.55	1.70	

RACE OF PATIENT

WHITE	2,791	95.09	1,278	530	382	258	151	85	15	4	8	6	9	5	15	45
BLACK	22	0.75	11	3	3	4	0	0	1	0	0	0	0	0	0	0
AMERICAN INDIAN	22	0.75	7	1	8	2	3	1	0	0	0	0	0	0	0	0
OTHER	100	3.41	50	13	16	8	4	3	0	0	0	0	0	0	1	5
STATE TOTALS	2,935		1,346	547	409	272	158	89	16	4	8	6	9	5	16	50
PERCENT DISTRIBUTION		100.00	45.86	18.64	13.94	9.27	5.38	3.03	0.55	0.14	0.27	0.20	0.31	0.17	0.55	1.70

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON O RECORDS WERE BLANK.

ARACAGER

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-4

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1992 (OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	 WEEKS OF GESTATION													GREATER THAN 19	UNKNOWN
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19			
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10-14	19	0.59	5	1	4	4	1	3	1	0	0	0	0	0	0	0	
15	34	1.05	13	6	6	6	2	1	0	0	0	0	0	0	0	0	
16	75	2.32	24	17	14	8	5	4	1	0	0	0	0	0	0	2	
17	146	4.53	40	26	26	16	14	11	3	0	0	0	2	0	2	6	
18	173	5.36	55	40	25	23	15	10	2	0	0	0	0	0	0	3	
19	191	5.92	71	40	30	21	13	5	3	0	1	0	0	0	2	5	
20-24	1,054	32.67	474	204	151	112	55	32	10	2	0	2	0	0	2	10	
25-29	697	21.61	327	123	99	60	32	21	1	0	2	1	3	4	7	17	
30-34	471	14.60	244	92	54	40	18	7	1	2	1	2	5	1	0	4	
35-39	246	7.63	156	36	22	8	11	5	0	1	2	0	0	0	2	3	
40-44	79	2.45	44	10	11	6	1	2	0	0	1	1	1	0	1	1	
GREATER THAN 44	3	0.09	2	0	0	0	0	0	0	0	1	0	0	0	0	0	
UNKNOWN	38	1.18	14	7	4	6	3	0	0	0	0	0	0	0	0	4	
STATE TOTALS	3,226		1,469	602	446	310	170	101	22	5	8	6	11	5	16	55	
PERCENT DISTRIBUTION		100.00	45.54	18.66	13.83	9.61	5.27	3.13	0.68	0.15	0.25	0.19	0.34	0.15	0.50	1.70	

RACE OF PATIENT

WHITE	3,064	94.98	1,396	581	417	293	160	96	21	5	8	6	11	5	15	50
BLACK	25	0.77	12	3	4	4	1	0	1	0	0	0	0	0	0	0
AMERICAN INDIAN	23	0.71	7	1	8	3	3	1	0	0	0	0	0	0	0	0
OTHER	114	3.53	54	17	17	10	6	4	0	0	0	0	0	0	1	5
STATE TOTALS	3,226		1,469	602	446	310	170	101	22	5	8	6	11	5	16	55
PERCENT DISTRIBUTION		100.00	45.54	18.66	13.83	9.61	5.27	3.13	0.68	0.15	0.25	0.19	0.34	0.15	0.50	1.70

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ARACAGED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-5

INDUCED ABORTIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

MARITAL STATUS	TOTAL INDUCED ABORTIONS	***** RACE *****							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	642	598	93.15	7	1.09	5	0.78	32	4.98
NOT MARRIED	2,154	2,068	96.01	15	0.70	16	0.74	55	2.55
UNKNOWN	139	125	89.93	0	0.00	1	0.72	13	9.35
STATE TOTALS	2,935	2,791	95.09	22	0.75	22	0.75	100	3.41
AGE OF PATIENT(YRS.)									
LESS THAN 10	0	0	0.00	0	0.00	0	0.00	0	0.00
10-14	16	15	93.75	0	0.00	0	0.00	1	6.25
15	27	27	100.00	0	0.00	0	0.00	0	0.00
16	68	68	100.00	0	0.00	0	0.00	0	0.00
17	125	119	95.20	0	0.00	1	0.80	5	4.00
18	162	151	93.21	3	1.85	3	1.85	5	3.09
19	174	163	93.68	1	0.57	3	1.72	7	4.02
20-24	969	927	95.67	8	0.83	5	0.52	29	2.99
25-29	633	611	96.52	5	0.79	4	0.63	13	2.05
30-34	425	400	94.12	2	0.47	3	0.71	20	4.71
35-39	229	214	93.45	1	0.44	1	0.44	13	5.68
40-44	72	65	90.28	2	2.78	1	1.39	4	5.56
GREATER THAN 44	3	3	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	32	28	87.50	0	0.00	1	3.13	3	9.38
TEENAGE TOTALS	572	543	94.93	4	0.70	7	1.22	18	3.15
STATE TOTALS	2,935	2,791	95.09	22	0.75	22	0.75	100	3.41

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON O RECORDS WERE BLANK.

ALEGAGED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-6

INDUCED ABORTIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1992 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL INDUCED ABORTIONS	***** RACE *****							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	688	637	92.59	9	1.31	6	0.87	36	5.23
NOT MARRIED	2,385	2,291	96.06	16	0.67	16	0.67	62	2.60
UNKNOWN	153	136	88.89	0	0.00	1	0.65	16	10.46
STATE TOTALS	3,226	3,064	94.98	25	0.77	23	0.71	114	3.53
AGE OF PATIENT(YRS.)									
LESS THAN 10	0	0	0.00	0	0.00	0	0.00	0	0.00
10-14	19	17	89.47	1	5.26	0	0.00	1	5.26
15	34	34	100.00	0	0.00	0	0.00	0	0.00
16	75	75	100.00	0	0.00	0	0.00	0	0.00
17	146	138	94.52	0	0.00	1	0.68	7	4.79
18	173	162	93.64	3	1.73	3	1.73	5	2.89
19	191	178	93.19	1	0.52	3	1.57	9	4.71
20-24	1,054	1,008	95.64	8	0.76	5	0.47	33	3.13
25-29	697	672	96.41	5	0.72	4	0.57	16	2.30
30-34	471	445	94.48	2	0.42	4	0.85	20	4.25
35-39	246	230	93.50	2	0.81	1	0.41	13	5.28
40-44	79	72	91.14	2	2.53	1	1.27	4	5.06
GREATER THAN 44	3	3	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	38	30	78.95	1	2.63	1	2.63	6	15.79
TEENAGE TOTALS	638	604	94.67	5	0.78	7	1.10	22	3.45
STATE TOTALS	3,226	3,064	94.98	25	0.77	23	0.71	114	3.53

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE A-7

INDUCED ABORTIONS BY MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1992 (RESIDENT* AND OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	***** RESIDENT *****					***** OCCURRENCE *****				
	TOTAL ABORTIONS	PERCENT DISTRIBUTION	MARRIED	NOT MARRIED	UNKNOWN	TOTAL ABORTIONS	PERCENT DISTRIBUTION	MARRIED	NOT MARRIED	UNKNOWN
LESS THAN 10	0	0.00	0	0	0	0	0.00	0	0	0
10-14	16	0.55	0	16	0	19	0.59	0	19	0
15	27	0.92	0	25	2	34	1.05	0	32	2
16	68	2.32	0	65	3	75	2.32	0	71	4
17	125	4.26	1	121	3	146	4.53	1	142	3
18	162	5.52	6	151	5	173	5.36	6	161	6
19	174	5.93	12	149	13	191	5.92	12	164	15
20-24	969	33.02	133	791	45	1,054	32.67	144	862	48
25-29	633	21.57	182	422	29	697	21.61	192	473	32
30-34	425	14.48	153	254	18	471	14.60	166	287	18
35-39	229	7.80	108	109	12	246	7.63	115	119	12
40-44	72	2.45	43	25	4	79	2.45	46	28	5
GREATER THAN 44	3	0.10	1	2	0	3	0.09	1	2	0
UNKNOWN	32	1.09	3	24	5	38	1.18	5	25	8
TEENAGE TOTALS	572	19.49	19	527	26	638	19.78	19	589	30
STATE TOTALS	2,935		642	2,154	139	3,226		688	2,385	153
PERCENT DISTRIBUTION		100.00	21.87	73.39	4.74		100.00	21.33	73.93	4.74

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON O RECORDS WERE BLANK.

AWKAGEO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-8

INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

MARITAL STATUS	TOTAL INDUCED ABORTIONS	***** OUTCOME OF PREVIOUS PREGNANCIES *****																	
		***** LIVE BIRTHS *****						***** INDUCED TERMINATIONS *****						***** SPONTANEOUS TERMINATIONS *****					
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	642	100	165	227	65	34	51	373	174	43	18	9	25	483	92	23	9	6	29
NOT MARRIED	2,154	1,220	451	256	76	22	129	1,357	526	143	46	19	63	1,822	181	34	9	2	106
UNKNOWN	139	57	27	16	6	1	32	73	29	10	2	1	24	91	18	3	0	0	27
STATE TOTALS	2,935	1,377	643	499	147	57	212	1,803	729	196	66	29	112	2,396	291	60	18	8	162
PERCENT DIST.	100.00	46.92	21.91	17.00	5.01	1.94	7.22	61.43	24.84	6.68	2.25	0.99	3.82	81.64	9.91	2.04	0.61	0.27	5.52
AGE OF PATIENT (YRS.)																			
LESS THAN 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	16	16	0	0	0	0	0	12	4	0	0	0	0	15	0	1	0	0	0
15	27	25	1	0	0	0	1	25	1	0	0	0	1	26	0	0	0	0	1
16	68	65	2	0	0	0	1	60	6	1	0	0	1	67	0	0	0	0	1
17	125	105	8	2	0	0	10	102	17	0	0	0	6	111	3	2	0	0	9
18	162	129	20	2	0	0	11	129	21	0	0	0	12	147	3	0	0	1	11
19	174	119	41	9	0	0	5	127	35	6	1	1	4	157	9	4	0	0	4
20-24	969	538	239	114	22	4	52	656	220	41	15	7	30	832	76	12	3	1	45
25-29	633	212	161	135	48	11	66	334	182	59	20	8	30	488	77	15	5	1	47
30-34	425	104	116	115	40	16	34	185	145	53	20	8	14	314	67	14	3	2	25
35-39	229	43	35	88	25	17	21	116	72	25	6	3	7	167	37	8	3	2	12
40-44	72	8	13	26	11	8	6	39	20	4	4	2	3	46	15	4	3	0	4
GREATER THAN 44	3	0	1	0	0	1	1	0	1	1	0	0	1	2	0	0	0	1	0
UNKNOWN	32	13	6	8	1	0	4	18	5	6	0	0	3	24	4	0	1	0	3
TEENAGE TOTALS	572	459	72	13	0	0	28	455	84	7	1	1	24	523	15	7	0	1	26
PERCENT DIST.	100.00	80.24	12.59	2.27	0.00	0.00	4.90	79.55	14.69	1.22	0.17	0.17	4.20	91.43	2.62	1.22	0.00	0.17	4.55
STATE TOTALS	2,935	1,377	643	499	147	57	212	1,803	729	196	66	29	112	2,396	291	60	18	8	162
PERCENT DIST.	100.00	46.92	21.91	17.00	5.01	1.94	7.22	61.43	24.84	6.68	2.25	0.99	3.82	81.64	9.91	2.04	0.61	0.27	5.52

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 0 RECORDS WERE BLANK.

ALEGAGED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-9

INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1992 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL INDUCED ABORTIONS	***** OUTCOME OF PREVIOUS PREGNANCIES *****																	
		***** LIVE BIRTHS *****						***** INDUCED TERMINATIONS *****						***** SPONTANEOUS TERMINATIONS *****					
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	688	113	181	237	69	35	53	400	183	48	20	10	27	522	98	23	9	6	30
NOT MARRIED	2,385	1,357	493	284	81	24	146	1,508	573	159	51	19	75	2,016	201	38	10	2	118
UNKNOWN	153	64	29	16	7	1	36	81	30	11	2	1	28	100	19	3	0	0	31
STATE TOTALS	3,226	1,534	703	537	157	60	235	1,989	786	218	73	30	130	2,638	318	64	19	8	179
PERCENT DIST.	100.00	47.55	21.79	16.65	4.87	1.86	7.28	61.66	24.36	6.76	2.26	0.93	4.03	81.77	9.86	1.98	0.59	0.25	5.55
AGE OF PATIENT (YRS.)																			
LESS THAN 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	19	19	0	0	0	0	0	15	4	0	0	0	0	18	0	1	0	0	0
15	34	32	1	0	0	0	1	32	1	0	0	0	1	33	0	0	0	0	1
16	75	72	2	0	0	0	1	67	6	1	0	0	1	74	0	0	0	0	1
17	146	122	10	2	0	0	12	118	19	1	0	0	8	130	4	2	0	0	10
18	173	137	21	2	0	0	13	136	21	2	0	0	14	156	4	0	0	1	12
19	191	135	41	9	0	0	6	142	35	7	1	1	5	173	9	4	0	0	5
20-24	1,054	592	255	124	25	4	54	715	239	46	15	7	32	907	84	13	3	1	46
25-29	697	235	184	143	49	12	74	366	200	65	22	9	35	537	84	16	5	1	54
30-34	471	119	129	128	42	16	37	208	158	58	24	8	15	351	74	14	3	2	27
35-39	246	48	39	93	27	18	21	126	76	27	7	3	7	179	40	9	4	2	12
40-44	79	8	13	28	13	9	8	43	21	4	4	2	5	51	15	5	3	0	5
GREATER THAN 44	3	0	1	0	0	1	1	0	1	1	0	0	1	2	0	0	0	1	0
UNKNOWN	38	15	7	8	1	0	7	21	5	6	0	0	6	27	4	0	1	0	6
TEENAGE TOTALS	638	517	75	13	0	0	33	510	86	11	1	1	29	584	17	7	0	1	29
PERCENT DIST.	100.00	81.03	11.76	2.04	0.00	0.00	5.17	79.94	13.48	1.72	0.16	0.16	4.55	91.54	2.66	1.10	0.00	0.16	4.55
STATE TOTALS	3,226	1,534	703	537	157	60	235	1,989	786	218	73	30	130	2,638	318	64	19	8	179
PERCENT DIST.	100.00	47.55	21.79	16.65	4.87	1.86	7.28	61.66	24.36	6.76	2.26	0.93	4.03	81.77	9.86	1.98	0.59	0.25	5.55

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

ALEGAGER

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-10

INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE
MAINE STATE TOTALS, 1992 (OCCURRENCE DATA)

STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
ALABAMA	1	MARYLAND	0	SOUTH CAROLINA	0
ALASKA	0	MASSACHUSETTS	34	SOUTH DAKOTA	0
ARIZONA	0	MICHIGAN	0	TENNESSEE	0
ARKANSAS	0	MINNESOTA	0	TEXAS	0
CALIFORNIA	0	MISSISSIPPI	0	UTAH	0
COLORADO	0	MISSOURI	0	VERMONT	1
CONNECTICUT	1	MONTANA	0	VIRGINIA	1
DELAWARE	0	NEBRASKA	0	WASHINGTON	0
DIST OF COLUMBIA	0	NEVADA	0	WEST VIRGINIA	0
FLORIDA	1	NEW HAMPSHIRE	105	WISCONSIN	0
GEORGIA	0	NEW JERSEY	0	WYOMING	0
HAWAII	0	NEW MEXICO	0	PUERTO RICO	0
IDAHO	0	NEW YORK	1	VIRGIN ISLANDS	0
ILLINOIS	0	NORTH CAROLINA	0	GUAM	0
INDIANA	0	NORTH DAKOTA	0	CANADA	76
IOWA	0	OHIO	0	CUBA	0
KANSAS	0	OKLAHOMA	0	MEXICO	0
KENTUCKY	0	OREGON	0	OTHER W. HEMISPHERE	0
LOUISIANA	0	PENNSYLVANIA	1	REST OF THE WORLD	1
MAINE	2,935	RHODE ISLAND	0	STATE/CNTRY UNKNOWN	68
				TOTAL	3,226

ASTCNTY

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

MARRIAGES

TABLE M-1

MARRIAGES BY AGE OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

AGE OF GROOM (YRS.)	TOTAL MARRIAGES	PERCENT DIST.	***** AGE OF BRIDE (YRS.) *****														
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
UNDER 16	1	0.01	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
16-17	14	0.14	0	5	6	2	0	0	1	0	0	0	0	0	0	0	0
18-19	281	2.84	3	28	148	62	18	7	7	2	5	1	0	0	0	0	0
20-21	775	7.84	2	46	251	283	109	48	13	8	8	4	2	0	0	0	1
22-23	1,066	10.78	1	16	148	312	354	116	55	21	35	5	2	0	0	0	1
24-25	1,183	11.96	1	7	74	242	332	265	110	58	63	24	7	0	0	0	0
26-27	1,032	10.44	0	3	35	123	200	227	198	97	110	27	10	2	0	0	0
28-29	919	9.29	0	2	26	68	137	175	162	146	144	39	12	7	1	0	0
30-34	1,626	16.44	0	1	25	59	131	177	234	250	471	196	58	22	1	1	0
35-39	1,045	10.57	0	0	3	28	30	60	83	94	311	294	106	31	5	0	0
40-44	704	7.12	0	0	0	3	12	21	21	36	151	191	170	83	16	0	0
45-49	470	4.75	0	0	1	3	6	9	12	16	60	97	122	101	43	0	0
50-64	559	5.65	0	1	1	2	2	0	6	7	30	52	100	150	195	13	0
OVER 64	212	2.14	0	0	0	0	0	0	0	1	1	7	13	17	80	93	0
UNKNOWN	1	0.01	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	9,888		7	109	718	1,188	1,332	1,105	902	736	1,389	937	602	413	341	107	2
PERCENT DISTRIBUTION		100.00	0.07	1.10	7.26	12.01	13.47	11.18	9.12	7.44	14.05	9.48	6.09	4.18	3.45	1.08	0.02

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAGERES

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-2

MARRIAGES BY YEARS OF EDUCATION OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	EDUCATION OF BRIDE(YRS.)												UNKNOWN
			UNDER 8	8	9	10	11	12	13	14	15	16	OVER 16		
UNDER 8	63	0.64	13	8	5	3	11	18	1	3	0	0	0	1	
8	164	1.66	7	24	8	16	16	74	6	6	2	4	0	1	
9	179	1.81	0	9	27	11	21	78	12	9	1	6	5	0	
10	291	2.94	3	8	16	39	24	165	15	10	2	6	3	0	
11	315	3.19	3	12	22	31	43	158	20	12	5	6	3	0	
12	4,111	41.58	12	44	77	125	175	2,354	389	441	123	272	82	17	
13	599	6.06	2	5	7	9	10	231	113	94	32	68	23	5	
14	929	9.40	0	1	3	9	8	348	115	181	51	162	49	2	
15	278	2.81	0	1	0	2	1	73	28	46	31	70	25	1	
16	1,092	11.04	2	4	2	5	3	199	74	145	65	473	119	1	
OVER 16	538	5.44	0	1	0	0	1	72	38	51	23	168	181	3	
UNKNOWN	1,329	13.44	1	0	0	0	3	19	5	4	2	2	1	1,292	
STATE TOTALS	9,888		43	117	167	250	316	3,789	816	1,002	337	1,237	491	1,323	
PERCENT DISTRIBUTION		100.00	0.43	1.18	1.69	2.53	3.20	38.32	8.25	10.13	3.41	12.51	4.97	13.38	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MEDUCR

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-3

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS
MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	AGE OF BRIDE(YRS.)															OVER 64	UNKNOWN
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64				
BRIDE																			
SINGLE	5,963	60.31	6	109	712	1,146	1,212	915	624	418	522	182	80	23	9	3	2		
WIDOWED	332	3.36	0	0	1	1	1	2	1	2	17	40	42	40	105	80	0		
DIVORCED	3,586	36.27	1	0	5	41	119	188	276	315	849	713	479	350	226	24	0		
ANNULLED	5	0.05	0	0	0	0	0	0	1	0	1	1	1	0	1	0	0		
UNKNOWN	2	0.02	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0		
BRIDE TOTALS	9,888		7	109	718	1,188	1,332	1,105	902	736	1,389	937	602	413	341	107	2		
PERCENT DIST.		100.00	0.07	1.10	7.26	12.01	13.47	11.18	9.12	7.44	14.05	9.48	6.09	4.18	3.45	1.08	0.02		

	TOTAL	PERCENT	AGE OF GROOM(YRS.)															OVER	UNKNOWN
	MARRIAGES	DIST.	UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	64			
GROOM																			
SINGLE	6,105	61.74	1	14	281	762	1,027	1,071	867	689	880	308	137	36	26	5	1		
WIDOWED	317	3.21	0	0	0	0	0	0	1	0	17	15	15	26	97	146	0		
DIVORCED	3,459	34.98	0	0	0	13	39	110	164	229	728	721	550	408	436	61	0		
ANNULLED	4	0.04	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0		
UNKNOWN	3	0.03	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0		
GROOM TOTALS	9,888		1	14	281	775	1,066	1,183	1,032	919	1,626	1,045	704	470	559	212	1		
PERCENT DIST.		100.00	0.01	0.14	2.84	7.84	10.78	11.96	10.44	9.29	16.44	10.57	7.12	4.75	5.65	2.14	0.01		

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAGESTA

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-4

MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

NUMBER OF PREVIOUS MARRIAGES OF GROOM	TOTAL MARRIAGES	PERCENT DISTRIBUTION	***** NUMBER OF PREVIOUS MARRIAGES OF BRIDE *****									
			0	1	2	3	4	5	6	7	8	UNKNOWN
0	6,105	61.74	4,824	1,056	182	37	4	0	2	0	0	0
1	2,847	28.79	937	1,403	390	87	25	3	1	0	0	1
2	750	7.58	177	351	160	44	10	5	2	0	1	0
3	143	1.45	20	62	30	25	4	2	0	0	0	0
4	37	0.37	4	17	8	6	1	1	0	0	0	0
5	2	0.02	0	0	2	0	0	0	0	0	0	0
6	1	0.01	0	0	1	0	0	0	0	0	0	0
7	0	0.00	0	0	0	0	0	0	0	0	0	0
8	0	0.00	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	9,888		5,964	2,890	773	199	44	11	5	0	1	1
PERCENT DISTRIBUTION		100.00	60.32	29.23	7.82	2.01	0.44	0.11	0.05	0.00	0.01	0.01

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MPREMAR

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

APPENDICES

1. FIRST NAME		10. MIDDLE NAME		15. LAST NAME		16. JR. ETC.		17. SEX	
2. DATE OF BIRTH (Mo./Day/Year)		3. TIME OF BIRTH		4. COUNTY OF BIRTH		5. CITY OR TOWN OF BIRTH			
7. PLACE OF BIRTH		8. FACILITY NAME (if not registered, give street and number)							
9. I certify that this child was born alive at the place and time and on the date stated		10. DATE SIGNED (Mo./Day/Year)		11. ATTENDANT'S NAME AND TITLE (if other than certified (Type/print)					
12. CERTIFIER'S NAME AND TITLE (Type/print)		13. ATTENDANT'S MARITAL ADDRESS (Street and Number or Rural Route Number, City or Town, State, Zip Code)							
14. REGISTRAR'S SIGNATURE		15. DATE FILED BY REGISTRAR (Mo./Day/Year)							
18a. FIRST NAME		18b. MIDDLE NAME		18c. LAST NAME		17. MOTHER'S SURNAME			
18. DATE OF BIRTH (Mo./Day/Year)		19. BIRTHPLACE (State or Foreign Country)		20. RESIDENCE STATE		21. COUNTY		22. CITY OR TOWN	
23. MOTHER'S MAILING ADDRESS		24. ZIP CODE		25. YEARS (Living in present town)					
26a. FIRST NAME		26b. MIDDLE NAME		26c. LAST NAME		26d. JR. ETC.			
27. DATE OF BIRTH (Mo./Day/Year)		28. BIRTHPLACE (State or Foreign Country)							
29. I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief		Signature of Parent or Other Informant							

VS1-R1/92

30. MOTHER MARRIED (at birth or otherwise) ☐ Yes ☐ No

31. CHILD (LEGITIMATE) ☐ Yes ☐ No

ORIGINAL-STATE

CONFIDENTIAL: NEITHER MARITAL STATUS NOR THE INFORMATION BELOW WILL APPEAR ON CERTIFIED COPIES OF THE RECORD

32a. LIVE BIRTH (Do not use later than child's birth)		32b. OTHER TERMINATIONS		33. DATE LAST NORMAL MENSTRUATION (Mo./Day/Year)		34. Parental consent for issuance of Birth Security Number ☐ Yes ☐ No	
35a. New Living ☐ 35b. New Dead ☐		36. Spontaneous ☐ 36b. Induced ☐		37. MONTH OF PREGNANCY PRENATAL CARE (Begin - First Second Third etc. (Specify))		38. PRENATAL VISITS - Total Number (If none, so state)	
39. Name ☐ 39b. Name ☐		40. DATE OF LAST OTHER TERMINATION (Month/Year)		41. BIRTH WEIGHT (Specify unit)		42. CLINICAL ESTIMATE OF GESTATION (Weeks)	
43. 1 Minute		44. 5 Minutes		45. MOTHER TRANSFERRED PRIOR TO DELIVERY? ☐ No ☐ Yes (If Yes, enter name of facility transferred to)		46. IF NOT SINGLE BIRTH - Born First Second Third etc. (Specify)	
47. SOCIAL SECURITY NUMBER		48. ANCESTRY (French, English, Irish, etc. (Specify))		49. RACE (American Indian, Black, White, etc. (Specify))		50. EDUCATION (Specify only highest grade completed)	
51. MOTHER		52. FATHER		53. MOTHER		54. FATHER	
55. MOTHER		56. FATHER		57. MOTHER		58. FATHER	
59. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)		60. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)		61. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)		62. CONGENITAL ANOMALIES OF CHILD (Check all that apply)	
63. Gestational diabetes		64. Tobacco use during pregnancy		65. Fetal distress		66. Anencephalus	
67. Diabetes, gestational		68. Average number cigarettes per day		69. Premature rupture of membranes (>12 hours)		67. Spina bifida / Meningocele	
71. Gestational hypertension		72. Average number drinks per day		70. Abruptio placentae		68. Hydrocephalus	
75. Hypertension, pregnancy associated		76. Weight gained during pregnancy		71. Placenta previa		69. Other central nervous system anomalies (Specify)	
79. Pre-eclampsia or preeclampsia		80. Weight gained during pregnancy		72. Other intrauterine bleeding		70. Heart malformations (Specify)	
83. Pre-eclampsia or preeclampsia		84. Weight gained during pregnancy		73. Shoulder dystocia		71. Other ocular / respiratory anomalies (Specify)	
87. Pre-eclampsia or preeclampsia		88. Weight gained during pregnancy		74. Prolonged labor (>18 hours)		72. Nasal atresia / stenosis	
91. Pre-eclampsia or preeclampsia		92. Weight gained during pregnancy		75. Dysfunctional labor		73. Tracheo-esophageal fistula / Esophageal atresia	
95. Pre-eclampsia or preeclampsia		96. Weight gained during pregnancy		76. Breech / Malpresentation		74. Omphalocele / Gastroschisis	
99. Pre-eclampsia or preeclampsia		100. Weight gained during pregnancy		77. Cephalopelvic disproportion		75. Other gastrointestinal anomalies (Specify)	
103. Pre-eclampsia or preeclampsia		104. Weight gained during pregnancy		78. Cord prolapse		76. Malformed genitalia	
107. Pre-eclampsia or preeclampsia		108. Weight gained during pregnancy		79. Anesthetic complications		77. Renal anomalies	
111. Pre-eclampsia or preeclampsia		112. Weight gained during pregnancy		80. Fetal distress		78. Other congenital anomalies (Specify)	
115. Pre-eclampsia or preeclampsia		116. Weight gained during pregnancy		81. Other		79. Down's syndrome	
119. Pre-eclampsia or preeclampsia		120. Weight gained during pregnancy		82. Other		80. Other chromosomal anomalies (Specify)	
123. Pre-eclampsia or preeclampsia		124. Weight gained during pregnancy		83. Other		81. Other	
127. Pre-eclampsia or preeclampsia		128. Weight gained during pregnancy		84. Other		82. Other	
131. Pre-eclampsia or preeclampsia		132. Weight gained during pregnancy		85. Other		83. Other	
135. Pre-eclampsia or preeclampsia		136. Weight gained during pregnancy		86. Other		84. Other	
139. Pre-eclampsia or preeclampsia		140. Weight gained during pregnancy		87. Other		85. Other	
143. Pre-eclampsia or preeclampsia		144. Weight gained during pregnancy		88. Other		86. Other	
147. Pre-eclampsia or preeclampsia		148. Weight gained during pregnancy		89. Other		87. Other	
151. Pre-eclampsia or preeclampsia		152. Weight gained during pregnancy		90. Other		88. Other	
155. Pre-eclampsia or preeclampsia		156. Weight gained during pregnancy		91. Other		89. Other	
159. Pre-eclampsia or preeclampsia		160. Weight gained during pregnancy		92. Other		90. Other	
163. Pre-eclampsia or preeclampsia		164. Weight gained during pregnancy		93. Other		91. Other	
167. Pre-eclampsia or preeclampsia		168. Weight gained during pregnancy		94. Other		92. Other	
171. Pre-eclampsia or preeclampsia		172. Weight gained during pregnancy		95. Other		93. Other	
175. Pre-eclampsia or preeclampsia		176. Weight gained during pregnancy		96. Other		94. Other	
179. Pre-eclampsia or preeclampsia		180. Weight gained during pregnancy		97. Other		95. Other	
183. Pre-eclampsia or preeclampsia		184. Weight gained during pregnancy		98. Other		96. Other	
187. Pre-eclampsia or preeclampsia		188. Weight gained during pregnancy		99. Other		97. Other	
191. Pre-eclampsia or preeclampsia		192. Weight gained during pregnancy		100. Other		98. Other	
195. Pre-eclampsia or preeclampsia		196. Weight gained during pregnancy		101. Other		99. Other	
199. Pre-eclampsia or preeclampsia		200. Weight gained during pregnancy		102. Other		100. Other	

SEND THIS SHEET TO:
OFFICE OF VITAL STATISTICS
State House Station #11
Augusta, Maine 04333-0011

NOT A LEGAL COPY



STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES (118)
CERTIFICATE OF FETAL DEATH

FEDERAL BUREAU OF INVESTIGATION DEPARTMENT OF JUSTICE		CERTIFICATE OF DEATH	
THIS DELIVERY	1. NAME OF DECEASED (Last, first, middle, and all nicknames, given name and surname)		2. DATE OF DEATH (mo., day, yr.)
	3. SEX OF DECEASED		4. CITY OR TOWN OF DEATH
	5a. FIRST NAME	5b. MIDDLE NAME	5c. LAST NAME
MOTHER	6. DATE OF BIRTH (mo., day, yr.)		7. RESIDENCE STATE
	8. STREET AND NUMBER		9. CITY OR TOWN
	10. FIRST NAME		11. LAST NAME
FATHER	12. DATE OF BIRTH (mo., day, yr.)		13. RESIDENCE STATE
	14. STREET AND NUMBER		15. CITY OR TOWN
	16. FIRST NAME		17. LAST NAME
CERTIFIER	18. NAME OF DECEASED (Last, first, middle, and all nicknames, given name and surname)		19. DATE OF DEATH (mo., day, yr.)
	20. STREET AND NUMBER		21. CITY OR TOWN
	22. FIRST NAME		23. LAST NAME
DISPOSITION	24. NAME OF DECEASED (Last, first, middle, and all nicknames, given name and surname)		25. DATE OF DEATH (mo., day, yr.)
	26. STREET AND NUMBER		27. CITY OR TOWN
	28. FIRST NAME		29. LAST NAME
CAUSE OF FETAL DEATH	30. NAME OF DECEASED (Last, first, middle, and all nicknames, given name and surname)		31. DATE OF DEATH (mo., day, yr.)
	32. STREET AND NUMBER		33. CITY OR TOWN
	34. FIRST NAME		35. LAST NAME
36. NAME OF DECEASED (Last, first, middle, and all nicknames, given name and surname) 37. DATE OF DEATH (mo., day, yr.) 38. STREET AND NUMBER 39. CITY OR TOWN 40. FIRST NAME 41. LAST NAME 42. NAME OF DECEASED (Last, first, middle, and all nicknames, given name and surname) 43. DATE OF DEATH (mo., day, yr.) 44. STREET AND NUMBER 45. CITY OR TOWN 46. FIRST NAME 47. LAST NAME			

VT-81/82

ORIGINAL COPY STATE

24. MOTHER MAINTAINS AN INTEREST IN EDUCATION

☐ Yes ☐ No

CONFIDENTIAL: NEITHER MARITAL STATUS NOR THE INFO BELOW WILL APPEAR ON CERTIFIED COPIES OF THE RECORD

[illegible]



NAME KNOWN TO PHYSICIAN

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
CERTIFICATE OF DEATH

Table C-3

(118)

State File No.

1a. FIRST NAME		1b. MIDDLE NAME		1c. LAST NAME		1d. JR.				
2. DATE OF DEATH (Mth., Day, Yr.)		3. SEX	4. SOCIAL SECURITY NUMBER		5a. AGE (Yr.) - Last birthday		5b. UNDER 1 YEAR Months Days	5c. UNDER 1 DAY Hours Minutes	6. DATE OF BIRTH (Mth., Day, Yr.)	
7. BIRTHPLACE (City and State or Foreign Country)			8. WAS DECEDENT EVER IN U.S. ARMED FORCES? - Yes ☐ No ☐		9. PLACE OF DEATH (Check only one, and instructions on other side) HOSPITAL ☐ HOME ☐ ENDOUSSEMENT ☐ DCA ☐ OTHER ☐ Nursing Home ☐ Residence ☐ Other (Specify)					
10. FACILITY NAME (If not institution, give street and number)				11. COUNTY OF DEATH			12. CITY OR TOWN OF DEATH			
13. MARITAL STATUS - Married, Never Married, Widowed, Divorced (Specify)		14. MOST RECENT SPOUSE (If wife, give maiden name) ☐ Living ☐ Deceased		15. DECEDENT'S USUAL OCCUPATION (Give kind of work done during most of working life. Do not use retired.)			16. KIND OF BUSINESS / INDUSTRY			
17. DECEDENT'S EDUCATION (Specify only highest grade completed) Elementary/Secondary (K-12) College (1-4 or 5-6)			18. ANCESTRY - French, English, Irish, etc. (Specify)			19. RACE - American Indian, Black, White, etc. (Specify)				
20. RESIDENCE - STATE		21. COUNTY		22. CITY OR TOWN		23. STREET AND NUMBER				
FATHER'S		24a. FIRST NAME		24b. MIDDLE NAME		24c. LAST NAME		24d. JR.		
MOTHER'S		25a. FIRST NAME		25b. MIDDLE NAME		25c. MAIDEN SURNAME				
26. INFORMANT - NAME (Type/print)		27. MAILING ADDRESS (Street and number or Rural Route number, City or Town, State, ZIP Code)								
28. METHOD OF DISPOSITION ☐ Burial ☐ Cremation ☐ Reinterment in vault ☐ Donation ☐ Other (Specify)		29. PLACE OF DISPOSITION (Specify if cemetery, crematory, or other place)			30. LOCATION - City or Town, State					
31. SIGNATURE OF FUNERAL DIRECTOR OR AUTHORIZED PERSON		32. NAME AND ADDRESS OF FACILITY OR AUTHORIZED PERSON					33. DATE OF DISPOSITION (Mth., Day, Yr.)			
34. MEDICAL EXAMINER On the basis of examination under investigation, in any case, I am satisfied of the cause, manner and time of death and due to the decedent and hereby so certify. Signature and Title		35. DATE SIGNED (Mth., Day, Yr.)					36. VIEWED BODY A DEATH?			
37. CERTIFYING PHYSICIAN To the best of my knowledge, death resulting at the time, date, and place, and due to the decedent and hereby so certify. Signature and Title		38. TIME OF DEATH ☐ AM ☐ PM								
39. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type/print)		40. NAME AND ADDRESS OF CERTIFIER (Type/print)								
41. REGISTRAR'S SIGNATURE		42. DATE FILED (Mth., Day, Yr.)								
43. WAS AN AUTOPSY PERFORMED? ☐ Yes ☐ No		44. MANNER OF DEATH ☐ Natural ☐ Accident ☐ Suicide ☐ Homicide ☐ Pending investigation ☐ Could not be determined		45. INJURY AT THE SCENE? ☐ Yes ☐ No		46. DATE OF INJURY (Mth., Day, Yr.)		47. DESCRIBE HOW INJURY OCCURRED		
48. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? ☐ Yes ☐ No		49. TIME OF INJURY ☐ AM ☐ PM		50. PLACE OF INJURY - At home, work, school, street, other building, etc. (Specify)		51. LOCATION (Street and number or Rural Route number, City or Town, State)				
52. PART I. Enter the immediate, proximate, or contributing causes which caused the death. Do not enter the mode of dying, such as asphyxia or respiratory arrest, shock, or heart failure. List only one cause per death line. IMMEDIATE CAUSE (Final disease or condition resulting in death) Sequentially list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury which produced events resulting in death) LAST a. DUE TO IOR AS A CONSEQUENCE OF: b. DUE TO IOR AS A CONSEQUENCE OF: c. DUE TO IOR AS A CONSEQUENCE OF: d. PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I. If not specified in Part I, indicate if the condition was progressive or less than 90 days prior to death at time of death.										

VS3-R1/90

SHADED AREAS FOR MEDICAL EXAMINER USE ONLY

ORIGINAL COPY STATE

Item 9 — Place of Death

If the death occurred in a hospital, check the box indicating the decedent's status at the institution (inpatient, emergency room/outpatient, or dead on arrival (DOA)). If death occurred elsewhere, check the box indicating whether death occurred at a nursing home, residence or other location. If other is checked, specify where death occurred, e.g. a physician's office, the place where the accident occurred or at work.

Items 20-23 — Residence of Decedent

Residence of the decedent is the place where he or she actually resided. This is not necessarily the same as "home state" or "legal residence." Never enter a temporary residence such as one used during a visit, business trip or a vacation. Place of residence during a tour of military duty or during attendance at college is not considered as temporary and should be considered as the place of residence.

If a decedent had been living in a facility where an individual usually resides for a long period of time such as a group home, mental institution, nursing home, penitentiary or hospital for the chronically ill, report the location of that facility in items 20 through 23.

If the decedent was an infant who never resided at home, the place of residence is that of the parent(s) or legal guardian. Do not use an acute care hospital's location as the place of residence of an infant.

Items 34-51 — Medical Certification

When the circumstances of death make it a medical examiner case as defined in 22 M.R.S.A. §3025, the MEDICAL EXAMINER is responsible for completing all items in this section. The shaded areas, item 34 and items 46-51 are to be used only by the Medical Examiner. If the manner of death indicated in item 45 is anything other than natural causes, the certificate must be completed by a medical examiner.

Item 52. — Cause of Death

The cause of death means the disease, abnormality, injury or poisoning that caused the death, not the mode of dying, such as cardiac or respiratory arrest, shock or heart failure.

In Part I, the immediate cause of death is reported on line (a). Antecedent conditions, if any, which gave rise to the cause are reported on lines (b), (c), and (d). The underlying cause should be reported on the last line used in Part I. NO entry is necessary on lines (b), (c) and (d) if the immediate cause of death on line (a) describes completely the train of events. **ONLY ONE CAUSE SHOULD BE ENTERED ON A LINE.** Additional lines may be added if necessary. Provide the best estimate of the interval between the onset of each condition and death. Do not leave the interval blank; if unknown, so specify.

In Part II, enter other important diseases or conditions that may have contributed to death but did not result in the underlying cause of death given in Part I.

See examples below

43. WAS AN AUTOPSY PERFORMED? ☒ Yes ☐ No	45. MANNER OF DEATH ☒ Natural ☐ Accident ☐ Suicide ☐ Homicide ☐ Pending investigation ☐ Could not be determined	46. INJURY AT WORK? ☐ Yes ☐ No	47. DATE OF INJURY (Mo., Day, Yr.) 11/15/88	48. DESCRIBE HOW INJURY OCCURRED 2 car collision—driver
44. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? ☒ Yes ☐ No			49. TIME OF INJURY 1:00 ☐ AM ☒ PM	50. PLACE OF INJURY — At home, farm, street, factory, office building, etc. (Specify) Street
			51. LOCATION (Street and Number or Rural Route Number, City or Town, State) Route 4, Augusta, Maine	

CONFIDENTIAL INFORMATION	PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per each line.		Approximate Interval Between Onset and Death
	IMMEDIATE CAUSE (Final disease or condition resulting in death.) a. Rupture of myocardium DUE TO (OR AS A CONSEQUENCE OF)		Mins.
	Sequitely list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury which initiated events resulting in death) LAST b. Acute myocardial infarction DUE TO (OR AS A CONSEQUENCE OF)		6 days
	c. Chronic ischemic heart disease DUE TO (OR AS A CONSEQUENCE OF)		5 years
PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I. Diabetes, Chronic obstructive pulmonary disease, smoking			

43. WAS AN AUTOPSY PERFORMED? ☐ Yes ☒ No	45. MANNER OF DEATH ☒ Natural ☐ Accident ☐ Suicide ☐ Homicide ☐ Pending investigation ☐ Could not be determined	46. INJURY AT WORK? ☐ Yes ☒ No	47. DATE OF INJURY (Mo., Day, Yr.) 11/15/88	48. DESCRIBE HOW INJURY OCCURRED 2 car collision—driver
44. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? ☐ Yes ☒ No			49. TIME OF INJURY 1:00 ☐ AM ☒ PM	50. PLACE OF INJURY — At home, farm, street, factory, office building, etc. (Specify) Street
			51. LOCATION (Street and Number or Rural Route Number, City or Town, State) Route 4, Augusta, Maine	

CONFIDENTIAL INFORMATION	PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per each line.		Approximate Interval Between Onset and Death
	IMMEDIATE CAUSE (Final disease or condition resulting in death.) a. Cerebral laceration DUE TO (OR AS A CONSEQUENCE OF)		10 mins.
	Sequitely list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury which initiated events resulting in death) LAST b. Open skull fracture DUE TO (OR AS A CONSEQUENCE OF)		10 mins.
	c. Automobile accident DUE TO (OR AS A CONSEQUENCE OF)		10 mins.
PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I.			

**STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES (118)
LICENSE AND CERTIFICATE OF MARRIAGE**

Table C-4

		1a FIRST NAME		1b MIDDLE NAME		1c LAST NAME		1d DATE OF BIRTH (Mo., Day, Yr.)	
GROOM	2 AGE LAST BIRTHDAY	3 RESIDENCE - STATE		4 COUNTY		5 CITY OR TOWN			
	6 STREET AND NUMBER					7 BIRTHPLACE (State or Foreign Country)			8 DATE OF BIRTH (Mo., Day, Yr.)
	9 FATHER'S NAME (First, Middle, Last)			10 BIRTHPLACE (State or Foreign Country)		11 MOTHER'S NAME (First, Middle, Maiden Surname)			12 BIRTHPLACE (State or Foreign Country)
		13a FIRST NAME		13b MIDDLE NAME		13c MAIDEN SURNAME			
BRIDE	14 CURRENT LAST NAME		15 AGE LAST BIRTHDAY	16 RESIDENCE - STATE		17 COUNTY		18 CITY OR TOWN	
	19 STREET AND NUMBER					20 BIRTHPLACE (State or Foreign Country)			21 DATE OF BIRTH (Mo., Day, Yr.)
	22 FATHER'S NAME (First, Middle, Last)			23 BIRTHPLACE (State or Foreign Country)		24 MOTHER'S NAME (First, Middle, Maiden Surname)			25 BIRTHPLACE (State or Foreign Country)
MARITAL STATUS	GROOM				BRIDE				
	NUMBER OF THIS MARRIAGE		27 IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED			NUMBER OF THIS MARRIAGE		28 IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED	
26 First, Second, etc. (Specify)		☐ DEATH ☐ DIVORCE ☐ ANNULMENT		DATE (Mo., Day, Yr.)		26 First, Second, etc. (Specify)		☐ DEATH ☐ DIVORCE ☐ ANNULMENT	
SIGNATURES	First cousins are required by law to obtain a certificate of genetic counseling by a physician. I HEREBY CERTIFY THAT THE INFORMATION PROVIDED IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND THAT I AM FREE TO MARRY UNDER THE LAWS OF MAINE								
	30 GROOM'S SIGNATURE					31 BRIDE'S SIGNATURE			
LICENSE TO MARRY	ANY DULY AUTHORIZED PERSON IS HEREBY AUTHORIZED TO MARRY THE ABOVE-NAMED PARTIES UNDER THE LAWS OF MAINE					32 DATE INTENTIONS FILED (Mo., Day, Yr.)		33 DATE LICENSE ISSUED (Mo., Day, Yr.)	
						35 SIGNATURE OF ISSUING CLERK		36 CITY OR TOWN OF ISSUE	
THE LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAINE									
CEREMONY	37 I CERTIFY THAT THE ABOVE NAMED PERSONS WERE MARRIED ON			(Mo., Day, Yr.)		38 WHERE MARRIED - CITY OR TOWN		39 COUNTY	
	40 SIGNATURE OF PERSON PERFORMING CEREMONY			41 NAME (Type/Print)			42 TITLE		43 DATE OF COMMISSION OR LICENSE (Mo., Day, Yr.) ADMITTED TO ME (S/P)
	44a RESIDENCE OF PERSON PERFORMING CEREMONY			44b MAILING ADDRESS OF PERSON PERFORMING CEREMONY					
WITNESSES SIGNATURES	45a SIGNATURE OF WITNESS TO CEREMONY					45b TYPED OR PRINTED NAME OF WITNESS			
	46a SIGNATURE OF WITNESS TO CEREMONY					46b TYPED OR PRINTED NAME OF WITNESS			
CLERK	47 REGISTRAR'S SIGNATURE					48 DATE FILED (Mo., Day, Yr.)			

CONFIDENTIAL. THE INFORMATION BELOW WILL NOT APPEAR ON CERTIFIED COPIES OF THE RECORD

GROOM'S RACE		GROOM'S EDUCATION (Specify only highest grade completed)		BRIDE'S RACE		BRIDE'S EDUCATION (Specify only highest grade completed)	
49 American Indian, Black, White, etc. (Specify)	50 Elementary/Secondary (0-12)	College (1-4 or 5+)		51 American Indian, Black, White, etc. (Specify)	52 Elementary/Secondary (0-12)	College (1-4 or 5+)	

COPY — STATE

CONSENT OF PARENTS OR GUARDIAN

CONSENT FOR BRIDE	WE HEREBY GIVE CONSENT TO THE MARRIAGE OF OUR DAUGHTER OR Niece		
	SIGNATURE OF PARENT OR GUARDIAN		SIGNATURE OF PARENT OR GUARDIAN
	SIGNED BEFORE ME	CLERK OR DEPUTY	TOWN

CONSENT FOR GROOM	WE HEREBY GIVE CONSENT TO THE MARRIAGE OF OUR SON OR Nephew		
	SIGNATURE OF PARENT OR GUARDIAN		SIGNATURE OF PARENT OR GUARDIAN
	SIGNED BEFORE ME ON	CLERK OR DEPUTY	TOWN

SAMPLE

DISSOLUTION OF FORMER MARRIAGE

GROOM	DIVORCE (NAME OF FORMER SPOUSE)	DATE OF DIVORCE	NAME AND LOCATION OF COURT
	ANNULMENT (NAME OF FORMER SPOUSE)	DATE OF ANNULMENT	NAME AND LOCATION OF COURT
	DEATH (NAME OF FORMER SPOUSE)	DATE OF DEATH	PLACE OF DEATH
BRIDE	DIVORCE (NAME OF FORMER SPOUSE)	DATE OF DIVORCE	NAME AND LOCATION OF COURT
	ANNULMENT (NAME OF FORMER SPOUSE)	DATE OF ANNULMENT	NAME AND LOCATION OF COURT
	DEATH (NAME OF FORMER SPOUSE)	DATE OF DEATH	PLACE OF DEATH

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
REPORT OF INDUCED ABORTION

(118)

State File No.

1. FACILITY NAME (If not clinic or hospital, give address)		2. COUNTY OF ABORTION		3. CITY/TOWN OF ABORTION		4. PATIENT MARRIED? ☐ YES ☐ NO ☐ UNKNOWN			
5. DATE OF ABORTION (Month, Day, Year)		6. AGE OF PATIENT		7. RESIDENCE - STATE		8. COUNTY			
9. CITY/TOWN		10. ANCESTRY French, English, Irish, Etc. (Specify Below)		11. RACE ☐ American Indian ☐ Black ☐ White ☐ Other (Specify) _____		12. EDUCATION (Specify only highest grade completed) <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none;">Elementary/Secondary K-12</td> <td style="width: 50%; border: none;">College (1-4 or 5+)</td> </tr> </table>		Elementary/Secondary K-12	College (1-4 or 5+)
Elementary/Secondary K-12	College (1-4 or 5+)								
13. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)		14. CLINICAL ESTIMATE OF GESTATION (Weeks)		PREGNANCY HISTORY (Complete each section)					
				LIVE BIRTHS		OTHER TERMINATIONS (Do not include this termination)			
				15a. Now living		15b. Now dead			
				16a. Spontaneous		16b. Induced			
				Number _____ ☐ None		Number _____ ☐ None			
				Number _____ ☐ None		Number _____ ☐ None			
TERMINATION PROCEDURES									
17a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one)		TYPE OF TERMINATION PROCEDURES SAMPLE				17b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY (Check all that apply)			
		☐ Suction Curettage ☐ Sharp Curettage ☐ Dilator and Evacuation (D&E) ☐ Intra-Uterine Saline Instillation ☐ Intra-Uterine Prostaglandin Instillation ☐ Hysterotomy ☐ Hysterectomy ☐ Other (Specify) _____							
18. SIGNATURE OF ATTENDING PHYSICIAN ▶				19. NAME OF PERSON COMPLETING REPORT (Type/Print)					

V54 - R No

SEND TO: Office of Vital Statistics
State House Station #11, Augusta, Maine 04333-0011



TABLE E-1

ESTIMATED MAINE POPULATION
BY COUNTIES AND STATE TOTAL, 1992

COUNTY	RESIDENT POPULATION
STATE TOTAL	1,236,348
ANDROSCOGGIN	103,844
AROSTOOK	87,109
CUMBERLAND	244,378
FRANKLIN	29,436
HANCOCK	47,963
KENNEBEC	117,143
KNOX	36,760
LINCOLN	30,602
OXFORD	52,612
PENOBSCOT	146,388
PISCATAQUIS	18,751
SAGadahoc	33,963
SOMERSET	50,770
WALDO	34,130
WASHINGTON	35,897
YORK	166,602

SOURCE: U. S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS, DECEMBER 1993.

TABLE E-2

ESTIMATED POPULATION BY AGE GROUP AND SEX
MAINE STATE TOTALS, - JULY 1, 1992

AGE GROUP (YEARS)	RESIDENT POPULATION JULY 1, 1992		
	MALE	FEMALE	TOTAL
ALL AGES - TOTAL	602,499	633,849	1,236,348
UNDER 1	8,292	7,875	16,167
1-14	124,168	117,591	241,759
15-24	86,854	84,172	170,826
25-34	95,955	98,634	194,589
35-44	101,400	101,229	202,629
45-64	118,503	123,757	242,260
65-74	41,522	52,182	93,704
75-84	21,107	34,456	55,563
85 AND OLDER	4,898	13,953	18,851

SOURCE: MAINE DEPT. OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS DEC 93

Table H-1

HISTORICAL VITAL STATISTICS DATA
POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES:
RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS
MAINE STATE TOTALS, 1900-1960 (Every Fifth Year) and 1961-1992 (Yearly)

Year	Population	Live Births	Birth Rate per 1,000 Population	Deaths (All Ages)	Death Rate per 1,000 Population	Infant Death Rate ^d	Neonatal Death Rate ^d	Fetal Death Rate ^d	Marriages ^c	Divorces ^c
1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6 ^a	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5 ^a	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5 ^a	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3 ^a	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8 ^a	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9 ^a	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6 ^a	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8 ^a	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1 ^a	7,569	2,497
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4 ^a	8,617	2,162
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4 ^a	8,263	1,954
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7 ^a	7,860	2,025
1961	976,511	23,553	24.1	10,765	11.0	25.6	19.0	17.5 ^a	7,908	2,021
1962	983,023	22,998	23.4	11,083	11.3	25.3	18.2	17.1 ^a	7,980	2,078
1963	986,603	21,919	22.2	11,003	11.2	24.0	17.9	16.3 ^a	8,121	2,193
1964	990,391	21,204	21.4	10,862	11.0	23.5	16.9	17.4 ^a	8,269	2,400
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5 ^a	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0 ^a	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1 ^a	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0 ^a	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8 ^a	10,428	3,375
1970	997,257	17,837	17.9	11,066	11.1	20.9	16.1	13.8 ^a	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2 ^a	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2 ^a	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3 ^a	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9 ^b	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8 ^b	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3 ^b	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6 ^b	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9 ^{b,c}	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2 ^{b,c}	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	7.1 ^{b,c}	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6	5.7 ^{b,c}	12,290	6,351
1982	1,136,199	16,695	14.7	10,451	9.2	8.7	6.0	6.9 ^{b,c}	12,388	5,804
1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5 ^b	12,478	5,939
1984	1,156,485	16,631	14.4	10,826	9.4	8.0	4.8	6.8 ^b	12,525	5,795
1985	1,163,850	16,905	14.5	11,392	9.8	8.9	6.3	6.0 ^b	12,248	6,070
1986	1,172,200	16,717	14.3	11,178	9.5	8.7	5.6	5.9 ^b	11,983	5,621
1987	1,186,350	16,727	14.1	11,238	9.5	8.1	4.8	5.7 ^b	12,124	5,878
1988	1,205,900	17,166	14.2	11,482	9.5	7.9	5.1	6.3 ^b	12,553	6,041
1989	1,216,050	17,464	14.4	11,090	9.1	7.0	4.8	5.6 ^b	11,894	5,469
1990	1,227,928	17,314	14.1	11,023	9.0	5.9	4.3	5.2 ^b	11,914	5,164
1991	1,234,597	16,755	13.6	11,189	9.1	6.7	4.4	4.9 ^b	11,306	5,645
1992	1,236,348	16,013	13.0	11,045	8.9	5.6	3.6	5.3 ^b	11,305	6,257

Notes:^aFetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age.

In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

^bFetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more.

^cOccurrence data.

^dRate per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents, only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine.

NON-DISCRIMINATION NOTICE

In accordance with Title VI of the Civil Rights Act of 1964 (42 U.S.C. §2000d et seq.), Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. §794), the Age Discrimination Act of 1975, as amended (42 U.S.C. §6101 et seq.), and Title IX of the Education Amendments of 1972, the Maine Department of Human Services does not discriminate on the basis of sex, race, color, national origin, handicap or age in admission or access to or treatment or employment in its programs or activities. Ann Twombly, Affirmative Action Officer, has been designated to coordinate our efforts to comply with the U.S. Department of Health and Human Services regulations (45 C.F.R. Parts 80, 84 and 91) and the U.S. Department of Education (34 C.F.R. Part 106) implementing these Federal laws. Inquiries concerning the application of these regulations and our grievance procedures for resolution of complaints alleging discrimination may be referred to Ann Twombly at 221 State Street, Augusta, Maine 04333, Telephone Number: (207) 287-3488 (Voice) or 1-800-332-1003 (TTY), or to the Assistant Secretary of the Office of Civil Rights, Washington, D.C.

MAINE DEPARTMENT OF HUMAN SERVICES
Office of Data, Research, and Vital Statistics
State House Station 11
35 Anthony Avenue
Augusta, Maine 04333-0011



SPECIAL FOURTH CLASS
Book Rate

Cong. Info Svcs. - SRS Dept 44
4520 East West Highway
Bethesda, MD 20814

BEST AVAILABLE COPY